50X1-HUM

#### PROCESSING COPY

## INFORMATION REPORT INFORMATION REPORT

#### CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

			(;=()=N=+'=1=1)=+;=N=	·I'-1-A-1.		50X1-HUM
COUNTRY	Chi	na		REPORT		
SUBJECT	1.	Chinese Communis Trading Corporat	•	DATE DISTR.	2	May 1957
	2.	Chinese Communis		NO. PAGES	3	
				REQUIREMENT NO.		50X1-HUM
DATE OF INFO.				REFERENCES		50X1-HUM
PLACE & DATE ACQ.		COLUDE SVALILATION	IC ADE DEFINITION			
		SOURCE EVALUATION	NS ARE DEFINITIVE. APP	PRAISAL OF CONTENT	IS TENT	ATIVE'

- 1. Catalogs describing the Sinofracht Chartering and Shipbroking Corporation (0022/09\\\8/\\\4.36/5307/0361/067\\\4)) and the "Sinotrans" China National Foreign Trade Transportation Corporation (0022/09\\\8/1\\\\17/1120/6319/2\\\96/6663/6551/0361/067\\\\), contain the following information on these corporations:
  - a. Sinofracht's business: "sole agents on orders from principals home and abroad for chartering vessels and booking shipping space, also for booking cargoes on behalf of shippwners." The head office of this corporation is in the Import Building, Hsi Chiao, Erh Li Kou, Peiping (cable address: SINOFRACHT PEKING or 7344 PEKING). Branch offices are the following:

Tientsin: 172 Liaoning Road (cable address: SINOTRANS TIENTSIN or

6867 Tientsin)

Shanghai: Ground Floor, Customs Building, Hankow Road (cable address:

SINOTRANS SHANGHAI or 13380 SHANGHAI)

Whampoa: Whampoa Port, Canton (cable address: SINOTRANS WHAMPOA or

9406 WHAMPOA)

b. "Sinotrans" business: "sole enterprise for arranging Customs clearance and deliveries of cargoes imported, exported, and/or re-exported by sea, land, air, and post; acting as agents on authorization for arranging shipments of transit cargoes at Chinese ports and forwarding of imported cargoes; arranging marine and transportation insurance and instituting claims on behalf of cargo owners." The address of the head office of this corporation is the same as that of Sinofracht, except that its cable address is SINOTRANS PEKING. Branch offices are the following:

Whampoa: Same as for Sinofracht Shanghai: Same as for Sinofracht

Tsingtao: 1 Sinkiang Road (cable address: 6586 TSINGTAO)
Tientsin: Beside Tze Yiu Li, Hsinkang Road, T'angku (N 39-Ol,

E 117-40) (cable address SINOTRANS TANGKU or 6868 TANGKU)

Dairen: 16 Stalin Road (cable address: 7120 DAIREN)

C-O-N-F-I-D-E-N-T-I-A-I,

50X1-HUM

STATE	x	ARMY	x	NAVY	х	AIR	х	FBI	Ī	ORR Ev	х	BFC	x	Treas	Τx
			CINCF	AC #											
(Note: Was	hington	distribution	on indicate	d by "X"; Fi	eld distr	ibution by '	"#".)								

### INFORMATION REPORT INFORMATION REPORT

C-O-N-F-I-D-E-N-T-I-A-L

- 2 -

Chanchiang:

Chanchiang (N 21-12, E 110-23) Port, Kwangtung (cable

address: 8319 CHANKIANG)

Manchouli:

Erh Tao Chieh, Manchouli (N 49-36, E 117-27) (cable address:

SINOTRANS MANCHOULI or 2878 MANCHOULI)

Suifenho:

Erh Chieh, Suifenho (N 44-24, E 131-10) (cable address:

2014 SUIFENHO)

Antung:

37 Erh Ching Lu, Antung (3) (N 40-09, E 124-23) (cable

address: 3315 ANTUNG)

T'umen: Chining: T'umen (N 42-58, E 129-49) (cable address: 4737 TUMEN) Station, Chining (N 40-58, E 113-02) (cable address:

5611 TSINING)

P'inghsiang:

Station, P'inghsiang (N 22-06, E 106-44) (cable address: 0001 PINGHSIANG

"Sinotrans" also has the following sub-branches:

Canton:

25 Tai Ping Nan Lu (cable address: 5931 CANTON)

Tientsin:

Same as for Sinofrapcht branch

Ch**i**nhuangtao:

Kailan Road, Ch'inhuangtao (N-39-57, E 119-35) (cable

address: 6866 CHINWANGTAO)

Erhlien:

Station, Erhlien (N 44-10, E 111-29) (cable address:

5612 ERHLIAN)

Chian:

Min Chu Tsun, Chian (N 41-07, E 126-10) (cable address:

2011 CHIAN)

- The following catalogs were issued by the China National Import and Export Corporation (CNIEC):
  - Pharmaceuticals and Medical Instruments, a folder giving the names of export items in both Chinese and English. This folder lists, in addition to the Peiping office, branches in Tientsin, Shanghai, Tsingtao, and Canton, and the Hong Kong agency, the China Resources Company.
  - Our Main Exportable Products, Chemicals and Pharmaceuticals, an illustrated booklet in English. In addition to the CNIEC offices mentioned above, this booklet lists the Berlin representative's office at Leipzigerstrasse 112, Berlin W. 8 (cable address: CNIEC BERLIN)
  - Four folders in Chinese and English put out by CNIEC, Peiping: Sodium Silicilate; Sodium Sulfate, Anhydrous; Lithopone 28-30%; and Iron Oxide Red (Fe203).
  - d. A catalog in English and Chinese, put out by the Tientsin branch of CNIEC, listing "Friendship" (yu hao, 0645/1170) brand synthetic dyestuffs and chemicals (16 pages).
  - e. Eighteen leaflets in English and Chinese describing the following products for which inquiries were to be sent to the CNIEC office in Tientsin: red amorphous phosphorus, calcium carbide; solution of cresol with soap (lysol), diastase; lactic casein; sodium bicarbonate tech., sodium fluoride; ephedrine hydrochloride (natural), calcium gluconate; light calcium carbonate, light magnesium carbonate; lubricating grease, locomotive grease; pepsin, pancreatin; refined naphthalene, ethyl alcohol; paraffin wax, stearic acid; furfural tech., aniline oil; sodium hydroxide (caustic soda), sodium carbonate (soda ash); trisodium phosphate, sodium nitrite; zinc sulfate, zinc chloride; and barium chloride, calcium chloride tech.
- The following catalogs were put out by the China National Instruments Import Corporation (CNIIC) and list, in addition to the head office in  $^{\rm Peiping}$ , branches in Shanghai, Tientsin, and Canton.
  - a. Scientific Apparatus, a nine-page list in Chinese and English. 1

(-()-	-N F	-   -	)   ·	-N T	-   - /	1-1.

50X1-HUM

50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

- 3 -

- b. Analytical Balances, an illustrated catalog in English. 1
- h. The following pamphlets were put out by the China National Machinery Import Corporation (CMMIC) and list branch offices in Tientsin, Shanghai, and Canton, in addition to the head office in Peiping.
  - a. Air Compressor Model 1-6/7, a folder in English, illustrated.
  - b. <u>Cylindrical Grinding Machine Model M115/M125</u>, an illustrated booklet in <u>English</u>.
  - c. Water Pump Centrifugal Type, an illustrated folder in English.
- 5. The following catalogs were put out by the China National Native Produce Export Corporation (CNNPEC):
  - a. Catalog of Exports and Imports, lists in Chinese and English, with the specifications of some exports (38 pages).
  - b. Catalog of Shiwan (Shihwan) Earthenwares, put out by the Canton branch office of CNNPEC (illustrated, in Chinese and English).
  - c. Introduction of the Preparations of Chinese Drugs, Sing-Kyn (Hsing Ch'un, 2502/5028) Drug House, Canton, China, put out by CNNPEC, Canton. This is a general discussion, in Chinese and English. (14 pages)
  - d. Catalog of Preparations of Chinese Drugs, Sing-Kyn Drug House, Canton, China, put out by CNNPEC, Canton (illustrated, in Chinese and English, 42 pages).
  - e. Price List of Shiwan Earthenwares, put out by the Art and Craft Department, CNNPEC, Canton, 109 Tien Cheng Road (cable address: ARTICRAFT or 5555).

    The list is in Chinese and all prices are quoted in Hong Kong dollars. (23 pages)
- 6. The following catalog was put out by the China National Sundries Export Corporation (CNSEC) and lists the addresses of the head office in Peiping and the Canton branch.
  - a. Catalog of Exports, a Lu-page booklet in Chinese and English.
- 7. The Chinese dinnerware price list published by the State-Private Joint-Ownership Canton Earthenware Export Company (0361/hh2h/0678/3602/168h/1558/7118/3911/0427/0656/0361/067h), 63 Tien Chieng (1131/2052) Road, Canton (telephone numbers 12516 and 125h1, cable address: 3099), in 1956 listed products made in Chingtechen (N 29-18, E 117-12), Kiangsi Province, at prices in Hong Kong dollars. (In Chinese)

Attachments,	comprising	the catalogs and pamphlets described above are not classified when detached from this report.	50X1-HUM

C-O-N-F-I-D-E-N-T-I-A-L

50X1-HUM

50X1-HUM



A NATIONAL SUNDRIES EX

中國雜品出口公司

THE CHINA NATIONAL SUNDRIES EXPORT CORPORATION

# 中國雜品出口公司

能 公司:中國北京東町九條硝周(甲)三十二号 電報掛号:"SUNDRY" Peking.

置州分公司:中國廣州太平南路二十五号 電報掛号:"SUNDRIES" Canton.

# THE CHINA NATIONAL SUNDRIES EXPORT CORPORATION

Head Office: 32(A) Chiu Tiao Hutung, East City, Feking, Chine Cable Address: "SUNDRY" Peking.

Canton Branch: 25, Tai Fing Road, South, Canton, China Cable Address: "SUNDRIFS" Canton

JE 77、 14.

CORRECTIONS

	a construction of the last of		and the second s	Carried Company of the Section Company of the Compa	THE RESERVE OF THE PARTY OF THE			
可数	行利!	46	£.	·	£.	à		正
и , т	LINE	COLUMN		ORIGIA	/		CORREC	TION
5 14 24 25 28 ", 29 ; 30  32 ,	6423123456141	電視等 CABEL ADDRE 影像 SPECIFICATIO 影名 NAME OF COM 色質 PACKING で NAME OF COM い " " " " " " " " " " " " " " " " " " "	SS SUI Y WIT IMODITY "HV 兩郎 二郎 成 成 所 (TH) "FI 次 家 家 教 (TH) "FI 次 の 家 家 (T) "FI (T) (T) (T) (T) (T) (T) (T) (T) (T) (T)	NDRIES H TRIDRIVEN NA HIN  E 2 SETS E SH  COUCHEE  LOEN DEEL  55" REE STAR" LIGHT UR STAR" LIGHT WR STAR CHIN O WATT IN PACKED "	POINT IN 3 CASES IN 3 CASES : HTER TER	WITH "HWA 五年 金屬 電	IRIDIUM YIN" 5 SETS IN 1 SET IN "FISH" "TI KEE "GOLDEN "555" ESTAR"CIGI "AXE" C. P. TYPE	N 3 CASES 2 CASES
44	1-7	7.7		,,				

棉茶製品

COTTON AND RAMIE GOODS

最名 NAME OF COMMODITY	提格 SPECIFICATION	包装 PACKING 、
3027 東市 3027 Linen	36" 30°/2 × 425 36 - 50°/2 × 425	30 足屑店 30 pieces per wooden case 16
	36" 10042 x 503 36" 10042 x 598	// /*
#228 業事 #528 Limen	80% 80% 2 KHR38. 60 80 % 1428	*
4017 族帝 4917 Liken - 美人子子子	60" 100% × 503 60" , 460% × 503	a Tapa Gera
代学課 63 号星后中 Double Axes" Juven Towel , 63	80×35 15 元. 再打 938 克 80×35 cm. 338 gm. per dog.	100 to E. B. 100 dozens per wooden case
双音牌(6 号星后下 Souble Axes' Queen Yourd, 8t	77×35 弘 子.華打 938 克 77×35 cm. 938 gm. per dez.	"
	77 · 34 签 号,每书 781 克 71 · 34cm. 781gm per doz	y H
	5 , ,	

B

4

			a action of a section of the section		
SEC NAME OF COMMODITY	規格 SPECIFICATION	無數 PACKING	de for NAME CO-COMBIDITATI	規格 SPECIFICATION	包装 『PCKING
東京等 36 華早安平 Nung "Good Morning Towel, 36	80×373 年.華打 875 克 1001 80×37cm, 875cm, per day 100 o	T & # logens per wooden case	大平県といる事業の関 "Sung" Culture Towel, 200	79×32 E F.# 17 625 E 93×32 cm.625gm, per dec	190 正真压 190 dozen per wooden case
永平學 83 等年安中 "Nung"Good Norming Towel , 83	75×32 5 录 4 5 78 克 95×32 cm 578 gm per doq	er V	水平等 202 号大常中 (Sung* Popular Tour!, 20)	77×39 3 連続年行 750 更 77×33 cm 750 gm per diz	" "
4、年等 83 号皇后中 Turg" Queen Twell, 63	80×35 IA	<i>y</i> .	重演年 808 年 5. 在中 "Black Cut "Solvu» Objects Towel, 190	ナロボ 医原面指 547頁 * その ボ m.547gm.per dog	"
人以考入 美量甘草 Tung Gueen Twel, 66	77×35 5	9 *	孫在博 24 号江花市 "Sparrow" Towel Frinted, 24	98 - 36 区 子.新 竹 875 克 98×36cm.875gm.per dox.	n n
大学機 201 辛美 化市 Trang Triangeour Towel	76×35 弘 矛海打 938 克 76×35 cm 938gm, per dog.		陈生草 8.88 草形保部 2. 节 "Sparrow" Towel Prinsed with coloured stripes: 838	67×30 京节浦打 469 完 67×30 cm 469 gm per dez.	"
1. 生产 5.2 美热 樂淳 - Fag Tu Pag Tel Folia F. 503	50×35 点 带.要打 1000电 80×55 cm.1000gm per dox.	<i>!!</i> <i>!!</i>	1 <b>一</b> 孫 崔 將 888 著 4 8 8 8 "Sparrow" Colour Checks Towel, 886	73 130 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	<i>u</i> <i>u</i>
トフザ ヤケ青 製 覇 車 "Proof" Be mady Jowed 201	83×35 % €.\& 17. 875 €. 83×35 cm.875 gm.per dox.	*	麻養牌 103 号形保票 "Sparrow" Colour Stripes Towel, 103	93×30 至 示.至 T 438 形. 73×30 cm 438 gm per doz.	<i>u</i> *

• 3 •

15年 NAME OF COMMODITY 1号物 11年子(ATOM ) 主教 FAIR 12 日本 6 英 11年日 東京 停車 779-30 D 子典町 658号 100 日 1 華 Grande Colour Stripes Printed 233 10 cm 656gm per Set, 100 dozen per wooden cus 79) 30 ] 下海目 658克 100 目 1 頭 33 x 30 cm 858gm per dor, 100 dozen jur wooden cuse 1) ( n n eg 173 % % % % % % % Senven "Colour Stripes Printed Towel , 383 78 x 30 58 F. H TT 5 E. H. 52 x 30 cm 566 gm sur des 學家 準 242 學 7 多 字 "Laktur" Indur, Nocks Tourk, 243 78 k30 [ H. # 7 583 H. 73 k30 cm 568 gm, per 40 長漢様では発音は高点で TolkingでThe Color Colors 25,25 (S. F. #1) + 122 f. 25,45 (m. 1888) paper 185 

)

最名 HAME OF COMMODIL	Y 規格 SPECIFICATIO	DM 理製 EXCKENG
個家水筆 Fountain Per	1	
日光達 48 "Sunlight" 48	se si Stamlesi Steel nië	夏哲智含电 150 群盘 电 1 dos 101 i - 170 <b>n, 50 dos, per</b> 155 is 140
सं भ 103 : Mail Fang <sup>4</sup> , 103	<i>p</i> #	<i>u</i>
生棄 - 33 "Kiang Nan", 33	# #	* #
火理 - 801 "Torch", 801	n n	9 4
報告 120 "Nan Fong", 120	® ≅. 50% gold nib	日報台車 · 20 打   音   doz. in   carton , 20 doz. )
से में 102 "Nan Fong" ,102	图 [] Stainless steal nib with Indriven point	wooden case 1 打铁金型-50 打 1 它 1 doz in 1 carton, 50 doc. pe wooden case

品名 NAME OF COMMC	DITY 模格 SPECIFICAT	ION 度號 PAGKING	品名 NAME OF COMMODITY	規格 SPECIFICATION	D 数 PACKING
華爾 51 "South China", 51	६ म् 50% gold nib	1 打块合电,80 引 1 值 1 daz in 1 carton , 20 daz , per wooden vase	小 ● 吟朋友 "Good Triend"		1 明 王・50 明 1 項 1 gross in 1 carton, 50 gross per wooden case
語筆 Pencil 天平暐陽頭 "Balance", Rubber Tip		海港 +80 海   南   grass in 1 carton , 50 grass	可音水医 "Double Arrow" Carpenters		1 轉類自由、50 等 1 箱 1 gross in paper box, 50 gross in wooden case
天子 輝 膠 頭 花 桴		per wooden case	双箭褐鸟 "Double Arrow" Copying		"
*Balance". Fancy 天平 卑紅 藍			202 小克荷着重 "Kitten" Coloured Wax Pencil, 20	72	1 打断合正,120 打 1 箱 1 dez in 1 carton, 120 doz.
"Balance" Red & Blue		<i>"</i>	0 •		per case
天平埠绘图 'Balance" Drawing	68,6H,4H 68,6H.4H	<i>*</i>	・「 見董之友福華 "Childrens' Friend "Wax Pencil	6 ±. Six colours	"
天平 挥全 紅 Balance* Red		<i>(e</i>	" *	8 & Eight colours	"

ad Ed Tarrier Of Co. 1993 Marie	- 风格 SITCHICAT 生	思數 FACKING		品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
並之友贈華 Addrons' Friend" Wax Pencil		1 15 16 - 120 ST 1 Fil 1 Hog - In 1 carton, 120 din. per case	1)	蜘蛛牌墨水 "Spider" Ink	二两 2 oz.	1 打無合电,36 打 1 稍 1 doq. in 1 carton, 36 doq. per case
民畫水 ve Min"Ink		] 中国《唐·36 % / 8 (1 dog 30 1 cartin), 36 dog. per case		H.	一两 1 02.	1 打锅合田92 打1箱 1 doz. in 1 carton, 72 doz. per case
u u	··· [4] 1 24.	1 (5) (4) (4) (4) (5) (4) (4) (5) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (6) (7) (7) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7		飛馬 摩 墨 水 "Flying Horse" Ink	二两 2 0%。	1 打粮 合压,36 打 1 箱 1 doz. in 1 carton, 36 doz. per case
電墨水 ightning" Ink		1   歌 (a <b>歌 + 36</b> )   1	ı) <b>•</b>	" "	一两 1 02.	1 打 粮 合 电,72 打 1 箱 1 doz. in 1 carton, 72 doz. per case
y Y	102.	/育裝合度,72 将 / 遵   log. in 1 carion,72 dog.   per case	,	犬虹牌墨水 "Rainbow" Ink	二百 2 <i>四</i> .	1 打粮合宝·36 打 1 稚 1 doz, in 1 carton, 36 doz. per case

1)

1)

弱音 NAME OF COMMODITY	規格 SPECIFICATION	包獎 PACKING
大虹牌墨水 ".?ainbow" Ink	一 ) 1 02.	1•打無合由, 72 打 1 着 1 dog.:n 1 carton, 72 dog per case
予選準油墨 Printing Ink Printing Ink	30、監、素度 Colour: Bed, blue blade	類自患。10 打 / 蒋 Pack in paper bas, 10 don. in case
文具筐 Letter Basket	鉄盤 Gal. tren wire	
天平暉三角尺 "Balance" Set Syuare	七厘半郎屯 303 デ 75mm =1ash2,30 suc	
平異程三角尺 Ewa Hing "Set Syxare	25 公牙,黟电 25 cm. plastic	" "
2	20 至于华皇 20 cm clastic	

THE RAME OF COMMODITY SERVE SPECIFICATION 包裝 PACKING 聚尼書養 Prastic Book Zable 永强碑釘書机 "Yung Chang" Staple Machine | Flat model 50 打 1 箱 50 doq. per case 箭牌图画釘 "Arrow" Drawing Pin 1000 命一横 1000 cartons per wooden case 斯斯 Round head 蓮花啤墨馬釘 "Water-Lily" Drawing Pin 護度 Round head 健康 牌 墨台 "Healthy" Chinese Ink Bax 大等 A 50 个 1 档 50 pcs per case 2 <del>ў</del> В 院 駐 牢 墨 合 "Junk" Chinese Ink Box • 11 •

**1** 

·) •

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
40 H	Will Organienton	G& //www.q
<b>半世序基合</b>	르 복	50 个 / 稍
Study" Chinese Ink Box	C	50 pcs. per case
277 会計筆光	不銹鋼	50 啰 1 箱
77 (Accountant) Pen-Nib	Stainless steel	50 gross per case
铁 筆 头	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<i>"</i>
Railway" Pen-nib	#	"
77 賭水筆头	"	,,
77 Pennib (Keeping Ink)	"	"
∅ 購水筆共	"	,,
8 Pen-nib (Keeping Ink)	"	,
<b>利利毛球拍</b>	頻析,嗜油	50 对 1 插
Chin Woo" Shuttle Cock Racket	Steel handle, lacquor finish	50 pairs per wooden case
<i>H</i> '	蚕 鍍	"
"	Electoplated	"

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
冠軍牌羽毛球指 "Champion" Shuttle Cock Racket	三夹 Three ply	50 对 1 箱 50 pairs per wooden case
"	五夹 Five ply	 !/
版和網球拍 "Cheng Ho"Tennis Racket		"
海燕跨板羽球指 "Petrel"Shutile Cock Bat		"
发典脖乒乓球板 "YuHing" Ping-pong Ball Bat		"
板羽毛球板 Shuttle Cock Bat		20 打 1 箱 20 dog. per case
羽毛球 Shuttle Cock	隊頭 Rubber tip	50打1箱 50 doz. per case

• 13 •

品名 NAME OF COMMODITY 規格 SPECIFICATION 創製 PACKING

羽毛球 Shuttle Cock

50 () | 81 50 doz. per case

玻璃石板 Glass Slate

提 琴 Violin

25 17 1 % 27 dez. per case 持等權木文松木面 Special class, teak & pine wood made

10 第 1 舊 10 sets per wooden case

華 英 牌 牧 童 笛 "Hwa Hin" Cow-boy's Flute

100 周 1 箱 100 per case

新聞 概 News Printing Paper

時分 500 版・12 分水 東出 500 sheets per ream 12 reams in wooden crate

捲筒 31" 31" in reels

GENERAL MERCHANDISE

• 14 •

平板 31" × 43" 31" × 43" in sheet



GENERAL MEACHANDISE

現名 SPECIFICATION 包装 FACKING

アミリネリ国

\*\*Congerne Cotton Thread in your 22 英華 発育 450 集

\*\*Cotton Gai\*\* Canones Bell

「当 14時 年 第

\*\*Chen Gai\*\* Canones Bell

「 Tien Wah "Canones Bell

中 明 中 別

「 Tien Wah "Canones Bell

「 Tien Wa

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING		品名 MAME (データのMANI)	矩格 SPECIFICATIO!	包裝 PACKING
收割机 牌大张 Harvester" Safety Match		10 合級包由 100 包一箱 In wooden case .each contains 100 packets of 10 boxes	1} ●	那大車花杯 Carved Glass Tumbler, Large size		半打合压 + 20 打桶压 1/2 doz. in 1 box, 20 doz. po- wooden case
B 花水杯 Glass Tumbler, Coloured	大 号 A	予打食主,25打1箱 1/2 doz. in 1 box,25 doz. per wooden case		丰花杯 Carved Glass Tumbler	大·号 A	半有合序。 25 打1箱 Ve doz. in 1 box, 25 doz. per wooden case
u u	二号 8	# #		<i>u</i> <i>u</i>	二 号 <i>B</i>	ji U
// //	크 <b>동</b> C	半打合庄,30打!箱 ½ dox.in!box,30 dox.per wooden case		" "	크 롱 C	半丌合压 , 30 打1 箱 ½ doz. in 1 box. 30 dox per wooden case
彩 花 古 粉 杯 Colour Glass Fumbler, Drum Shape	大 号 A	半打合由,25 打 1 箱 ½ doz. In 1 box, 25 doc. per wooden case	<b>ķ. •</b>	加大的花林 Ground Glass Tumbler, Large Size		半打合压。 20 打1箱 ½ dor. in 1 box, 20 dor. per wooden case
"	二 <b>等</b> <i>B</i>	"		砂花杯 Ground Glass Tumbler	大号 A	半打合座 , 25 打1 箱 25 doz. per wooden case

1 🗨

**1** 

品名 NAME OF COMMODITY	现格 SPECIFICATIO	N 包装 FACKING
耐花杯 Ground Glass Tumbler	二号 23	半打観合正・25 打 1 箱 ½ doz. in 1 box, 25 doz. per wooden case
	三号 C	半打紙合压,30 打 1 箱 1/2 doz. in 1 bax, 30 doz. per wooden case
前大印花杯 Class Pumbler Coloured , Large Size		半打概合正,20打1 箱 1/2 doz. in 1 box, 20 doz. per wooden case
司 伐林 Ölass Tumbler, Coloured	大 号. A	羊打쫷合虫,25打1箱 ½ d02. in 1 box, 25 doz. per wooden case
September 19	二 學 <i>B</i>	
" "	三号 C	半打新台庄,30打1槽 30 dos. per wooden case

超各 NAME OF COMMODITY	规陷	SPECIFICATION	包裝	PACKING
華花古物縣 Carved Glass Pumbler, <b>Drum Shape</b>	大号 · A		<b></b>	, 25 打 1 着 box , 25 doz. per en case
" "	二号 B			" .
母花古彩杯 Ground Glass Tumbler, Drum Shape	大号 A			"
"	二号 B			<i>u</i> , <i>u</i>
印花古野林 Glass Tumbler, Drum Shape , Coloured	<b>大号</b> A			<i>"</i> #
<i>u</i> '	二号 <i>B</i>			<i>"</i>

• 18 •

品名 NAME OF COMMODITY	規格 SPECIFICATION	包数 PACKING		品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
亨奧杯 Tumbler , Square Bottom	大号 A	半打概合注: 25 桁 1 箱 ½ doz. in 1 box, 25 doz. per wooden case	1 •	方 应 酒 杯 Wine Glass , Square Bottom	二両 2 02.	/ 打 概合 庄 , 50 打 1 箱 1 doz. in / box , 50 doz . pe. wooden case
豆星杯 Star Tambler	大 号 A	"		杯盖 Cup Cover	大 号 A	# #
元条杯 Glass Tumbler, Striped	二号 <i>B</i>	/· //		H H	그 북 <i>B</i>	<i>,</i> ,
育格杯 Hass Tumbler, Checked	大号 A	"		珠花杯碟 Cup & Saucer,Ball Design		半打紙合正,30 打 / 箱 ½ doz. in 1 box,30 dog. per wooden case
帆遊劃移杯 Tumbler,Sword Design, Marhine Pressed	大号 A	"	<b>4</b>	玻璃視合 Glass Soap Container		1 打 紙 合 庄 , 20 打 1 崖 1 doz. in 1 box , 20 doz. per
事 S. 實 略 Curred Wine Giass	二 両 2 <i>0</i> 2.	1 打紙合主 50 打 1 箱 1 doz. in 1 box , 50 doz. per wooden case		車花盖杯水磅概 Carved Glass Botile with Cup		wooden case  「個級合正、10 哲子型 1 set in 1 box : 10 dox per wooden case

- 50 •

品名 NAME OF COMMODITY 規格 SPECIFICATION 包裝 PACKING 品名 NAME OF COMMODITY 規格 SPECIFICATION 包裝 PACKING 電木蓋 膠咀奶報 Milk Bottle with Rubber Sucker 半背氣合正, 25 打 / 箱 ½ doz. in 1 box, 25 doz. per wooden case 脚踏 Pedal 50对1箱 50 pairs per wooden case & Plastic Cover 硬性 28" lé" 寰輅 Hard edge, 28" lé", chrome plated 机压烟缸 20 个/相 半打 級合主,25 打 1 和 ½ doz.in / bax,25 doz.per wooden case 平上 Wheel Ring Ash Tray, Machine Pressed 20 per wooden case 单車内胎 Bicycle Inner Rubber Tube 28" 1±" 28" 1±" 五星 烟 碟 "Star"Ash Tray 100 条 1 薙 100 per wooden case 1打駅合庄,50打1箱 1 doz. in 1 box, 50 doz. per wooden case 单車手簡 Bicycle Handle 硬腭,黑色 Hard Rubber, black colour 壶打庄,50 打 1 着 1 doz. in 1 box, 50 doz. per wooden case **予 簽 簡** Toothpick Holder 单車前哈 Bicycle Front Hub 单章打氣暗 | 打庄,10 打 1 箱 | doz.in | box,10 doz.per | wooden case 32 眼:鳑蛒 32 holes,chrome plated 10 个紙盒庄 50 打 1 箱 10 in 1 box, 50 doz. per wooden case i 🌘 Bicycle Pump 車車前义 Bicycle Front Fork 烤黑漆,紅鱼粽 Baked black lacquor with golden line 单車後幣 Bicycle Rear Hub 40 眼, 鍍蛒 40 holes, chrome plated 20 枝 / 稍 20 per wooden case • 22 • € 23, €

題名 NAME OF COMMODITY 提絡 SPECIFICATION 包裝 PACKING

華南摩養報机 South China Brand Sewing Machine

15-35 型一斗柏式

Model 15-35, Available for Double
Drawers Table

15-36 型一斗柏式

Model 15-36, Available for Single
Drawer Table

15-36 型 二斗柏式

Model 15-336, Available for Single
Drawer Table

15-336 型 二斗柏式

Model 15-336, Available for Double
Drawer Table

15-336 型 二斗柏式

Model 15-336, Available for Double
Drawer Table

15-336 型 二斗柏式

Model 15-336, Available for Double
Drawers Table

15-336 型 二斗柏式

Model 15-336, Available for Double
Drawers Table

15-336 型 二斗柏式

Model 15-336, Available for Double
Drawers Table

NAME OF LANE DOWN

15-70 型三年刊学

Foodel 15-80, Available for Sirve Found shuttle, white 2 sets in 3 cases

15-40 電豆井村式

Model 15-80, Available for Five Pravent

Strate Down

15-80 型方形電車門式

Model 15-80, Gyaare Chest Strate

15-80 型方形電質門式

Model 15-80, Open, Double Door

15-80 型持層権式

Model 15-80, Special Chest Type

15-80 高 四種式

Model 15-80, Special Chest Type

15-80 高 四種式

Model 15-80, Special Chest Type

15-80 高 四種式

Model 15-80, Special Chest Type

晶名 WAME OF COMMODITY	規格 SPECIFICATION	包裝 FACKING
平南韓鎮門机 South China Brand Button-holing Accessory	The second secon	10 恒 1 箱 10 per wooden case
師唆 手錶带 "Zion" Brist Watch Brucelet	本領鋼 Stainless steel	1 打跳合座,50 打 f 箱 1 dog. in 1 carlon, 50 dog per case
乾啤手錄帶 "Tiger"Wrist Watch Bracelet	不銹鋼,四格 Stainless steel, 4 links	y , 1
"	不銹鋼;五格 Stainless steel,5 links	# #
狀態 跨手 錄帯 (Butterfly"Wrist Watch Bracelet	不銹鋼,三格,男女店 Stainless steel, 3 links, for ladies & genllemen	e de la companya de l
	不銹鋼、九格 Stainless steel, 9 links	,

晶名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
<b>飛乾晖手鉄帯</b>	不锈鋼	<b>壶打狱合庄,50打</b> 1 葡
'Fluing Wheel" Wrist Watch Bracelet	Stainless steel	1 doz. in 1 carton, 50 doz per case
星啤鍊带	不銹鋼,涼士式	
"Star" Wrist Watch Bracelet	Stainless steel, Boston type	• "/
手箭牌手领带	不銹鋼	"
'Hand & Arrow'' Wrist Watch Bracelet	Stainless steel	·#
<sup>尺</sup> 亮輝 手 <b>蒙</b> 带	不銹鋼,七格	. ,
Dawn" Wrist Watch Bracelet	Stainless steel, 7 links	<i>"</i>
【倫記手续帶	. "	"
Tong Lun Kee" Wrist Watch Bracelet	"	"
<b>長</b> 球牌手號带	不銹鑼	"
Globe" Wrist Watch Bracelet	Stainless steel	

品名 NAME OF COMMODITY	規格 SPECIFICATION	復製 FACKING
要牌手號帶 ish" Wrist Watch Bracelet	不 <b>骑辆</b> Stainless steel	1 有概 会主, 50 打 1 箱 1 doz. in 1 carton, 50 dos per case
记主领带 iou (hee "Wrist Walch Bracelet	不锈鋼·泼士式 Stainless steel, Boston type	"
型牌手錶带 olden Deer" Wrist Watch Bracelet	不銹鋼 Stainless steel	" "
五學指甲鉗 55° Nail Clipper	大号 Large size	「打跌合正,100打」箱 I doz in I carton, 100 doz. per case
*	大号带刀 Large size with knife	. <i>11</i> #
"	大号有花 Large size with carving	<i>u</i>

厨名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
三五庫指甲鎖 <sup>4</sup> 355" Nail Clipper	二号有习 No.2 size with knife	f 打棋合正·100打 1 箱 f dog. in 1 carton, 100 doz. per case
u 11	二号 No.2 size	"
双 <sup>联</sup> 席指甲鉗 "Double Ring" Nail Clipper	大号 Large size	<i>"</i>
"	大号带刀 Large size with knife	**
三星碑打火机 Three Star" Lighter	附鳳,大号 Windproof, large stze	1 打概合主,20 打 f 指 1 dog. in 1 carton, 20 dog per case
<sup>五星 牌</sup> 打火机 Five Star" Lighter	N U	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
pro t.	• 29 •	

品名 NAME OF COMMODITY	規格 SPECIFICATION	包軽 PACKING
呵星牌打火机 "Four Star" Lighter		1 打 組合
銷 Padlocks		
808 年 曆 鏡 Layer Type . 808	14" 14"	1打線合由·50打1箱 1 dog.in 1 carton, 50 dog. per case
三喙牌千磨鲅 "Three Ring" Layer Type	34 公屋鲜宅 34 mm, made of ginc	11 14
双箭牌弹珠鎖 "Bow & Arrow" Ball Bearing Type	/ź"生蚨珠鳞 /ź", made of iron	, , , , , , , , , , , , , , , , , , ,
日韓写針合金鎖 "Swan" Made of Zinc Alloy	1‡" 1‡"	"

品名 NAME OF COMMODITY	親格,SPECIFICATIO	包装 PACKING
海鷹牌合金鎮 "Sea Eagle" Made of Alloy	多牙質色方形 O.6". Colour spraye, square shape	1 打钡合庄 100 打 1 箱 d ,1 doz , in 1 carton , 100 do per case
单車 对号 碼 銷 Number Lock for Bicycle	镀鉻 Chrome-plated	打觀台庄 10 打   箱   doz. in   carton , 10 doz   per case
琴米錯錯 "Tai Lai", Made of Lead	/ Pri	!打無合压 100打 1 箱 + doq. in 1 carton, 100 doq per case
飛球牌标學鎖 "Flying Ball" Standard Type	1 时 1"	<i>u</i>
國光 101 珠鎖 "Kwo Kwang"Ball Bearing Type , 101	42 公厘 42 mm.	打無合法 25 打   箱   doq. in   carton, 25 doq.   per case
供銷 Iron Lock	心型、23 公理 Heart shape, 23 mm	,

• 30 •

記さ 1APC - CORPORITY 現格 SPECIFICATION 包裹 PACKING 品名 NAME OF COMMODITY 規格 SPECIFICATION 包装 PACKING 張振記**鎖** "Chang Chin Kee" Lock / 日観合出 50 打 1 箱 / dog. in 1 carton, 50 dog. per case 三屆庫手電筒 "Tung Fok" Flashlight 自統合庄、30 打 f 有 1 doz. in 1 carton, 30 doz. per case 200 ft. 光明脾笼髓 "Kwang Mine" Gas Lamp 300 L 300 wast. !打1箱 1 doz. per case 航空庫電池 "Aviation" Ballery Cell / 打颗合庄,50 打 1 覆 1 doq.in 1 carton, 50 doz. per case 風雨艦 Hurricane Lantern 二号喷鲅色 No.2 size, silver colour 5 打 1 箱 5 doz. per case 五手厚電光 "Five Ram"Battery Cell 二号,鉄錫 競集牌電池 "Flying Elephant" Bastery Cell No.2 size, tin-plated 猫头牌手霉菌 "Cai's Head" Flashlight 300尺 /打無合正 30 打 1 箱 I doz. in 1 carton, 30 doz. per case 火炬噻豐珠 "Torch" Flashlight Bulbs 300 ft. 犬头,原蜉榔 10个板合庄 5000个 f 着 Pre-focus, Linc base 10 in 1 carton, 5000 per case 虎头牌手電筒 "Tiger's Head" Flashlight 园头,原鋍廊 Ordinary, gine base • 32 • • 33 •

	**************************************	Maria mana ing managan
品名 NAME OF COMMODITY	規格 SEEDERGATION	包裝 ACMING
星球摩電珠 ·		10 个紙盒 庄 5000 个 1 葙
"Star Globe" Flashlight Bulbs	Pre-focus, ginc base	10 in 1 carton, 5000 per case
. "	<b>西头、质鲜</b> 脚	"
	Ordinary, zinc base	
五手牙羔	25 糎	/ 打紙合正 50 打 / 箱
"Five Ram" Tooth Paste	25 mm.	1 doz in 1 carton, 50 doz.
		per case
		•
百家利牙規		
"Pak Kar Lee" Tooth Cake		"
W W 485 - W 467		
玫瑰漆牙枒		"
"Rose" Tooth Powder		"
光華香皂	舍 70%油 賠	/44 件 / 箱
"Kong Wah" Totlet Soap	70%, cream	144 pcs. per wooden case
图光梅檬皂	含40%油脂	"
"Kwok Kong" Lemon Soap	40% cream	*

• 34 •


医八哥 篇	含 53%油脂	144 仲 / 楕
Figure theong" Medicated Soap	53% cream	144 pcs. per wooden case
○ · · · · · · · · · · · · · · · · · · ·	大号 20 市両	1打耦合立 10 打 1 指
Chi Te Shane "Ferfume	Large size. 20 oz.	1 doz. in 1 carton, 10 doz per case
555 春木	二号 9.3市両	
'555" Perfume	Sige No. 2, 9.3 oz.	*
先·應 尋 水	が.5 市 青	/打紙合注:20打/箱
Sincere" Perfume	5.5 02.	1 doz. in 1 carton, 20 doz.
<u> </u>		per case
七甲香花囊水	大号,72市南	"
'Chi-Je-Shane" Florida Water	Large size, 72 oz.	"
	1 F 20 # #	,,
555 花露水	大号 72 市両 Large size, 72 oz.	"
"555" Florida Water	Large Size, in va.	

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裹 PACKING
先應花露水 "Sincere" Plorida Water		1 哲製企业 30 打 1 着 1 dog. in 1 carton, 30 dog. per case
双 妹花鶯 水 "Twin Girls" Plorida Walter	// //	
555 襄身幣 "555" Talcum Powder	大号 80 市场 Large size, 80 ox.	月打庄・50打り箱 り dox. in 1 carton, 50 doe per case
百家利莫穿粉 "Pak Har Lee" Talcum Powder	11 11	. 11
七 日 沓 獎 身 粉 "Car-Je-Shane" Talcum Powder		<i>u</i> <i>u</i>
,r ,r	36 市町,鎌虫 36 oz. in tins	" "

品名 (HAME OF COMMODILI)	規格 SPECIFICATION	包装 PACKING
もり 食 花 真 身 粉 "Chr-Se-Shane" Flowers Taloum Powder	36 市町、隆玉 36 og., in fins	打压 20 打   藉   doq. in   carton, 20 dox.   per case
先施前花粉 "Sincere" Irchid Powder	80 市南 80 oz.	り打击 50 打1箱 1 doz. in 1 carton, 50 doz. per case
555 森子粉 4555" Pimple Powder	級睢,每打 48 市南 48 oz. in paper bax	打紙合出 +20 打 1 箱   doq. in 1 carton, 20 doq.   per case
三鳳海棠特 "Phree Phenia" Fowder Cake	18 市两 18 02.	1打铁合正,50打1箱 1 dog. in 1 carton, 50 dag. per case
先施丽蓮贈 "Sincere" Face cream	三号 · 10.5市南 Size No.3, 10.5 oz.	<i>" "</i>
555 <b>寅</b> 萧 "555" Face Cream	大号 24 市局 Large size, 24 oz.	1打無合压 20 打1着 1 doz. in 1 carton, 20 doz. per case

BUILDING MATERIALS

• 38 •



品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING
均田電流排片	3 F\$	50 打 1 水箱
Fower Bolt, Crêpe Finish	3"	50 doz. in 1 wooden case
"	4 吋	"
"	4 "	"
"	5 PT	. //
10	5"	"
<b>允油電磁推済</b>	6 时	, <b>N</b>
Tower Bolt, Smooth Finish	े म ह	4
<i>p</i>	8 4	"
" · ·	8"	"
鉄元 釘	7* x 4 G	2.4.5 公斤 1 箱 GO 公斤桶医
Iron Wire Nai!	7°×4G	21.5 kg. per wooden case,
		60 kg. per wooden barrel

• 39 •

品名 NAME OF COMMODITY	規格 SPECIFICATION	包裝 PACKING	高名 1956
铁元釘 Iron Wire Nail	6" × 5 G 6" × 5 G	21.5 公斤箱正 60 公斤桶店 21.5 kg, per wooden case , 60 kg. per wooden barrol	<b>数元</b> 町 2元の30% 270
	5" × 6 G		
"	5" x 6 G	"	"
	45"×7G	,,	,,,
"	4 1 × 7 G	"	"
"	4" x 8 G	"	,
"	4" × 8 G	<b>"</b>	. "
*	3½"×9G	"	,,
"	3 ± × 9 G	· "	
<b>"</b>	3" x 10 G	<i>"</i>	
<i>u</i>	3" × 10 G	"	*
"	2½"x11G	"	
. "	25"x11G	"	

最名, come of domm <b>obit</b> Y	規格(学のキュニ)。	机器 PACKING
鉄元朝 IMA Pive ITME	3" × 12 G 2" × 12 G	D 京瀬園 80章 京都市 200 Ag per wooden ouse, COAg per voor
	14 × 13 G	
4	11" × 13G	
H.	15"× 144	"
	12" × 14G	v
"	12" x 15G	ė.
"	15" × 156	**
	1-1166	"
*	1" × 16 G	
	<b>≱</b> 1x 70	
"	\$1.77 \$1.775	
9	≨**×780	
ø	្សាស្រី ( ) នេះ	

B名 NAME OF COMMODITY	規格 SEESIFICATION	包装 FACKIES
東元町 ron Wire Nati	±″×19G ±°×19G	17. 65 方稱古 18 公司情由 17. 18. cer asserter 18. 18. 19. 18. per 2 met a barres
* 牙 螺絡釘 Food Screw	∯″×9 ₹″×9	250 g 1 末期 250 gross per wooden case
# #	±" × 4 ±" × 4	n n
	\$"x 5 \$"x 5	<i>u</i>
in V	₹″×6 ₹″×6	"
w z	7"x 7 8"x 7	y *
<i>A</i> -	1" x 7	"

語名 NACE OF OUTYOUTY	規格 SPECIFICATION	包裝 PACKING
本甲屬無質 Wood たれか	1\$" × 7 1\$1 × 7	250 實 1 木箱 250 gross, per wooden case
a 9	15" x 8" 15" x 8"	. "
	/\$** x 9 /\$** x 9	" "
	2° × 8 2″ × 8	# #
9	2 ½ * x 8 2 ½ * x 8	<b>"</b> . <b>"</b>
# #	3" x 12 3" x 12	<i>y</i>
跌數 <b>錘</b> Tron Hinge	1" 1", thin packed	

• 42 •

• 43 •

品名 NAME OF COMMODITY	規格 SPECIFICATION	包数 PACKING
跌 蛟 鳢 Iron Hinge	1½" 1½", thin packed	
e V	2" 2" , thick packed	150 對打 1 着 In pairs, 150 day, per case
"	R#" R#", thick packed	80 In pairs, 80 doz, per case
"	3", thick packed	50 In pairs, 50 dog, per case
// //	3±", thick packed	40 In pairs, 40 dez. per rese
	4" 4", 10 10 3000 0	0.8 In p.10.8°, 25 hzt, per care







# CATALOGUE OF SHIWAN **EARTHENWARES**



中國土產出口公司廣州分公司 CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION CANTON BRANCH OFFICE

地址:廣州大徳路二八二統 電 報 掛 號:PROCANTON CANTON ADDRESS:282 DAH TEH ROAD,CANTON. CABLE ADDRESS: PROCANTON CANTON







### 石灣陶器簡介

石灣位於廣州附近,係陶器名鎮,素稱「廣窰」。遠在宋代,即已開始生產,品類繁多。舉凡日用器皿,人物塑像,動 植造型以及裝飾假山盆景之亭台閣榭,莫不應有盡有。

石灣出品以彫塑陶器歷史最久,手工最精。作品大多取材於現實生活,在簡練的造型上,或作適當的誇張,表現了大胆的概括與集中。所塑人物、鳥獸,形態擊肖,栩栩如生,令人感到有生命力,爲各界所喜愛。

其器皿,用具,除仿古外,作者並能發揮想像力創造力,就自然物之形象,經過大胆變形,精巧構思,成品既實用, 又美觀。

陶釉為石灣陶器之一特色。歷年仿傚各地名窰,如禹鈞窰、哥窰、建窰等,吸其優點,集其大成。如今常見者有鈞 釉、壁裂釉(氷紋開片)、石榴紅、古銅、無錫釉等。其「釉變」不論天然抑出人工,莫不渾厚濃闊,斑爛壯麗,而不浮華。

近年來,爲了發展此種優秀的民間藝術,許多藝人及美術工作者,致力於石灣陶器的設計與生產的研究。我公司 爲適應國際市場需要,在品種及包裝上作了一系列的鐵研,並在其他各方面作了顯著之改進。凡我們所供應貨物,品 質高尚,價格相宜,如蒙惠顧,無任歡迎。

#### A BRIEF INTRODUCTION TO SHIWAN POTTERY


Shiwan is a town near Canton, famous for its ceramic works, historically known as Kwang Yao (Canton kiln). Numerous types of pottery have been produced there ever since the Sung Dynasty; they comprise utensils for daily use, human figures, animals, plants, decorative toy pavilions & terraces for artificial hills and potted sceneris, etc.

Among Shiwan products, the carved articles have the longest history and present the most scrupulous workmanship. They are mostly based on realistic life, characterized by simplicity and sometimes by mild exaggeration and producing the effect of daring generalization and concentration. The human figures and animals thus made are lively and so true to the original that they risspire a feeling of the vigour of life. Shiwan pottery, therefore, has been attracting universal admiration. As regards the articles for daily use, the designers not only imitate the antique style, but exert their imagination and originality, and boldly modify the natural objects, with the retail that their inventions are both useful and beautiful.


Glazing is an outstanding feature of Shiwan pottery. It has inherited all the merits of the famous kilns such as Chun Yao (Chunachow kiln in Honan Forvince), ke' Yao (Langchana kiln in Chekiang Province) and Kien Yao (Chunachow kiln in Pakien Province). Glazes usually employed at Shiwan include Chunchow, crackled, pomegranate red, broate, Wush and the like. Especially the flambé (furnace transmutation), natural or artificial, is rich, smooth, brilliant and splendid, without any levity or excess. any levity or excess.


any levity or excess.

During recent years, a number of artisans and art workers are engaged in the research of designs and production of Shiwan Pottery in order to develop this excellent folk art. With a view to meeting the demands of the international market, our Corporation has made a series of enquiries concerning the categories and quality of the products and the way of packing and achieved much improvements in many other respects. The articles we supply are of the best quality, their prices most competitive. Enquiries and orders are always welcome.



•





→ ITH 5 20 分 ITH 5 20 安 报 载

→ ITH 5 20 大 ITH 5 20 日 ITH 5 2



↑ 18th S 323 松鶴掛璧



→ (F)17% S 331 鰂魚烟盅





中國主席出口公司廣州分公司 CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION CANTON BRANCH OFFICE

石灣陶器目錄

平位:個,另行計明书除外 (Unit: Piece, unless otherwise specified)

貨號		品	26		紬	10.	规格S	pecification	驱 他
No.			Name of Commodity		654	Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	Unit Price
S 104	屈	胨	Statue of Chu Yuan	ń		White	36×15×13	1.1	
S 104C	屈	原	Statue of Chu Yuan	100	32	Crackle	36×15×13	1.1	
S 116	屈	原	Statue of Chu Yuan	ſa		White	$12 \times 27 \times 10$	1.0	
S 116C	屈	原	Statue of Chu Yuan	49	22	Crackle	12×27×10	1.0	
S 117	姜太	公:	Statue of Chiang Tai Kung	白		White	20×28×15	1.875	
S 117C	姜太	公	Statue of Chiang Tai Kung	116	24	Crackle	$20 \times 28 \times 15$	1.875	
S 118	李	ń	Statue of Li Pai	Ó		White	25×14×11	1.25	
S 118C	李	白	Statue of Li Pai	盤	22	Crackle	25×14×11	1.25	
S 119	杜	甫	Statue of Tu Fu	首		White	12×26×9	1.0	
S 119C	杜	Ήi	Statue of Tu Fu	- 622	22	Crackle	12×26×9	1.0	
S 122	張	民	Statue of Chang Liang	ń		White	23×23×14	1.25	
S 122C	張	良	Statue of Chang Liang	验	321	Crackle	23×23×14	1.25	
S 126	王羲之	愛鴉	Wang Hsi Chih with His Favourite Goose	Ė		White	32×14×13 13×12×9	2.25	6gu ∰ Per Se;
S 126C	王羲之	愛鵝	Wang Hsi Chih with His Favourite Goose	壁	22	Crackle	32×14×13 13×12×9	2.25	每 签 Per Set

- 2 -

货锭			53	**				规格S	pecification	
No.				名 Name of Commodity		釉	Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	Will Price
S 129	桰	母車	背	Yao Fei & Mother	白		White	11×22×15	1.1	
S 129C	描:	母刺	背	Yao Fei & Mother	雅	錽	Crackle	$11 \times 22 \times 15$	1.1	
F 130	魯		迅	Statue of Lu Hsin	É		White	$35 \times 14 \times 10$	1.25	
F 130A	容		迅	Statue of Lu Hsin	石	胎	Unglazed	35×14×10	1.25	
S 130B	懋		迅	Statue of Lu Hsin	白,	頭部	無釉	35×14×10	1.25	
					Wi	ite, l	Head Unglazed			
S 132	49	響	深	Statue of Lu Chih Shen	白		White	29×22×12	2.0	
S 132C	23	智	深	Statue of Lu Chih Shen	缝	裂	Crackle	29×22×12	2.0	
S 133	134	淵	ng	Statue of Tao Yuan Ming	白		White	$33 \times 20 \times 9$	1.25	
S 133C	(24)	淵	明	Statue of Tao Yuan Ming	壁	裂	Crackle	$33 \times 20 \times 9$	1.25	
S 134	孟	浩	然	Statue of Meng Hao Jan	ń		White	$32 \times 9 \times 19$	1.375	
S 134C	孟	浩	然	Statue of Meng Hao Jan	100	25	Crackle	$32 \times 9 \times 19$	1.375	
F 139	荷	花	舞	Lotus Flower Dance (A Dancer)	白		White	36×17×17	1.5	
F 139A	荷	花	舞	Lotus Flower Dance (A Dancer)	石	胎	Unglazed	$36 \times 17 \times 17$	1.5	
F 139B	荷	花	舞	Lotus Flower Dance (A Dancer)	#3	釉	Coloured	$36 \times 17 \times 17$	1.5	
S 140	楊	貴	妃	Statue of Yang Kuei Fei	白		White	30×13×10	1.0	
S 140C	榻	貴	妃	Statue of Yang Kuei Fei	蟟	裂	Crackle	30×13×10	1.0	
F 141	嗅		餌	Dove Feeding	白		White	22×18×11	1.0	
F 141A	喂		釶	Dove Feeding	石	胎	Unglazed	22×18×11	1.0	
F 142A	69	飾	舞	Korean Dance (A Dancer)	石	胎	Unglazed	23×12×9	0.75	

貨號			E	名		gh		6	規 格 S	pecification	
No.				Name of Commodity		45/4	Glaze		尺偶(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 價 Unit Price
F 142B	朝	鮮	舞	Korean Dance (A Dancer)	彩	釉	Coloured		23×12×9	0.75	
F 142	柳	鮓	舞	Korean Dance (A Dancer)	Ĥ		White		23×12×9	0.75	
F 143	游多	蒙 敬	M	Miao Shepherd	Ĥ		White		28×19×12	1,25	
F 143A	- 尚 3	家牧	煮	Miao Shepherd	石	胎	Unglazed		28×19×12	1.25	
S 145	李	時	珍	Statue of Li Shih Chen	É		White		37×14×14	1.25	
S 145C	*	辟	脸	Statue of Li Shih Chen	58	31	Crackle		37×14×14	1.25	
S 147	曾		行	Statue of Tsông I Hsin	Ó		White		32×11×13	1.25	
S 147C	台	_	行	Statue of Tsêng I Hsin	52	23	Crackle		32×11×13	1.25	
F 150	維吾	F 198	舞	Uighur Dance (A Dancer)	ń		White		21 × 8 × 5	0.25	
F 150A	維書	F ##	舞	Uighur Dance (A Dancer)	石	Mi	Unglazed		21 × 8 × 5	0.25	
F 150B	維吾	f W	舞	Uighur Dance (A Dancer)	33	ēh	Coloured		21 × 8 × 5	0.25	
F 151	新	湿	舞	Sinkiang Dance (A Dancer)	ń		White		20×18×9	0.5	
F 151A	新	础	雞	Sinking Dance (A Dancer)	石	llfr	Unglazed		20×18×9	0.5	
F 151B	新	镪	舞	Sinkiang Dance (A Dancer)	28	動	Coloured		20×18×9	0.5	
F 152	niii m		餌	Dove Feeding	á		White		21×18×10	0.937	
F 152A	135		餌	Dove Feeding	Zί	Mi	Unglazed		21 × 18 × 10	0.937	
F 152B	thi.		飢	Dove Feeding	93	紬	Coloured		21×18×10	0.937	
F 202	小	飛	쇱	Flying Dove	Á	1,54	White		19×16×15	0.937	
F 205	企		Œ,	Standing Dove	Ġ		White		23×16×10		
F 205A	企		(C)	Standing Dove	石	胎	Unglazed		23×16×10	0.75 0.75	

- 3 -

Contillant Constitution of the Dalaces and Display City DDDD4 04043D000720040000 F

-	4	-

li se	Π		66			-1-		规 格 S	pecification	101 644
No.				名 Name of Commodity		釉	(f) Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 價 Unit Price
S 208	蛇	典	370	Lion & Snake	Jlfr	Æ	Embroidered Furs, unglazed	16×23×10	1.06	
S 210	企		30	Standing Lion	Jffr	Æ	Embroidered Furs, unglazed	21×14×7	0.5	
S 213	大		4:	Buffalo	胎	毛	Embroidered Furs	25×13×11	0.875	
S 216	小	唐	馬	Horse	Η	由或領	均舶	17×17×5	0.6	
					Wh	ite c	r Chunchow Glaze			
S 217	小		羊	Goat	Ĥ		White	15×17×8	0.6	
S 221	맺			Duck	尚	釉	Chunchow Glaze	$12 \times 22 \times 12$	0.62	
S 222	40			Duck	胎	E	Embroidered Furs, unglazed	$12\!\times\!21\!\times\!12$	0.64	
S 223	瑞		384	Laying Lion	胎	E	Embroidered Furs, unglazed	$12 \times 25 \times 13$ $11 \times 22 \times 15$	0.875	
S 224	也		鸦	Quails	llti	毛	Embroidered Feathers, unglazed	19×11×17	1.0	
S 227	遊		Ħ	Thrushes	胎	毛	Embroidered Feathers, unglazed	22×17×14	0.5	
S 228	7		哥	Liso Kê (Talking Bird)	熱喘	毛	Black, Embroi- dered Feathers	$23 \times 12 \times 13$	0.875	
S 229	大	榆	华	Sheep	ń		White	$27 \times 18 \times 14$	1.375	

貨號			63	26			,,	規 格 S	pecification	
No.				Name of Commodity		釉	(4) Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 價 Unit Price
S 230	大		耥	Goose	白		White	37×28×15	2.0	
S 231	大		鸭	Duck	胎	£	Embroidered Feathers	26×20×14	1.75	
S 232	骆		驼	Camel	彩	釉	Coloured	18×14×17	0.75	
S 233	推			Deer	胎	毛	Embroidered Furs	22×18×7	0.75	
S 204	T		兹	Mandarin Ducks	彩	釉	Coloured	12×17×11	0.1	
F 235	自		兎	Rabbit	Ĥ		White	6×18×18	0.4	
S 236	棚		鶏	Cock	彩	釉	Coloured	18×12×9	0.7	
S 237	小		貓	Cat	彩	釉	Coloured	14×11×7	0.4	
S 238	松		馭	Squirrel	鈞	釉	Chunchow Glaze	14×17×7	0.46	
S 239	觀		机	Parrot	緞		Green	18× 9×7	0.6	
S 240	小		熊	Bear	彩	釉	Coloured	16×12×7	0.4	
S 241	子	侍	鷄	Hen & Chickens	彩	釉	Coloured	14×11×7	0.5	
S 242	Æ			Elephant	白		White	$13 \times 4 \times 8$	0.15	
S 244	śń		熊	Panda	白		White	10×12×7	0.34	
S 303	雊		嶺	Flower Vase, Basket & Crabs Design	蚧ź	发釉	Crab Yellow	11×19×11	0.875	
S 304	篗	凤	甁	Flower Vase, Double Phoenix Design	釣	釉	Chunchow Glaze	12×24×12	1.0	
S 305	能		抵	Flower Vase, Dragon Design	鉤	釉	Chunchow Glaze	11×22×11	1.0	

货號	B	名		紬	f6.	規格S	pecification	軍 價
No.		Name of Commodity	,	1944	Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	Unit Price
S 306	小 方 瓶	Flower Vase, Square	约:	釉	Chunchow Glaze	$13\times24\times13$	1.0	
S 307	獅頭瓶	Flower Vase, Lion Design	約:	釉	Chunchow Glaze	$8 \times 20 \times 8$	0.75	
S 308	& 頭 抵	Flower Vase, Elephant Design	约:	釉	Chunchow Glaze	$11\times 22\times 11$	0.75	
S 310	白菜瓶	Flower Vase, Cabbage Design	白綠	釉	White & Green	$19\times11\times11$	0.75	
S 312	松鶴花插	Flower Vase, Pine & Stork Design	鉤	釉	Chunchow Glaze	$13\times18\times11$	1.0	
S 313	獅球燈座	Lamp Stand, Lion Design	鉤	釉	Chunchow Glaze	$13 \times 17 \times 9$	0.75	
S 313A	獅球燈座	Lamp Stand, Lion Design, with	鉤	釉	Chunchow Glaze	$13 \times 17 \times 9$	0.95	
	(有燈頭及電腦)	Socket & Wire						
S 314	鯉魚燈座	Lamp Stand, Carp Design	鉤	釉	Chunchow Glaze	$24\!\times\!12\!\times\!10$	0.75	
S 310A	鯉魚燈座	Lamp Stand, Carp Design, with	鉤	釉	Chuncnow Glaze	$24\!\times\!12\!\times\!10$	0.95	
	(有燈鎖及電機)	Socket & Wire						
S 315	數 雅	Earthen Jar, Basket & Crabs	蚧黄	釉	Crab Yellow	$10\!\times\!12\!\times\!12$	0.6	
		Design						
F 321	<b>遂業烟盅</b>	Ash Tray, Lotus Design	繰		Green	15× 5×15	0.35	
S 323	松鹤掛號	Hanging Vase, Pine & Stork	鉤	釉	Chunchow Glaze	$12\!\times\!21\!\times\!8$	1.0	
		Design .						
S 326	魽魚掛號	Hanging Vase, Fish Design	鉤	釉	Chunchow Glaze	$12 \times 26 \times 9$	0.5	
S 329	紅魚烟盅	Ash Tray, Fish Design	鉤	釉	Chunchow Glaze	$11 \times 12 \times 13$	0.16	
S 331	鉤魚烟盅	Ash Tray, Cuttlefish Design	侧	釉	Chunchow Glaze	$14\!\times\!10\!\times\!4$	0.16	
S 332	梅丽烟虫	Ash Tray, Oval	201	釉	Chunchow Glaze	9×14×4	0.16	

	_									- 7 -
貨號			뮵	名	-	釉	1 10	規格S	pecification	um and
No.				Name of Commodity	ĺ	,,,,	Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 價 Unit Price
S 333	淌	荣力	日北	Ash Tray, Pyrus Design	80	紬	Chunchow Glaze	13×10×4	0.10	
F 335	É	侧柱	体级	Hanging Vase, Dove Design	ra	614	White	16×18×10	0.16	
S 338	100	Æ	łdi	Brush Stand, Fish Design		抽成		15×15×6	0.875	
							भ्यसम or Chunchow Glaze	19×19×6	0.875	
S 342	Y:		摵	Flower Vase, Goat Design	95)	釉	Chunchow Glaze	18×13×13	0.7	
S 344	1		摵	Flower Vase	鉤	釉	Chunchow Glaze	18×14×14	0.75	
S 345	雙	πE	甁	Flower Vase, Double Dragon Design	約	犐	Chunchow Glaze	28×14×14	1.4	
F 347	(3)	烟	血血	Ash Tray, Round	fire Sit	油或	White or Crackle	14×14×5	0.5	¥
F 349	#1:	11	#K	Flower Vase Peony Design		裂				
S 350	0.00	推和		Sugar Jar, Double Dragon Design	白		White	22×18×18	1.2	
F 351	秘	W.	112	Sugar Jar, Goose Design	鉤	釉	Chunchow Glaze	23×26×16	1.4	
S 353	DSA.	186	162	Duck with Lotus	白		White	$20 \times 28 \times 20$	2.0	
S 356		m ti		Flower Vase, Double Fish Design	白		White	19×14×15	0.875	
F 501	総	俊	瓶	Flower Vase, Olive Shape	鉤	釉	Chunchow Glaze	$31 \times 26 \times 8$	1.6	
F 502	青	假	瓶		級		Green	8"		
F 503	白	HO.	甁	Flower Vase, Olive Shape	青		Light Blue	8"		
F 504	潜	-	,	Flower Vase, Olive Shape	Ĥ		White	8"		
F 505		標	瓶	Flower Vase, Olive Shape	青		Light Blue	10''		
1 000	白	耀	甁	Flower Vase, Olive Shape	Ė		White	10"		

-

 8	_

货號			品	名		舶 色	规格S	pecification	
No.	200.1+0.4			Name of Commodity		Glaze	尺碼(公分) Size (cm.)	重量(公斤) Weight (kg.)	單 僧 Unit Price
F 506	青	漿	甁	Flower Vase, Date Shape	青	Light Blue	8"		
F 507	白	浆	甁	Flower Vase, Date Shape	É	White	8"		
F 508	靑	浆	甁	Flower Vase, Date Shape	青	Light Blue	10"		
F 509	白	猴	摡	Flower Vase, Date Shape	白	White	10"		
F 510	青	粱	摡	Flower Vase, Date Shape	青	Light Blue	12"		
F511	自	聚	甁	Flower Vase, Date Shape	白	White	12"		
F512	通	部	1瓶	Perforated Vase	白	White	8"		
F513	通相	李马	1瓶	Perforated Vase	白	White	10"		
F 514	通礼	<b>芒平</b> 1	1抵	Perforated Vase	白	White	12"		
F515	青	維	洗	Brushwasher	青	Light Blue	91"		
F 516	白	維	洗	Brushwasher	白	White	91"		
F517	靑	维	沈	Brushwasher	害	Light Blue	8"		
F518	白	维	说	Brushwasher	白	White	8"		
F 519	水		嬔	Water Bottle with Cover	Á	White	61"	1.25	
F 520	通	花	甁	Perforated Spill,	白	White	10"	0.75	
F 522	梅		简	Perforated Spill, Prunes Design	自	White	8"		
F 523	梅		简	Perforated Spill, Prunes Design	Á	White	10"		
F 524	楠		简	Perforated Spill, Prunes Design	白	White	12"		

# 出進口商品目錄 CATALOGUE OF EXPORTS AND IMPORTS

中國土産出口ご司 CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION

#### 目 錄 CONTENTS

## 

出口商品 Exports

## 蔴類、蔴製品 Bast Fibre and Its Manufactures

5瀬	Ramie	脱膠黃蘿	Deglutinated jute
t-andi	Hemp	蘇袋	Gunny bags
· 新	Jute	蕨細	Ropes made of bast fibre
E 版	Flax	油浸漉糯	Tarred hemp rope
¥Æ.	Hibiscus connabinus, Linn. (Indian kenaf)	能舌蘭網	Rope, Agave sp.
· 施	Abutilon	漁網	Fishing net
<b>第布蔵</b>	Lopo hemp (Wild fibre)	網框	Net cord
步骤就	Pineapple fibre	網線	Net thread
別載	Bowstring hemp	苧蔴落棉	Ramie waste
·····································	Deglutinated ramie	黄蔴根	Jute root
<b>売売</b> 作	Ramie top (Silvery ramie)	苧蔴屑	Ramie fragment
<b>学難線</b>	Ramie thread	大繭屑	Hemp fragment
学数約	Ramie yarn	亞藏層	Flax fragment
Marchine - Ann Colombia - Ann Colombia	Pamin piece-goods (Coarse and fine)		

#### 菸 類、菸 製 品

#### Tobacco and Its Manufactures

纬菸 晒菸 捨覆 雪茄煙 斗煙絲	Flue-cured tobacco Sun-cured tobacco Cigarettes Cigar Pipe tobacco	擅終 東生菸 鼻菸 唱於	Cut tobacco "Tung-sheng" tobacco Snuff Chewing tobacco
------------------------------	--	-----------------------	---

- 4 -				黑姿	Small black dates	芋角	Taro in pieces, dried
茶枯	Cake of tea seeds	破布像	Strip of rags	無策 南番	Dates, sun-cured	芋片	Taro in slices, dried
				円米 長葉果(蕨蔵)	Narcissus loquilla nuts	粉絲	Vermicelli
	原	木、木 材 類		<b>養仁米</b>	Coix lacryma-jboi L.	常額	Spaghetti
	Wor	od and Timber			Euryale ferox kernel	馬鈴薯澱粉	Potato starch
原本 風水料材 木料材 大変現本 横水 統本 本本材 核本 本本材 核本 本本材 大変 大変 大変 大変 大変 大変 大変 大変 大変 大変	Wood, raw Round timber Post (Pole) Yellow hard wood timber palm wood Cedar wood Red wood Wood Sleepers	成村 針葉樹成村 松木成村 和木成村 軟木原料 梧詞木 木柴 火柴 火柴 全 上	Timber Conifer timber Pine timber Cypress timber Cork, raw Paulownia wood Firewood Match sticks Match boxes (Semi-manufactured)	八合針來 參數來 學來 神水一次來 蘇大小 一次 一次 一次 一次 一次 一次 一次 一次 一次 一次 一次 一次 一次	Lily bulb, dried Lily flower, dried Moss, black Szechwan cabbage, pickled Salted turnip Ho-chong-tsai Dried vegetable (Mei-kan-tsai) Turnip, dried Cutting turnip, salted	至米廣粉 甘薯礦粉(山李 綠豆礦粉 馬蹄粉 木甕粉 辣椒吃 辣椒粉 乾芥末 紅種米	Green bean starch Water-chestnut starch Cassava starch Chilli, dried Chilli meal Mustard meal Red yeast
針葉枕木	Conifer sleepers 乾 菓、	乾 菜、副 食 品 類	ī.	白菜乾 香菇 蘑菇 黑木耳 銀耳(白木耳)	Dried cole Mushroom (Hsiang-ku) Mushroom (Mo-ku) Black fungus White fungus	路筋 山響鞋 刁臍 消餅 蜂蜜	Sinew of pig pettitoes Dried yam Red sugar Wine yeast (Cakes) Bee's honey Salted laurel bloom
模桃 模桃仁 甜杏仁 苦杏仁 扁桃仁	Walnuts Walnut meat Sweet apricot kernel Bitter apricot kernel Almonds Black water melon seeds	連子	Lotus seeds Hazelnuts Pine seeds Torreya grandiss Ginkgo bilobaa Red dates	学頭	Taro Porcelain wares	蒙桂花 工藝品類 Arts and Crafts ფ花邊	Long lace
黑瓜子 紅瓜子 白瓜子	Red water melon seeds Pumkin seeds	社会 業心要 島賽	Small red dates Black dates	陶器在透	Earthen wares Lace	在邊件貨 萬里斯	Piece articles Venice lace

Rib of parasol
Paper umbrellas
"On Yang" umbrellas
Folding fan (Sandal wood)
Bone fan
Feather fan Curios and antiques Bamboo chopsticks Bamboo hand sweepers 機傘骨 Drawn thread work Table cloth Tray cloth Handkerchief (Drawn-work) 古玩 竹筷子 抽機整手網班銀雕漆 紙傘 艇陽傘 檀香扇 口玩 仿古玩 宫燈 絨網紙花 料器美術品 Imitation curio 竹竹竹竹其棕棕棕棕木拱像樟楠木木木捲 整數經 的复种粗辞则子俱木木筷碗勺粮锅 Palace lantern Bamboo screen Artificial flowers made of thin silk Artistic glass articles Straw braid Bamboo screen
Bamboo covers
Bamboo combs
Other bamboo wares
Artistic palm manufactures
Palm hoods 骨扇 羽毛扇 宮扇 象牙扇 Tuscany lace Cloisonne wares Peking enamel Carved lacquer 草帽辮 Chinese mandarin fan 草帽 草帽胚 全絲草帽 蔵草帽 Straw hats Folding fans with ivory rib Paper fans Palm leaf fans Hat bodies Buntal fibre hats Sisal hats Straw shoes Lacquer wares
Lacquer pillow (Made of bamboo or rattan)
Ivory carving articles
Jade carvings
Precious stone
Semi-precious stone Palm rope 紙扇 类扇 Palm sweepers Wood carvings Chessmen Fan beard
Petti-point tapestry lady's hand bags
Goat-skin lady's hand bags with nice
painted picture
Goat-skin key-bags with painted picture
Gost-skin lady's money bags with painted Fan beard 草鞋 草糖 草拖鞋 草盤 草製手提包 草盤 茶杯番 級網花女用手提包 皮網花女用手提包 Straw slippers Straw baskets Straw hand bags Straw cushion Straw cushions for cups Furniture Camphor-wood chest Cedar-wood chest Wooden chopsticks Wooden bowls 皮拷花雏匙袋 横石 珍珠 翡翠製品 品石雕刻 Diamond 皮拷花錢袋 Gca-skin lady's money bags with painted picture Goat-skin vanity case with painted picture picture Fishing net, cotton Net cord, cotton Net cord, cotton Gauze net Plated net Fishing net, thing the painted picture p Pearl Emerald manufactures 茶 共 海 扭 海 草 竹 茶 烟 竹 华 鄉 華 草 草 蘑 到 盒 盒 簟 繁 製 點 品 品 Straw cushions for cups
Other straw manufactures
Seagrass and its manufactures
Seagrass (Twisted)
Seagrass cords
Seagrass mat and matting 皮拷花梳子套 皮拷花絨綉粉盒 Emerald manufactures Crystal stone carvings Agate carvings Rose quartz carvings Wooden dippers Wooden dippers
Lasts
Clogs
Carpenter's plane
Chinese musical instruments
Pillow twig and rattan manufactures
Artistic cork articles
Artistic cocoanut shell manufactures
(ils umbrellas) 鞋楦 瑪瑙雕刻 柱板 木成 木灣刨 中樂器 柳條及籐製品 軟木美術品 英蓉石雕刻 松石雕刻 岫巖石雕刻 孔雀石雕刻 棉轍漁網 棉質網線 棉質網棚 Kose quartz carvings
Turquoise carvings
Ravine carvings
Malachite carvings
Amber and its manufactures
Gold, silver and pearl manufactures
Artificial articles of precious stone and Bamboo carvings
Tea boxes (Bamboo carvings)
Cigarette boxes (Bamboo carvings)
Bamboo mats 和網 總網 漁網布 手套 琥珀及製品 角製美術品 椰売美術製品 概傘 金銀珠寶製品 Fishing net, in small mesh 人造實石珍珠鎮 金銀製品 Bamboo baskets 竹籃 pearl gilt with gold or silver 竹漆籃 Lacquer baskets, bamboo Silk umbrellas

···· 4 .···							_ 9 _
\$6:40	Hairnet	概能	Chinese ink stick	五鑑指	Pteropus pselaphon lay	蜣螂蟲	Holotrichia paralleta Motsch
inidi:	National pictures (Artificial	藥液毒	Vermiljon ink in stick	新蛇緞	Dried snake soil	花蛇乾	Snake, dried
inudic (in: 19)	Luster-paper with national pictures	40亿	Iron flawers	島賊骨	Sepia esculenta Hoyle	桑螵蛸	Tenodera aridifolia Stoll
in We	Lotter-paper	模刀	Scissors	石决明	Haliotis gigantea Chem	蝦蟆	Toad (Rana rugosa schleg)
64/95	Jose figures	被相	Mirror frame	部骨	Dragon bone	刺蝟皮	Erinaceus europaeus L.
Jack of the Control o	Fan foature	銀子	Mirror	虎骨	Tiger bone	雅森	Ceybister japonicus
:: K A	Nose books with painted picture	系器	file wares	地離勘	Polyphaga Sp.	商品	Carpesium abrotansides L.
pride	Paper playing cards	<b>地</b> 人	Farthen statues (Toys,	紅娘蟲	Hung-niang-chung		(Lsppula anisacantha Gurke)
· 1.90	Chinese writing pans	勝海	Candles	地間	Lonbricus Sp.		
新年	Chinese drawing pens	彩機	Cracker				
6N G	Chinese ink ssones	被的帶	Elastic band	甘草	Licorice	生地	Rehmannia glutinosa libosch (Sheng-ti)
				電解	Ligusticum acurilobum	山寨	Dioscorea batalus Decne
	*	材 類		黄蓍	A. henryi oliv. (A. hoangtohy)	附子	Aconitum Fischeri, Reich.
	**	40 38		人参	Ginseng	木通	Akebia quinata Decne
	M	ledicines		黨參	Codonopsis tangshen Oliv	羌活	Angelica polyclada
				元参	Scrophularia Iodhamia	黄連	Coptis japonica
推進	Deer's ander	炸疫藥	Cantharis	沙参	Adenophora verticillata Fisch	蒼朮	Atractylis lancea
Ht H	Deer's horn	\$2.50g	Red spotted lizard	丹參	Salvia miltiorrhiza Bge	秦芄	Justicia gendarussa L.
推发	Deer's sail	世獨	Frog	川粤	Conioselinum univitatam	貝母	Fritillaria verticillata wind Var. thunbergii
Me Ris	Deer's sinew	扭觸池	Frog oil	大黄	Rhubarb		barer
教会	Musk	维斯	Bufo vulgaris laur	籽黄	Tze-huang	澤瀉	Alisma planta o-aquatica L.
56 de .	Grypsotympdnd pustulate Fabd.	<b>SEE</b> 151	Tortoise shell (Clemmys chinensis tortoise)	遠志	Senega	三七	Gynura pinnatifida DC.
<b>除糖</b>	Bear's gall	學說	Bombyx mori L.	白芍	Paeonia albiflora (White)	菖蒲	Sweet flag (Calamus)
施等	Bear's paw	<b>108</b> 151	Trionyx sinensis wiegm	白芷	Angelica glabra makino	牛膝	Achyranthes bidentata Bl.
996 State	Scolopendra centipede	阿膠	Asses' glue	桔梗	Platycodon grandiforus DC.	甘松	Nardostacbys jatamansi DC.
が蝋	Whole scorpion	與板器	Tortoise shell glue	<b>半夏</b>	Pinellia tuberifera Ten	防風	Siler divanicatum
<b>安元 新</b>	Dried snake skin	<b>12</b> 79	Silkworm soil	麻黄	Ephedra vulgaris	金銀花	Lonicera Japonica Thunb.

Sanitized Copy Approved for Release 2010/08/19 . CIA-RDP81-01043R000700240009-

- 0 -							-,-
髮網	Hairnet	墨錠	Chinese ink stick	五盤階	Pteropus pselaphon lay	蜣螂蟲	Holotrichia paralleta Motsch
國畫	National pictures (Artificial)	殊砂塵	Vermilion ink in stick	矿蛇獭	Dried snake soil	花蛇乾	Snake, dried
國臺信篷	Letter-paper with national pictures	鐵花	Iron flowers	鳥賊骨	Sepia esculenta Hoyle	桑螵蛸	Tenodera aridifolia Stoll
信箋	Letter-paper	剪刀	Scissors	石决明	Haliotis gigantea Chem	蝦蟆	Toad (Rana rugosa schleg)
神像	Joss figures	鏡框	Mirror frame	龍骨	Dragon bone	刺鲷皮	Erinaceus europaeus L.
扇面	Fan feature	鏡子	Mirror	虎骨	Tiger bone	龍淼	Ceybister japonicus
日配本	Note books with painted picture	瓦器	Tile wares	地職蟲	Polyphaga Sp.	商品	Carpesium abrotansides L.
紙牌	Paper playing cards	泥人	Earthen statues (Toys)	紅娘鶥	Hung-niang-chung		(Lsppula anisacantha Gurke)
毛筆	Chinese writing pens	順場	Candles	地龍	Lonbricus Sp.		
<b>豊</b> 筆	Chinese drawing pens	彩爆	Cracker				
硯台	Chinese ink stones	橡筋帶	Elastic band	甘草	Licorice	生地	Rehmannia glutinosa libosch (Sheng-ti)
				富曜	Ligusticum acurilobum	山栗	Dioscorea batalus Decne
	藥	材 類		黄蓍	A. henryi oliv. (A. hoangtohy)	附子	Aconitum Fischeri, Reich.
	来	17) 天帆		人参	Ginseng	木通	Akebia quinata Decne
	M	ledicines		黨参	Codonopsis tangshen Oliv	羌活	Angelica polyclada
				元参	Scrophularia lodhamia	黄連	Coptis japonica
鹿茸	Deer's antler	斑螽蟲	Cantharis	沙麥	Adenophora verticillata Fisch	蒼朮	Atractylis lancea
鹿角	Deer's horn	蛤蚧	Red spotted lizard	丹参	Salvia miltiorrhiza Bge	秦芄	Justicia gendarussa L.
鹿尾	Deer's tail	田鶏	Frog	川芎	Conioselinum univitatam	貝母	Fritillaria verticillata wind Var. thunbergii
鹿筋	Deer's sinew	田鷄油	Frog oil	大黄	Rhubarb		barer
辟否	Musk	蟾酥	Bufo vulgaris laur	籽黄	Tze-huang	澤鴻	Alisma planta o-aquatica L.
蟬衣	Gryptotympdnd pustulata Fabd.	龜甲	Tortoise shell (Clemmys chinensis tortoise)	遠志	Senega	Ξt	Gynura pinnatifida DC.
nisely	Bear's gall	雅蠶	Bombyx mori L.	白芍	Paeonia albiflora (White)	菖蒲	Sweet flag (Calamus)
熊掌	Bear's paw	離甲	Trionyx sinensis wiegm	白芷	Angelica glabra makino	牛膝	Achyranthes bidentata BI.
蜈蚣	Scolopendra centipede	阿膠	Asses' glue	桔梗	Platycodon grandiforus DC.	甘松	Nardostacbys jatamansi DC.
全蝎	Whole scorpion	龜板腳	Tortoise shell glue	华夏	Pinellia tuberifera Ten	防風	Siler divanicatum
蛇蜕	Dried snake skin	微沙	Silkworm soil	麻黄	Ephedra vulgaris	金銀花	Lonicera Japonica Thunb.

- 11 -- 10 -Opuntia monacancha Haw 白朮 藿香 瑣陽 絲瓜絡 Chrysanthemum sinense Sab. Safforn Tussilago farfara L. 丹皮 蒙花珠 木瓜 知母 Paeonia suffruticosa andr. ff. Atractylic lancea (Pai-chu) 仙人掌 Opunita monacancha riaw
Orange pith
Moxa (Artemisia vulgaris L. Var. indica
maxim)
Ginseng leaf
Nothosmyrnium japonicum Mig. Mon-whar-chu
Cydonia lagenaria Lois.
Anemarrhena asphodeloides Bunge Sage (Agastache rugosa o. kuntze)
Cynomorium coccineum L.
Luffa cylindrica Roem 枯絡 艾葉 紅花 冬花(款冬花) Sophora japonica L.
Lucium chonens
Prunus undulata, Wall
Schizandra chinensis Raill
Zizyphus jujuebra Mill
Seeds of burdock 機米 枸杞 製仁(芮仁) 五味子 龍胆草 反白草 木賦草 紫草 選鬚 細辛 香附 天南星 Nelumbo nucifera Gaertn (Beard) 人参葉 Gentiana scabra Bunge Fan-peh-tsao Asarum sieboldi Mig. Fan-pen-tsao Equisetum hiemale L. Var. japonicum milde Lithospermum erythrorhizon Sieb. et Zuec Rubia cordifolia L. Cyperus rotundus L.
Arisaema japonicum Bl
Cimicifuga foetida L. 東本 夏枯草 天花粉 牽牛子(黒白丑) Prunella vulgaris L. Trichosanthes kirilonii Maxim 東仁 牛蒡子(大力子) 帯麼子 瓜養仁 瓜養皮 Trichosanthes kirilonii Maxim Pharbitis nil Chois Gardenia augusta Merr. (G. floride L.) Husueh-lien-hua Loranthus yadoripi S. et Z. Magnolia kobus, DC. Thuja orientalis L. (Biota orientalis Endl) Amomun costatum Dried peppermint leaf (Mentha arvensis L.) Oroxylum indicum Vent Bletilia hyacinthina Reichb Dana-shin 東西鹿蛇 御 天 市 本 本 番 職 ル 升柴 秋鬱 茵 藜 蔥 葉 Chey-gun
Chue-shih
Curcuma longa L.
Artemisia capillaris Thunb
Verairum nigrum L. Drabanemorosa L. Var, hebecarpa ledeb. Trichosanthes kirilonii Maxim Trichosanthes kirilonii Maxim (Peel) Hedychium coronarium koen. Pffola japonica Sieb Potentilla kleiniana Wight et Arn.
Dipsacus chinensis Bat
Gastrodia elata bl. 想達花 桑寄生 辛夷花(辛夷) 柏子仁 砂使車山厚達枯杜扁地茯猪蟲 黃五仁君育桃樸鰯皮仲豆青苓苓草 柘加 皮衣皮 Lirrope grominifolia Asparagus lucidus Linde. Quisqualis indica L.
Plantago niajo L. Var, a siatica decne.
Jughans regia L.
Magnolia officinalis rehd. et wils.
Forzytha suspens
The small loose-skinned orange peel
Eucomanis unimodes oliver (Peel)
Cassia mimosoides L.
Lyriam chinease Mill
Pachyma cocos
P. hoelen rumph
Cordyeep sinensis Sace. Quisqualis indica L. 麥多 天冬(天門冬) 焦枳芥荣麥石常郁何雷袭 土糧山壳子菔芽斛山李首丸藜茯荑枝 子 Roasted hill haw 草果 Angelica grosserrata Maxim Scutellaira baikalensis Georgi Aster tataricus L. Poncirus trifoliata Raf 薄荷葉 千層紙 Mustard (Brassica cernua, Thunb)
Raphanus sativus L.
Malted barley
Dendrobium officinale kimula et Migo. Dan-shin Sha-hwa Cuscuta japonica Chois San-ya-cha Peucedanum decursivum Maxim 前胡 延胡索(元胡) Corydalis ambigue Ch. et. Schl. Corydalis ambigue Ch. et. Schl.
Bupleurum
Tsao-whu
Galangal (Alpinia kumatake Makino)
Nepeta japonica Maxim
Paeonia albiflora (Reddish) Dendrobium officinale kimula et Dichroa febrifuge Lour Prunus japonica Thunb Polygonum multiflorum Thunb Mylittai lapides cens hor. Caltrop (Tribulus terrestris L.) 柴胡 草胡 高賞臺 荆芥 克絲子 是 
秦芽茶 
七 
紅 
八 
紅 
島 
里 
竹 
葉 Chi-chao-hung Phyllostachys puberula Munro (leaf) Tsing-tien-kweh Cordycep sinensis Sacc. 青天葵 Phenodendron amurense Ruyr China-root (Smilax glabra Roxb) Kaempferia pandurata Roxb Acantho panax spinosus Mig.

- 13 -Eriobotrya japonica Lindi. (Leaf)
Lycopus lucidus Turcz
Sophora flauescens Alt.
Egrus caballus L.
Artemisia apiacea Hance.
Sanguisorba officinalis L.
Commelina communis L.
Myriogyne minima Less.
Hibiscus roas-sinensis, L.
Celosia cristata L. 機果 藿香葉 石蓮子 竹菇 肉花蓉 巴豆 Sophora japonica L. Agastache rugosa O. kuntze (Leaf) F. pumila L. Phragmites communis Trin. Inula hritannica L. Bacopa monniera Hayata Lashiosphaera fenzli Reich Cyperus iria L. Hwan-tsao 巴較 施優花 金櫻子 香麝 百部 澤蘭葉 F. pumila L.
Phyllosatachys puberula Munro.
Boschniakia glabra C. A. Mey
Croton tiglium L.
Dolichos lablab L. Rosa laevigata Michx. Mosla chinensis Maxim. Stemona japnica Mig. 苦疹 馬赭丹 青萬 地環草 Hwan-tsao Uncaria rhynchophylla Jacks Kin-muh Bean sprouts 桔核 桂子 桂枝 威藤仙 Orange nucleaus Cassia seeds 扁豆 Bean sprouts
Sinomenium acutum Rehd et Wils
Cynanchum japonicum M. et. D. Var.
Purpurasecyns Maxim
Evodia vutaecarpa Hook fil. et. Thoms
Cornus officinalis Rieb. et Zucc.
Elettaria cardamomum White et Maton
Pasoralea corylfiffia L.
Cajanus Indicus. Spr.
Euphorbia Instyris L.
Vitez trifolia L.
To-chiao-kin
Lygodium japonicum. Sw. (Hey-kin-sha) Dolichos lablad L. Momordiea charantia L. (Dried) Gleditschia Sinensis Lam. (G. Xylocarpa 苦瓜乾 Cassia seeds
Cassia twig
C. chinensis Retz.
Wan-ling
Tsou-ma-tay 第不食草 佛桑花 鶏冠花 西爪皮 Hance.)
Cassia tora, L.
Saponaria vaccaris Host.
Drosera burmanni, Vahl. Hibiscus rosa-sinensis, L.
Celosia cristata L.
Citrullus vulgaris Schrad
Albixxia julibrissin Durazz.
Benieaia cerifera Savi.
Eriocaulon sieboldiantm Steud. 東白前 養苓 走馬胎 草决明 吳茱萸 王不留行 缔地羅 馬檳榔 Tsou-ma-tay
M. ferruginea matsum
Leonurus sibiricus L.
Aconitum sinese Sieb.
Shan-wen-tze
Nelumbo nucifera Gaertn. (Leaf) 血盆鳥蛇葉 山 蘆海 合歡皮 山茱萸 冬瓜子 谷精草 女貞子 石蓮子 益智仁 補骨脂 山豆根 A. carambola, L.
Polygonum aviculare L.
Anemone cernus Thunb.
Metrapraex papyrifera C. Koch.
Vespa man darina Sm.
Polypodium fortunei, Kze.
Pueraria thunbergiana Benth
Ecilpza alba Hassk.
Allium fistulosum L. A. carambola, L. Eriocaulon sieboldlantm St. Ligustrum lucidum Ait. Nelumbo nucifera Gaertn. Selinum japonicum Miq. Ulmus japonica Sarg. Malva verticillata L. 幕**蓄** 白頭翁 通草 蜂巢(露蜂房) 砕補(骨砕補) 被除子 Agrimonia eupatoria Trigonella foenumgraecum, L. Erythrina indica Lam. Fpimedium macranthum Morr. 蛇床子 斐荆子 獨脚全 金海沙 Lygodium japonicum, Sw. (Hey-kin-sha) 葛根 早蓮草 鹿胎 Celosia cristata L. 並得沙 紅幼藥 蘇木 草藥 Hung-yu-yeh
Caesalpinia sappan L.
Tsao-yeh
Aristolochia debilis Sieb. et Zucc. 淫羊獾 Celosia cristata L.
Lindera strychnifolia Vill. (Wu-yao-pee)
Monus alba L. (Sang-chang-pee)
Punica granatum L. (Peel) Gnaphalium multiceps Wall. Gnaphailum muticeps vvali.

Cyranchum atratum Bunge
Juncus effesus L. (Yar. decipiens buchen)
Pueraria thunbergiana Benth.
Kochia scoparia Schrad.
Imperata amndinacea Cyr. Var. 東白薇 燈心草 正葛草 石榴皮 U. macrorpa Hce. Caumarouna odorata Aubl. (Leaf) 地**牌**子 茅根 Actinolite or Tremolite 陽起石 硃砂 浮水石 Pumiec Native arsenic (White) Typha latifolia L. Taraxacum mongolicum Hand-Mzt. Cinnabar koenigii Hack. 白信石

- 15 --

- 14 -四消丸 化滯丸 舒肝丸 白属黄丸 十二歳丸 中二歳丸 Chu-sha-san Lui-yi-san Chen-chu-san Sun-chi-san Hsao-yan-san Yan-yao-san Chi-san Sze-siao-wen Hwa-chee-wen Shu-kan-wen 殊砂散 六一散 珍珠散 猴囊散 水瀉散 兒積散 鹽蛇散 七厘散 Chi-hung-wen Hou-tsao-san Chi-hung-wen
Sheng-jung-wen
Lu-jung-wen
Yong-yin-wen
Yong-kun-wen
An-tei-wen
Tyou-kin-wen
Hsiao-chuan-wen
Lui-sheng-wen
Pao-chi-wen
Tsai-tsou-wen
Soo-hup-wen Shui-hsieh-san Erh-chi-san Yen-shu-san Chi-li-san 生肌散 小膜散 眼藥散 積散 Pai-feng-wen Si-hwang-wen Shih-erh-tai-pao-wen Pao-lun-wen 驚風八貨散 Chin-fan-pa-pao-san 把黎八暖 發標如丸丸丸 丸丸 Lee-tung-wen Licorice juice in blocks Plaster of tiger's bone Chin-fee-kao Yi-mu-tsao-kao Whar-Pee-kao Hwang-lien-kao Chieh-ning-kao 緩騰膏 癬藥膏 拔毒膏 熊油膏 紅鑑珠珀藥膏 如意香 百珍太乙膏 Pa-we-wen Ke-wen Fa-lun-wen Nuan-chee-kao Hsien-yao-kao Pa-tu-kao 甘草膏 日单售 虎骨青 清肺膏 益母草膏 化癌膏 黄斑膏 Tsal-tsou-wen
Soo-hup-wen
Jwe-fon-wen
Chin-shin-wen
Chin-shin-wen
Nu-hong-wen
Lui-har-wen
Hwang-lien-wen
Shun-chin-wen
Chin-nig-wen
Chuan-lo-wen
Ku-kin-wen
Lui-we-da-hun-wen
Stur-chin-wen
Shun-chin-wen
Shun-chin-wen
Shun-key-wen Fa-lun-wen
Sao-tong-wen
Lee-chung-wen
An-kung-de-hwang-wen
We-sun-wen
Pu-shun-wen Hslung-yu-kao Hung-lin-chu-pei-yao-kao Ju-yee-kao Pey-chen-tai-l-kao 理中丸 安宮地黄丸 衛生丸 補腎丸 Pu-shun-wen
Sha-key-wen
Hwang-kin-pu-wen
Shin-yuen-pao-wen
San-teh-wen
Lee-chi-wen 補心丹 十錢丹 鎮驚丹 紫雪丹 寸金丹 止箱教苦丹 回春丹 Pao-ying-tan Kung-shuen-tan Kiu-chee-tan Shu-lu-tan Pu-sin-tan Shih-lin-tan Chen-chin-tan Tze-hsueh-tan 保嬰丹 坤順丹 救急円 舒絡円 百壽円 七珍円 Pai-shou-tan Chee-chen-tan Kan-yuan-tan Huo-lo-tan Tsun-kin-tan Lee-chi-wen
Sheng-nung-pu-wen
Tyou-kin-ku-sow-wen
Chien-sheng-wen
Hwei-chun-wen
Hsiung-tan-san-tu-wen Chin-tun-kiu-ku-tan Hwei-chun-tan 乾元丹 活絡丹 Tincture of tiger's bone 藥酒 Tincture of medicine

*y* 

甘露茶 古和茶 神鱧茶 平安茶 Kan-lu-cha Chi-ho-cha Sheng-chu-cha Pin-an-cha 午時茶 胂農茶 蟲尿茶 Wu-shih-cha Sheng-nung-cha Chung-shih-cha 熊騰油 二天油 Oil of bear's gall 白樹油 百草油 Pei-shu-yu Pei-tsao-yu Erh-tien-yu 濟漿水 清凉水 縟藁水 牙痛水 Chi-chun-shui Chin-liang-shui Hsien-yao-shui Ya-tun-shui Pa-ho-shui Hwa-kin-yao-shui Kin-chih-shui 薄荷水 花精栗水 疳積片 肚痛片 Gan-chi-pee Tu-tun-pee 護肺薬片 太片 Hu-fee-yao-pee Tai-pee 樟腦餅 Camphor tablets 疳積餅 Gan-chi-ping 萬應錠 Wan-yin-tin 紫金錠 Tze-kin-tin 白薬 仙胃薬 血中實 龜令集 Pai-yao Hslen-we-yao Hsueh-chung-pao Kwe-ling-chi 龍牙堆 眼業精 陳皮末 川貝枇杷露 Lung-ya-tei Yen-yao-kin Cen-pi-mu Chuan-bei-pi-pa-lu 香料、芳香油 Spices and Essential Oils 桂皮 桂心 Cassia lignea Cassia in whole 桂通 桂幹 Cassia, unscraped Cassia, broken

- 16 -

提施 Orange oil 樹油 Citrous oil 小雪香油 Fennel oil 芳稗油 Ho oil 核薬油 Euslyptus oil 枯木油 Cedarwood oil 抗油器 Cedrol 蓋薬油 Caldmus oil 羅秀油 Ginger oil 雅秀油 Gurcuma oil 羅香油 Betony oil 審着煮油 Gubeba oil 本木後間 Curcum oil 雅香油 Gubeba oil 本木大砂片 Concrete 大松野 Other essential oils Other fragrant materials



### 進口商品

	.E. □	He) Di
	Imp	orts
烤菸	Flue-cured tobacco	ni. 48
黃獻	Jute	天竺黄
黄藏種子	Jute seeds	
馬尼拉羅	Manila hemp (Abaca)	大海
馬尼拉繩	Manila rope	冰片
西沙爾蘇	Sisal fibre	胡黃連
凝绞	Gunny bags	路掛
藁布	Hessian cloth	甲片
全絲草	Buntal fibre	番高葉
織花線	Embroidery thread	大風子
竹法絲布	Mercerized sheer	馬前子
玻璃紗布	Orgauda	沒石子
琥珀	Amber (ST.)	複香
黑胡椒	Black pepper	籐黄
白胡椒	White pepper	白膠香
小荳莲	Cardamom	蘇木
肉荳蒾	Nutmeg	砂仁
荳甕花	Mace	母丁香
丁香	Clove	羚羊角
訶子	Myrobalan (Termina chabula Rotz)	乳香
安息香	Benzoe, Gum benjamin	沒藥
汽香	Aloe wood, Eagle wood (Aquilaria agallocha	牛黄
	Roxb)	早角
兒茶	Catechu	重荷

Calamus draco willd
Tabasheer silicaceus concretion of the
bamboo
Sterculia scaphigera Wall.
Blumes balsamifera DC.
Picrorrhiza Kurroa Royl
Acronychin laurifolia BL.
Manis pentadacyta Linn.
Cassia acutifolia Del.
Hydrocarpus anthel minitca pierre
Strychnos Nux-Vomica L.
Gallae halepenses
Santalum album L. (Sandal wood)
Gutti
L. formoana Hcc.
Caesalynia sappan L.
Hedychium coronarium Koen.
Jambosa caryophyllius Ndz.
Nemorhaedus crispus temm
Pistacia lenticsus L.
Commiphora myrrha Engl.
Cow benzoar
Rhinoceros indicus
Aloe vera L.

- 19 --

- 20 -

廣木香 紅花 檳榔 雄撥 海龍 Inula helenium L.
Safforn (Carthamus tinctorius)
Betelnut (Areca catechu L.)
Piper longum L.
Hippocampus coronatus T. et. S.

Hippocampus coronatus T. et S. (Flat) Hippocampus coronatus T. et. S. (Small) Ferula asafoetida L. Perla pearl

出口商品規格
Specification of Some Exports

#### -- 21 ---

#### 蔴 類、蔴 製 品

#### Bast Fibre and Its Manufactures

準	<b>8</b>	Ramie	
,	額色 白色、青色	Colour	white and green
	長度 ① 60- 90 公分	Length	(1) 60— 90 cm.
	② 90—120 公分		(2) 90—120 cm.
	(8) 120 公分以上:		(3) 120 cm. up
	水份最高 14% (青色)、15%(白色)	Moisture	14% (green), 15% (white)
	化数:機器打包,毎包添重 225-250 公斤	Packing: Machine pressed bales,	each 225-250 kgs. net
大	Ti.	Hemp	
^	水份最高 14%	Moisture	14% max.
	長度最低一公尺	Length	I meter min.
	<b>新色正常</b>	Colour	normal
	個巴比蒂 包裝:機器打包縱布包裝,每包牽重 225—250 公斤	Packing: In machine pressed	with gunny cloth bales of 225—250 kgs.
	(CSG): 445 WALL COMMUNICATION CO. L.	net each	
黃	麗 1-3級	Jute, grade 1-3	
ж	三級	3rd grade	
	長度最低一公尺	Length	I meter min.
	水份 15%	Moisture	15%
	包裝: 機器打包, 繼索捆紮, 每包净重 200-230 公斤	Packing: Machine packed bales	tied up with rope, each 200—230 kgs. net
75		Gunny Bags	105.8—108.5 cm.
/84	表 長 105.8—108.5 公分	Length	
	省 71.8—74.5公分	Width	71.8— 74.5 cm.
		Weight	0.8928—0.960 kg.
	重 0.8928−0.960 公斤	Moisture	17% max.
	水份最高 17%		

```
長度一公尺以下無霉腐貨物
包裝:機器打包,每包澤重約 200 公斤
```

Hemp Fragment

Length below I meter free from mould Packing: Machine pressed bales, each about 200 kgs. net

#### 菸 類、菸 製 品

#### Tobacco and Its Manufactures

烤	菸(佛基尼亞	젤)	Flue-cured Tobacco (Virginia Type)	
	金黄 1-	<b>-7級</b>	Golden yellow	I-7 grade
		5 級	Reddish yellow	I—5 grade
		<b>−3 級</b>	Greenish yellow	I—3 grade
晒	菸		Sun-cured Tobacco	
	紅鞱菸		Sun-cured Tobacco, red	
	松陽	1-4級	Sung-yang	I-4 grade
	柳柳	16級	Dong-shang	I-6 grade
	廣豐	1-4 級	Kwan-feng	I-4 grade
	廣昌(羅前	) 1-3級	Kwan-chang (Yee-zee)	I-3 grade
	廉江	1—4 級	Lien-klang	I-4 grade
	新會	1-4級	Sin-hwei	I-4 grade
	清遠	1-4級	Ching-yen	1-4 grade
	強山	1-4 級	Ho-shan	I-4 grade
	黄晒菸		Sun-cured Tobacco, yellow	
	南維	1-3 級	Nan-yung	I-3 grade
	新昌	1-3 极	Sin-chang	I-3 grade
	黄崗	1-2 級	Hwang-kang	I-2 grade

尼古丁萘 尼古丁 3% 以上 水份 11-17%

水份 11—17% 整 煙
中華牌、雙結牌
光榮線、光萊牌
恒大牌
新位 20 支、每聽 50 友
包裝: 用木箱裝

斗 煙 蘇 光榮牌

松 香 机船牌,特級、一級、二級、三級 包裝: 木籍裝,毎箱季重約100公斤

五 核 子 合單率級 50% 以上 水份最高 16% 總質約 3% 包裝: 羅袋包裝, 每包净重 50-60 公斤

白 鰧 類色 白色或淡黄色 四川産

Nicotine Tobacco

Nicotine Moisture

3% up Moisture (1978)

Cigarettes

"Chung Hwa" brand "Double Happiness" brand

"Glory" brand "Kwang Hwa" brand

"Heng Ta" brand

20 pieces per packet, 50 pieces per tin

Packing: Packed in wooden cases \_ 23 \_

Pipe Tobacco
"Glory" brand

#### 土 產 類

#### Native Products

osin X, AAA, AA & A grade, "Junk" brand Packing: In wooden cases of about 100 kgs. net each

Callaut
Tannic acid content 50% min.
Moisture 16% max.
Admixture 3% approx.
Packing: In gunny bags of 50–60 kgs. net each

Insect Wax (White Wax)

Colour

Szechwan origin White or light yellow

	乾菓,乾菜,副食品類 Nuts, Dried Vegetables and Subsidiary Foodstuffs				
椴	桃	Walnuts			
	直徑約 25-28 公庫	Diameter 25-28 mm. approx.			
	包裝: 藏袋包裝,每袋約重60公斤	Packing: In gunny bags of about 60 kgs. each			
核	桃仁	Walnut Meat			
	按大小分: 頭路(主)、二路(主)、三路(主)、四路 色澤: 白、港、深琥珀色 包裝: 木箱裝, 有箱/净重約 55 磅	Classified in accordance with size: Halves, quarters, pieces and crumbs Colour: Light, light-amber and amber Packing: In wooden cases of about 55 lbs. net each			
甜	杏仁	Sweet Apricot Kernel			
	北山大扁 包装: 巖袋包裝,每包約重 60 公斤	North Mountain origin, large in size and flat on surface Packing: In gunny bags of about 60 kgs. each			

		- 25
	<b>杏 仁</b> 中國大路貨 包裝: 蘸袋包裝, 再包重 80-90 公斤	Bitter Apricot Kernel Chinese F.A.Q. Packing: In gunny bags of 80—90 kgs. each
黑.	瓜 子 通遊及青島大路貨,徐州大、中、小片	Water Melon Seeds, Black F.A.Q., Tungliso and Tsingtao origin and Large, medium and small plece. Shuichow origin
	包裝: 疏袋包裝,每包重 50-60 公斤	Packing: In gunny bags of 50—60 kgs. each
紅	瓜 子 信豐,吉安產 包裝: 蓋袋包裝,每包取約70公斤	Water Meion Secds, Red Sin-feng and Chi-an origin Packing: In gunny bags of about 70 kgs. each
Á	瓜 子 毛達及光板 包裝: 崩發包裝, 每包重 50-60 公斤	Pumpkin Seeds Rough and plain edge Packing: In gunny bags of 50—60 kgs. each
蓮	子 湘蓬、湖連 包裝:羅袋包裝,每包重約75公斤	Lotus Seeds Hunan and Hupeh origin Packing: In gunny bags of about 75 kgs. each
松	子 東北貨、籔南貨	Pine Seeds North-east China & Yunnan origin
Ė	果 奈興、洞庭、杭州及廣西貨 包裝: 木箱裝成職袋裝	Gingko Biloba Tal-hsing, Tung-ting, Hangchow & Kwangsi origin Packing; In wooden cases or gunny bags
ŧΙ	聚 天津頭水貨,二水貨 包裝: 蘇袋包裝,每包旗 50-60 公斤	Red Dates First Selection & Second Selection, Tientsin origin Packing: In gunny bags of 50—60 kgs. each

```
- 26 -
鳥 棗
```

拔裝 包裝: 職袋包裝,毎包重 50-60 公斤

金針菜

金山牌、帆船牌、雄獅牌,雙魚牌 包裝: 布袋包裝,每袋净重約 50 公斤

髮 菜 絲條長島黒色

包裝: 布袋包裝

四川產,勝利牌,地球牌 包裝: 輝裝,每鑼約重 57 公斤

惠州(廣東)及杭州產

常州産,中土牌,交通牌 包裝: 罐裝,毎郷約重12.5—35 公斤

香 菇

黒木耳

包裝: 布包裝,每包約重 50 公斤

Black Dates

Selected quality
Packing: In gunny bags of 50-60 kgs. each

Lily Flower, Dried

"Kin-Shan" "Junk" "Lion" "Double Fish" brands Packing: In cloth bales of about 50 kgs. net each

Long and dark black Packing: In cloth bales

Szechwan Cabbage, Pickled

"Victory" & "Globe" brands, Szechwan origin Packing: In earthern jars of about 57 kgs. each

Dried Vegetable (Mei-kan-tsai)

Hwel-chow (Kwangtung) and Hangchow origin

Turnip, Dried

"Chung-t'u" & "Communication" brands, Ch'angchow origin Packing: In earthen Jars of about 12.5—35 kgs. each

Mushroom (Hsiang-ku)

Classified according to thick and thin grades

Fungus, Black

Light, big pce., Hupel origin Packing: In cloth bales of about 50 kgs. each

銀 耳(白木耳) 四川産

芋 角 四川産

包装: 雙簧裝,每件凈重 100 公斤

粉 緣 龍口一級、二級、三級 包裝: 布包裝, 毎包重約 60 公斤

辣椒乾 成都、盆都、盆都、邵陽、剛邱,徐州產

水份最高 20% 包裝: 篾簍或蘸袋包裝,每件重約 75-100 公斤

響 咖啡具、茶具、壺、杯、盤、花観、化工器皿、衛生用品、建築 器材及製飾品等

18"×18"

Szechwan origin Taro In Pieces, Dried

Szechwan origin Packing: In bamboo baskets of about 100 kgs. each

Vermicelli

1 st, 2nd & 3rd grades, Lung-kow origin

Packing: in cloth bales of about 60 kgs. each

Chill, Dried Child, Dried Chill, Dried Chill

\_ 27 \_

#### 工藝品類

#### Arts and Crafts

瓷 器 餐具、咖啡具、茶具、碗、盤、煎等日用品,花瓶等陳設品

Porcelain Wares

Dinner, coffee & tea sets, daily used bowls, dishes & other utensils, decoratives such as flower vases etc.

Earthen Wares

Coffee & tea sets, dishes, pots, cups, flower vases, chemical industral apparatus, sanitary stoneware, architectural materials, ornaments etc.

Lace
Piece articles:
Round 6"×6" 8"×8" 10"×10" 16"×16" 18"×18"

```
蛋形 9"×14" 14"×20" 16"×24"等
碼花邊:
                                                                                                Oval
Long Lace:
Plated with 18-60 strings, in various designs
enice Lace
Table cover (Including napkins, doilles, etc.)
5 pcs. set 1-36"× 36" 4-12"×12"
13 pcs. set 1-72"× 90" 12-18"×18"
13 pcs. set 1-72"×108"
                                                                                                          Oval
                                                                                                                                              9"×14" 14"×20" 16"×24" etc.
            18 頭面 60 頭, 句紙各種非式
東里斯
     十三張奋 1-72"×108" 12-18"×18"
                                                                                                  13 pce. set
13 pce. set
Doilies:
round
oblong
     盤套:
            修:

関形 6"× 6" 8"× 8" 10"×10"

長方 12"×18" 14"×20" 16"×24"

蛋園 12"×18" 14"×20" 16"×24"
                                                                                                                                           6"× 6" 8"× 8" 10"×10"
12"×18" 14"×20" 16"×24"
12"×18" 14"×20" 16"×24"
                                                                                                         oval
                                                                                                  (Material: crash linen & cotton. Embroidery work: drawn-work, cutwork
                                                                                                       五酰胺 1-36"× 36" 4-12"×12"

七班海 1-54"× 54" 6-12"×12"

七班海 1-54"× 72" 6-14"×14"

九班 1-72"× 90" 8-18"×18"

十三張泰 1-72"×108" 12-18"×18"

1-18"× 36" 1-18"×51" 1-18"×51"

1-18"× 36" 1-18"×45" 1-18"×51"

1-18"× 36" 1-18"×45"
                                                                                                  cross-stitch work,
5 Pce. bridge set
7 Pce. tea set
7 Pce. tea set
9 Pce. banquet set
13 Pce. banquet set
3 Pce. scarf set
6 Pce. dressing set
                                                                                            Tray Cloth
     番 6"×6" 8"×8" 10"×10"
長方形 12"×18" 14"×20" 16"×24"
蛋偶彩 12"×18" 14"×20" 16"×24"
                                                                                                                                            6"×6" 8"×8" 10"×10"
12"×18" 14"×20" 16"×24"
12"×18" 14"×20" 16"×24"
                                                                                                  Round
Oblong
```

手 帕 13"×13" 14"×14" 15"×15"等 13"×13" 14"×14" 15"×15" etc. 36"×36" 54"×54" 72"×72" 72"×90" 72"×120" etc. 8"×36" Square Oblong Round 6"×10"-16"×36" Oval 琺 鄉 器 各式花瓶、菜盤、排髮、洗子、炯具、髮、碗、罐等實用品和 陳設品 Cloisonne Wares Flower vases, fruit dishes, decorative dishes & trays, smoking sets, ash trays, jars, bowls etc. of various designs 漆 器 雕漆: 花般、烟具、粉盒、盤等 金漆雞嵌: 胖風、首飾盒、各種盒子 稱建漆器: 茶具、潤具、烟具、花辊等 Lacquer Wares Carved lacquer articles: Vase, smoking set, powder box, tray etc.
Inlaid lacquer articles: Screen, jewel box and boxes of various patterns
Fukien lacquer wares: Tea set, wine drinking set, smoking set, vase etc. Ivory Carving Articles
Figures, vases, screens, cabbage, insects, flowers etc. 象牙雕刻 人物、花椒、筆格、白菜、蟲、卉等等 玉石雕刻 人物、鳥、獣、花薫等 Jade Carvings Figures, birds, animals, incense burner etc.

Artistic Glass Articles

Glass plum trees of various colours, potted plants, animals & birds of 料器等衡品 -------各色梅化科樹、盆景、大小禽、服等 big & small sizes
Palace Lantern
With dragon-head frame or in square, hexagonal or globular shape
Artificial Flower Made of Thin Silk 宮 燈 龍頭、方形、六角、順形 絨絹紙花 Velvet birds, animals & flower baskets & artificial flowers made of 被鳥獸、絨花籃、各種網紙花卉 gauze & paper

- 29 -

```
- 30 -
Straw Braid
                                                                                           Laichow mottled
Split plain
Fuklu white
Shaho white
    原済白

東済白

花草帽雑

普通式:
                                                       Hsingtsi white
Fancy straw braids
Straw Hats
Ordinary style:
                6-6₺公厘至 12-13 公厘
       帽沿寬
帽頂高
                                                               Width of rim
                                                                                            3 inches
                                                      Width of rim
Height
Wide rim style:
Width of rim
Height
Buntal Fibre Hats
                                  4日时
                                                                                            4g inches
     村頂島
大沿邊:
帽沿寬
帽頂高
                                  5負时
3負时
                                                                                            5g inches
3g inches
 金絲草帽
     等級:超、順、二、三、四、五、
                                                          Grades: X. I. II. III. IV. V. II½"—I2½"
        11計"至 12計"
 Sisal Hats

Grades: X. I. II. III. IV. V. VI. VII (Cones and Hoods)
                                                              112"-122"
                                                      草 拖 鞋
25公分至32公分
    整
14"×14"×10"二個亲
14½"×4½"×11½"三個套
13"×5½"×9"三個套
    14%"×4%"×11%"五個套
```

扭 草 一號草 二號草 三號草 Seagrass Cords 海草绳 一號手搓草繩 一號手送草櫃 在筷: 1½ 公厘至 2 公厘 也換數草碣 直紙: 1½ 公厘至 2 公厘 三號央製草碣 直筷: 2 公厘至 2 公厘 三號牛提製草櫃 直筷: 2 公厘至 3 公厘 三號井提製草櫃 □偿: 3 公庫至 3g 公庫 二號機製開色草組 直徑: 2 公厘至 2g 公厘 二號機製至色草組 直徑: 2 公厘至 2g 公厘 草薦 18"×36", 24"×48" 12"×12" 36時×40碼 白方階 金銀繩層 白密珠席 36吋×40 編 45吋×40 編 提準単花 27吋×2編 36吋×2編 白密珠金色連中花席36吋×2編 45吋×2編 独車時花席 36°×45° 54吋×2編

Seagrass (Twisted) Nos. I, 2 & 3 Hand-twisted, No. 1 Nature colour semi-ma-amm
Diameter 2½mm—3mm
Nature colour machine-twisted, No. 3
Diameter 3mm—3½mm
Bicoloured machine-twisted, No. 2
2mm—2½mm Diameter 2mmAll coloured machine-twisted, No. 2
Diameter 2mm-2mm-2½mm Seagrass Mat and Matting

45"×40 Yds. 36"× 2 Yds. 45"× 2 Yds. 54"× 2 Yds.

- 31 -

- 32 -

竹 篦 常州產:雙面 104 根, 115 根, 128 根, 138 根

軟木風景片各種大小尺寸均可承製網全傘面繪畫,36 极竹骨,長38 公分

雨 拿 凝陽伞,48极竹骨,油紙製,顏色綠面黃裹,傘 身長 2.2 呎 包裝: 木箱裝,每箱 60 把

**禮 香扇** 扇面用純絲織繪彩色藝術畫,長 17 至 21 公分

骨 扇 白骨和網製造,繪彩色,長 17 至 21 公分

羽 毛 扇 骨把長 19 至 22 公分, 羽毛鮮饒, 長約 15 公分

紙 扇 白竹骨紙扇分小號、大號 包裝:木箱裝,得箱裝 280 把

手 提 包 半皮描花及麂皮羰線烧锈 19×115×8公分 20.5×12×7.5公分

Bamboo Combs 104, 115, 128 or 138 teeth on both sides of the comb, Ch'angchow

origin

Cork Scenery Piece

Can be made to order in any size

Silk Umbrella

Nicely painted, with 36 bamboo ribs and a handle of 38 cm. in length

"Ou-yang" brand made of oil paper in green colour, with 48 bamboo ribs,

length 2.2 feet
Packing: In wooden cases, each containing 60 umbrellas

Folding Fan (Sandal wood)

Mounted with silk surface which is beautifully painted in various colours, 17–21 cm. in length

Made of white bone and gauze, painted in various colours, 17-21 cm. in length

Feather Fan
With bone ribs of 19-22 cm. in length and flourishing feather of approximately 15 cm. in length

peer Fan
Folding printed paper-fan of small and big sizes with white bamboo ribs
Packing: In wooden cases each containing 280 pcs.

Lady's Hand bags

Made of sheep skin printed with flowery designs or imitation buck skin with petite-point tapestry

22.5×12.5×9 公分 19.5×15×6 公分

鑰 匙 袋 羊皮拷花,彩档,袋用拉鍊合口。

10×5×7 公分

錢 袋 羊皮拷花,彩襦,用拉鍊合口

11.5×18.5 公分 13×20.5 公分 15×24 公分

**套** 棉線釣針手套 棉線網結手套

**髮 網** 開期 10/38 10/46 6/36 6/38 長網 32/34 38/40 44/46 類色 深棕,中棕,茂棕,銀白,黑色五穂

毛 筆 湖市及上海製小楷羊毫

包裝: 木箱裝,每箱 10,000 枝

墨 錠 →兩裝至四兩裝 包裝: 木箱裝,毎箱溶重約25公斤

 $19\times115\times8$  cm  $20.5\times12\times7.5$  cm  $22.5\times12.5\times9$  cm  $19.5\times15\times6$  cm

Key Holder

Made of sheep skin, pressed and painted in various coloured designs,

mounted with zip fastener  $10 \times 5 \times 7$  cm.

Purse

Made of sheep skin, pressed and painted in various coloured designs,
mounted with zip fastener

11.5×18.5 cm 13×20.5 cm 15×24 cm

Cotton crochet gloves Cotton filet gloves

Round 10/38 10/46 6/36 6/38 Long 32/34 38/40 44/46 Colour: Dark brown, medium brown, light brown, silvery white and black.

Chinese Writing Pen

made of fine wool in Hu-nan and Shanghai, for writing letters of about one inch square in size
Packing: In wooden cases, each containing 10,000 pcs.

Chinese Ink-stick

I ounce to 4 ounces per pce.
Packing: In wooden cases of about 25 kgs. net each

#### 藥 材 類

#### Medicines

草 東北產一級 口径:5英分以上 程度:最短2英尺 東北產二級 口径:3-5英分, 長度:最短2英尺 東北產三級 口程:1.5-3英分 長度:約1.5英分 長度:約1.5英分 包装: 蓆包裝,每包約重 60 公斤 100 200

十五支、二十支通底歸 包裝:外凝袋,內竹籤,每袋四套約重100公斤

東北產,天字號地字號各半 包裝: 木箱裝,每箱約重15公斤 元 参

分8、12、16、20、24、30、40 支 包装: 英籌裝、外套職袋、毎件約重 100 公斤

Ist grade, North-east China origin
Diameter 5/8th inch min. 2 ft. min. Length Length 2 ft. min.

2 dr. min.

2 dr. min.

2 dr. min.

3 dch—5 /8th inch

Length 7 im.

3 d grade, North-east China origin

Diameter 3 /16th—3 /8th inch

Length 1.5 ft. approx.

Packing: In mat bales of about 60 kgs. each

Ligusticum Acutilobum (Tangol)

Packing: In bamboo baskets, covered externally with gunny bags, 4 basket in one bale of about 100 kgs.

"Tien" grade & "Di" grade, half each, North-east China origin Packing: In wooden cases of about 15 kgs. each

Scrophularia Lodhamia (Yuan-shen)

Each half kg. contains 8, 12, 16, 20, 24, 30 or 40 pcs. Packing: In bamboo baskets covered with gunny bags, each about 100 kgs.

沙 参 大把及小把 包裝: 木箱裝,每箱約重 25 公斤

川 芎 一等,二等,三等 包裝: 簽簽裝,每簽約重100公斤

大 **黃** 西北產 包裝: 木箱裝。每箱凈重 280 份。

白 芍 亳州康1-6等 包裝: 篾套裝,外套藏袋,每件約50公斤

生 地
16支(毎公斤32-40支)
24支(每公斤48-60支)
30支(毎公斤60-80支)
40支(毎公斤80支以上) 小生地 包裝: 職袋包裝,每袋澤重約100公斤

包裝: 紙箱裝,每箱約重 2.5 公斤

防 風 東北產 包裝: 蓆包,每包約重70公斤

Big bundle & small bundle Packing: In wooden cases of about 25 kgs. each

Conjoselinum Univitatam (Chuen-hsiung)

Ist 2nd & 3rd grades
Packing: In bamboo baskets of about 100 kgs, each

Rhubarb (Ta-huang) North-west China origin

Packing: In wooden cases of 280 lbs. each Paeonia Albiflora (White)

1—6 grade, Pei-chow origin Packing: In bomboo baskets covered with gunny bags, each about 50 kgs.

Rehmannia Glutinosa Libosch (Sheng-ti)

(6 pc.; (32-40) pcr. per kg.)
24 pcr. (48-60 pcr. per kg.)
30 pcr. (60-80 pcr. per kg.)
40 pcr. (above 80 pcr. per kg.)
5mall Sheng-t.
Packing: In gunny bags of about 100 kgs. net each

Gynura Pinnatifida (San-chi)
120, 160 & 200 pcs. per half kg., 1/3 each
Packing: In paper boxes of about 2.5 kgs. each Siler Divanicatum (Fang-feng)

North-east China origin Packing: In mat bales of about 70 kgs. each

金銀花 山東濟南產,一等、二等、三等 包裝: 階包,每包澤重約60公斤 籽 特学、甲字、乙字 包裝: 木箱裝,每箱净重約 50 公斤 蒂 排答 包裝: 木箱裝,毎箱約重60公斤 賽 冬 一等,二等 包裝: 木箱裝,每箱約重100公斤 术 一等,二等,浙江產

Lonicera Abonica Thumb (Chin-yin-hwa)

Lonicera Abonica Thumb (Chin-yin-bwa) Ist., Znd. & 3rd, grades. Tiana (Shantung) origin Packing: In mat bales of about 60 kgs. net each Luclum Chonens (Kou-chi) Special, Ist. & Znd. gradés Packing: In wooden cases of about 50 kgs. net each Pachyma Cocos (Fu-ling)
"Pai-ling" (Selected quality)
Packing: In wooden cases of about 60 kgs. each

Lirrope Grominifolia (Mai-tung)

1st. & 2nd. grades

Packing: In wooden cases of about 100 kgs. each

Atractylic Lancea (Pat-chu)

1st. & 2nd. grades, Cheklang origrn

Packing: In bamboo baskets covered with gunny bags, each about 100 kgs.

包裝: 簽纂裝,外套藏袋每件重約 100 公斤

香料、芳香油

Spices and Essential Oil Cassia Lignea

帆船牌 水份(最高) 灰份(最高) 17% 4% 3% 含油量(最低) 包裝: 蒲蓆包裝,毎包重約80 磅或112 磅

"Junk" brand Moisture Ash Oil content 17% max. Note that the state of the stat **桂 過** 灰份(最高) 水份(最高) 包裝: 蕭席包裝,每包净重約 112 磅

桂 碎 灰份(最高) 水份(最高) 包裝: 蕭席包裝,每包净重約112 磅 17%

八 角 水份(最高) 灰份(最高) 包裝: 草袋包裝, 軍袋净重約 50 公斤 小茴香

**净貨** 約 97 包裝: 攤袋包裝,每袋净重約 50 公斤 薄荷腦

白熊牌、編勒牌 包裝: 硫装每糖 5 磅, 12 能一箱

薄荷素油 50% 薄荷腦含量(最低) 比重(15.5°C): 0.897--0.912 額色 後 包裝: 鐵桶裝,每桶浮重 220—380 磅

Ash 4% max.
Moisture 16% max.
Packing: In rush mat bales of about 112 lbs. net each

Cassia, Broken Ash Moisture Moisture 17% max.
Packing: In rush mat bales of about 112 lbs. net each

Star Aniseed Moisture Ash 5% max.

Packing: In straw bags of about 50 kgs. net each Aniseed Seeds (Fennel)

Purity 97% approx. Packing: In gunny bags of about 50 kgs. net each Menthol Crystal

"Polar Bear" & "Buddha" brands
Packing: In tins of 5 lbs., 12 tins in each case

Peppermint Oil, Dementholized

Menthol content Menthol content 50% min.

Specific gravity (15.5°C) 0.897-0.912

Colour Slightly yellow
Packing: In Iron drums of 220-380 lbs. net each \_ 37 \_

— 38 —

一 38 一 鐵 圖 油 顏色 比重(20°C) 按葉醇含量(最低) 但裝: 鐵桶裝 自色 0.900-0.920 30%

Camphor Oil

Colour
Specific gravity (20°C)
Cineol content
Packing: In iron drums

White 0.900-0.920 30% min.

## 中國土產出口公司 CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION

地址:北京虎坊橋大街四六號電報掛號:"PROCHINA PEKING"

Address: 46, Hu Fang Chiao Street, Peking Cable Address: "PROCHINA PEKING"

上海分公司

地 址:上海中山東一路十六號 電報掛號: "CHINAPROCO SHANGHAI"

天 津 分 公 司

地 址: 天津哈爾濱道三三號 電報掛號: "NCNPC TIENTSIN"

廣州分公司

地 址:廣州大德路二八二號 電報掛號:"PROCANTON CANTON"

靑 島 分 公 司

地 址: 青島天津路十號 電報掛號: "CNPCO TSINGTAO"

北京市特種工藝公司

地 址:北京前門區抄手胡同二號

電報掛號: "PEKARTCO PEKING"

SHANGHAI BRANCH

Address: 16, Chung Shan Road East I, Shanghai Cable Address: "CHINAPROCO SHANGHAI"

TIENTSIN BRANCH

Address: 33, Harbin Road, Tientsin Cable Address: "NCNPC TIENTSIN"

CANTON BRANCH

Address: 282, Ta Teh Road, Canton Cable Address: "PROCANTON CANTON"

TSINGTAO BRANCH

Address: 10, Tientsin Road, Tsingtao Cable Address: "CNPCO TSINGTAO"

PEKING ART AND CRAFT COMPANY

Address: 2, Chiao Shou Hutung, Chienmen District, Peking Cable Address: "PEKARTCO PEKING"

# 廣川星群藥厰 中藥製劑商品目録

中國工產出口公司廣州分公司經營出口地址:中國廣州市大德路282號 電話:13966 電報掛號:4333



用滲漉法提煉中藥 Percolation process



蒸餾及蒸發工段 Distillation and evaporation



打 片 Compressing tablets



製成品在一間中醫聯合診所的 調劑室裡使用着. The preparations are used in a dispensary of a Chinese physicians' union clinic.



用數片機數片 Accounting tablets with a tablet counting machine.



研究試驗工作在進行中 Researching



牛製品和成品的化验工作 Examinations of semi-products and preparations.



製成品 Preparations



用旋光計檢驗揮發油 Examination of essential oil with a polarimeter.



動物試驗 Biological assay

# 中藥製劑 PREPARATIONS I. 流浸膏

	Extracta Liquidus				
品 名 Subject	功效與用途 Actions and Uses	含形量 Alcohol Content	州 Jit Dose	包 数 Supply	
大黄流衫符	苦味剂,下海啊	43%	0.5-1.0 cc.	500 ce.	
Extract Rhei Liquid.	Bitter, cathartic		(四分/cc.)	100 ce.	
川貝母流設育 Ext. Fritillariae Liq.	il: 🎉 For cough	41%	1-4 cc. (一段/cc.)	100 ec.	
川 写 就 沒 音 Ext. Conioselini Liq.	通經,用于月經困難及歸科疾患 Emmenagogue, for menstrual and other female complaints	21%	1—4 cc. (—3₹/cc.)	250 cc. 100 cc.	
川木瓜流設育	ឋ: 🎉	18%	2-5 cc.	250 cc.	
Ext. Cydonini Liq.	For emesis		(五分/cc.)	100 cc.	
近加度流行行	強 射 例,用 T 風 温	21 %	1-4 cc.	250 cc.	
Ext. Acanthopanacis Liq.	Roborant, for rheumatism		(-3§/cc.)	100 cc.	
巴 敬 統 泛 行	數 壯 例,用 于 性 神 經 衰 弱	18%	1−4 cc.	250 cc.	
Ext. Bacopae Liq.	Roborant, for sexual neurasthenia		(−½/cc.)	100 cc.	



研究試驗工作在進行中 Researching



學製品和成品的化驗工作 Examinations of semi-products and preparations.



製成品 Preparations



用旋光計檢驗揮發油 Examination of essential oil with a polarimeter.



動物試驗 Biological assay

# 中 藥 製 劑 PREPARATIONS

I. 流 浸 膏 Extracta Liquidus

Extracta Liquidus				
品 名 Subject	功效與用途 Actions and Uses	含醇最 Alcohol Content	州 址 Dose	包 装 Supply
大黄流浸膏	苦味劑,下瀉劑	43%	0.5-1.0 cc.	500 cc.
Extract Rhei Liquid.	Bitter, cathartic		(四分/cc.)	100 cc.
川貝母流浸膏	ılt. 📆	41%	1-4 cc.	100 cc.
Ext. Fritillariae Liq.	For cough		(一錢/cc.)	
川芎流浸膏	通經,用于月經困難及婦科疾患		1-4 cc.	250 сс.
Ext. Conioselini Liq.	Emmenagogue, for menstrual and other female complaints	21%	(一锭/cc.)	100 cc.
川木瓜流浸膏	ılı: º₩	10-4	2-5 cc.	250 cc.
Ext. Cydonini Liq.	For emesis	18%	(五分/cc.)	100 ec.
五加皮流浸膏	強 壯 劑,用 于 凪 濕	01	1-4 cc.	250 cc.
Ext. Acanthopanacis Liq.	Roborant, for rheumatism	21%	(一錢/cc.)	100 ec.
巴戟流浸膏	號 壯 劑,用 于 性 神 経 衰 弱		1-4 cc.	250 cc.
Ext. Bacopae Liq.	Roborant, for sexual neurasthenia	18%	(一級/cc.)	100 cc.

品 名 Subject	功效及用途 Actions and Uses	含醇量 Alcohol Content	剜 追 Dose	包 装 Supply
火麻仁流浸膏 Ext. Seminis cannabis Liq.	級 下 州 Mild cathartic	42%	1—4 cc. (一發/cc.)	250 cc. 100 cc.
甘草流浸膏 Ext. Glycyrrhizae Liq.	緩 和 椈 Demulcent	20%	1-4 cc. (布分/cc.)	500 cc.
白 応 流 浸 膏 Ext. Atractylis ovatae Liq.	健 胃 Stomachic	27%	1-4 cc. (一發/cc.)	250 cc. 100 cc.
白 順 翁 根 流 浸 膏 Ext. Potentillae Liq.	治 瘌 疾 (阿 米 巴 痢)  For amebic dysentery	47%	1-4 cc. (一锭/cc.)	250 cc.
半夏流浸膏 Ext. Pinellae Liq.	北· 嘔,止 咳 For emesis and cough	19%	0.5-2.0 cc. (一錢/cc.)	250 cc
肉 裢 蓉 流 浸 膏 Ext. Cistanches Liq.	強壯州,用于精溢及月經困難 Roborant, for spermatorrhoea and menstrual difficulties	18%	1-4 cc. (一級/cc.)	250 cc 100 cc
何首島流浸膏 Ext. Polygoni multifori Liq.	強 壯 劑, 用 于 月 經 困 雜 及 腹 瀉 Roborant, for menstrual difficulties and diarrhoea	31 %	1—3 cc. (一錢/cc.)	500 cc
佛手流没膏 Ext. Citri medicae Liq.	祛痰、健胃、下气 Expectorant, stomachic, carminative	18 %	1—3 cc. (一錢/cc.)	500 cc

				• 3 •
品 名 Subject	功效及用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 参 Supply
使君子流浸膏 Ext. Quisgualis Liq.	縣 虫,治 ቃ 虫 Anthelmintic, for round worm		1-8 cc. (五分/cc.) (毎歳 1 cc.)	500 cc.
郁李仁統沒膏 Ext. Pruni japonicae Liq.	緩 海,利 尿 Mild cathartic, diuretic	18%	1—4 cc. (一錢/cc.)	250 cc. 100 cc.
积党流浸膏 Ext. Poncini corticis Liq.	袪 痰, 利 尿, 健 胃 Expectorant, diuretic, stomachic	18%	0.5-2.0 cc. (一錢/cc)	500 cc.
枳實流接膏 Ext. Poncini fructus Liq.	柱 痰, 利 尿, 健 胃 Expectorant, diuretic, stomachic	18%	0.5—2.0 cc. (一毅/cc.)	250 cc.
柏子仁流浸膏 Ext. Thujae seminis Liq.	鎮 靜 樂 Sedative	18%	0.5—2.0 cc. (—錢/cc.)	250 cc.
枸 杷 子 流 浸 膏 Ext. Lycii Liq.	強 壯 樂 Roborant	18%	1—4 cc. (一錠/cc.)	250 cc.
香附流投資 Ext. Cyperes Liq.	通 經, 鎮 渐 Emmenagogue, analgesic	22%	l—3 cc. (一鏦/cc.)	250 cc.
桔梗流没膏 Ext. Platycodi Liq.	袪 痰 Expectorant	50%	2-5 cc. (五分/cc.)	500 cc.

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 装 Supply
金 B 章 洗 浸 膏 Ext. Leonuri Liq.	用于產後子宮出血及歸科疾患 For postpartum hemorrhage and other female complaints	17%	1—4 cc. (一鍰/cc.)	500 cc.
金智仁流浸膏  xt. Zingiberis nigri seminis Liq.	強 壯,刺 激 Roborant, stimulant	43%	0.5—2.0 cc. (—錢/cc.)	250 cc. 100 cc.
浙貝母流浸膏 Ext. Fritillariae (Xi-pei) Liq.	北 境 For cough	41 %	1-4 cc. (一錢/cc.)	500 cc.
高良羌流浸膏 Ext. Galangae Liq.	健 胃 Stomachic	42 %	1-2 cc. (一錢/cc.)	250 cc 100 cc
陳皮液浸膏 Ext. Citri corticis Liq.	祛痰,健胃 Expectorant, stomachic	53%	0.5-1.5 cc. (一錢/cc.)	250 cc
麻 黄 液 没 音 Ext. Ma-Xuang Liq.	此 哮 喘, 镞 汗 For asthma and diaphoretic	55%	1-2 cc. (一鍰/cc.)	500 cc
责 若 流 後 清 Ext. Astragali Liq.	強 射,利 原 Roborant, diuretic	18%	1—4 cc. (一後/cc.)	250 cc
常 丸 流 没 膏 Ext. Omphaliae Liq.	羅 蝶 虫 Anthelmintic for tape worms	16%	15 cc.	100 c

品 名 Subject	功效與用途	含醇量 Alcohol	例 造	包製
Subject .	Actions and Uses	Content	Dose	Supply
當歸流沒膏	通 經,強 壯		2-8 cc.	500 cc.
Ext. Tang-kwei Liq.	Emmenagogue and roborant	38%	(五分/cc.)	100 cc.
違志流没膏	袪 振	40%	0.5-2.0 cc.	500 cc.
Ext. Polygalae Liq.	Expectorant		(一錢/cc.)	100 ec.
货 术 流 浸 膏	健 胃,驅 風,利 尿		1-4 cc.	250 сс.
Ext. Atractylodes Liq.	Stomachic, carminative and diuretic	43%	(一從/cc.)	100 cc.
酸聚仁流浸膏	鎮 靜,治 失 眠		1-4 cc.	250 сс.
Ext. Zizyphi seminis Liq.	Sedative, for agrypnia	18%	(一錢/cc.)	100 cc.
劉寄奴流浸膏	ம் ம்		2-5 cc.	250 cc.
Ext. Solidago Liq.	Hemostatic	20%	(五分/cc.)	100 cc.
廣木香流浸膏	健 胃,宣 氣,止 痛		0.5-1.5 cc.	250 сс.
Ext. Saussureae Liq.	Stomachic, carminative, analgesic	27%	(一發/cc.)	100 cc.
獨活流沒膏	解 熱,止 湉		1-3 cc.	250 сс.
Ext. Angelicae grosserratae Liq.	Antipyretic, analgesic	21%	(一餐/cc.)	100 cc.
羌 活 流 漫 膏	發 汗,解 熱	-	0.5-2.0 cc.	500 cc.
Ext. Angelicae sylrestridis Liq.	Diaphoretic, antipyretic	43%	(—4₹/cc.)	100 cc.

・6・ M 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 装 Supply 250 cc.
鬱金流沒膏 Ext. Curcumae longae l.iq.	健胃,宜氣,通 經 Stomachic, carminative, emmenagogue	43%	1—4 cc. (—鍰/cc.)	100 cc.
The second secon				
-				
•				

## II. 漫 膏 溶 液 Soluta Extractorum

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	剤 量 Dose	包 装 Supply
山 茱 萸 浸 膏 溶 液	強壯、收斂,用於神經衰弱、遺精		2-6 cc.	500 cc.
Ext. Corni Solutum	Tonic, astringent for neurasthenia and night emission		(五分/cc.)	100 cc.
山栀子浸膏溶液 Ext. Gardeniae floridae Solutum	消炎、解熱,用於 感 冒 發 熱、胃 腸炎 Antiphlogistic, antipyretic for common cold and gastro-enteritis		2-6 cc. (五分/cc.)	500 cc.
山楂浸膏溶液	## F		1-3 cc.	500 cc.
Ext. Crataegus Solutum	Stomachic		(一錢/cc.)	100 cc.
大小蒯漫膏溶液	利尿,止血,解熱		2-8 cc.	oro .
Ext. Cirsii spicati Solutum	Diuretic, hemostatic, antipyretic		(五分/cc.)	250 сс.
大棗浸膏溶液	強 壯 劑		2—6 сс.	500 cc.
Ext. Zizyphi vulgaris Solutum	Roborant		(五分/cc.)	100 cc.
川草薪浸膏溶液	利尿,用於風濕病者		1-4 cc.	500 cc.
Ext. Dioscoreae tokoro Solutum	Diuretic, for rheumatism	12%	(一錢/cc.)	100 cc.

品 名	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 装 Supply
Subject	通 經,鎖 痛	10.00	0.5-2 cc.	500 cc.
三稜涉膏溶液	Emmenagogue, analgesic	12%	(錢/cc.)	100 cc.
Ext. Scirpi maritimi Solutum			1-3 cc.	500 cc.
女貞子港膏溶液	強 壯 梸 Tonic		( <b>一</b> 錢/cc.)	100 cc.
Ext. Ligustri lucidi Solutum	no to the six out 4%		2-8 cc.	500 cc.
士供答浸膏溶液	變 質 藥, 用 於 梅 帯 惡 掩 Alterative, used for Syphilid		(五分/cc.)	100 cc
Ext. Smilacis chinae Solutum	滋養強壯,用於衰弱熱病之咳痰無力及口乾舌燥		2-8 cc.	500 cc
天多凌奔溶液	送養強壯,用於我物熱別之後就被力及在 Dietetic roborant, for febrile diseases with weakness and dryness of tongue and mouth	!	(五分/cc.)	100 co
Ext. Asparagi lucidi Solutum	鎮痛解瘦,用於咸冒性或神經性頭痛,頭暈,瘦擘		1-3 cc.	250 cc
天麻没膏溶液	鎮痛解標,用於與自住或呼吸性域域。 Analgesic and antispasmodic for neuritic headache and dizziness due to cold		(—∰ cc.)	100 c
Ext. Gastrodiae elatae Solutum	健胃、止痛,用於胃痛、腹部冷破、消化不良		0.5-2 cc.	500 c
天台島藥浸膏溶液	Stomachic tonic, anodyne, for stomachalgia, abdominal coldness and digestive disturbances.	12%	(_3%/cc.)	100 c
Ext. Linderae strychnifoliae Solutum			1-4 cc.	500 c
牛膝没养溶液	神經炎之鎮痛消炎藥,並治月經困難 Analgesic and antiphlogistic, for neuritic used for difficult menstruation	16%	(一錢/cc.)	100 0
Ext. Achyranthei bidematae Solutum		-	2-8 cc.	250 0
元 参 浸 齐 溶 液 Fxt. Scrophulariae Solutum	利尿、強壯,及恢復利 Diuretic, tonic and restorative		(五分/cc.)	100

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 装 Supply
丹皮浸膏溶液 Ext. Paeoniae moutan radicis Solutum	治神經病,出血,頭孫,月經困難 For nervous disorders, hemorrhage, headache, difficult menses	12%	2-6 cc. (泊分/cc.)	500 cc.
王不留行没资溶液	通 經,催 乳	-	2-6 cc.	500 cc.
Ext. Saponariae vaccariae Solutum	Emmenagogue, and milk-secretion promotor		(五分/cc.)	100 cc.
白芍浸膏溶液	鎮 痛,利 尿		2-8 cc.	250 сс.
Ext. Paeoniae albiflorae Solutum	Anodyne, diuretic	12%	(五分/cc.)	100 cc.
白芷没膏溶液	或冒頭痛及治經痛		0.5-2 cc.	500 cc.
Ext. Heraclei lanati Solutum	For common cold, headache, painful menses	12%	(一章菱/cc.)	100 cc.
白前浸膏溶液	鎖 咳,治支氣管炎及肺結核之咳嗽		1-3 cc.	500 cc.
Ext. Cynanchi japonici Solutum	Anticough in bronchitis and tuberculosis		(一餐/cc.)	100 cc.
白薇浸膏溶液	解 熱,利 尿		2-6 cc.	500 cc.
Ext. Cynachi atrati Solutum	Antipyretic, diuretic		(五分/cc.)	100 cc.
石菖蒲浸膏溶液	維胃,驅風		2-5 cc.	250 cc.
Ext. Acori graminei Solutum	Stomachic tonic, carminative		(五分/cc.)	100 cc.
瓜赘仁浸膏溶液	祛 擴, 緩 下, 鎮 咳		1-3 cc.	250 сс.
Ext. Trichosanthes seminis Solutum	Expectorant, emollient, anticough	12%	(一錢/cc.)	100 cc.

品 名	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 装 Supply
Subject	通 經, 鎮 箱	12%	0.5-2 cc.	500 cc.
三稜浸膏溶液	Emmenagogue, analgesic	1276	(餞/cc.)	100 cc.
Ext. Scirpi maritimi Solutum 女貞子禮膏溶液	強 壯 劑		1-3 cc.	500 cc.
女 貝 于 没 智 路 成 Ext. Ligustri lucidi Solutum	Tonic		(一錢/cc.)	500 cc.
土 伏 答 沒 膏 溶 液	變質藥,用於梅毒惡瘡		2-8 cc. (五分/cc.)	100 cc.
Ext. Smilacis chinae Solutum	Alterative, used for Syphilid	_	2-8 cc.	500 cc.
天多禮膏溶液	滋養強壯,用於衰弱熱病之咳痰無力及口乾舌燥 Dietetic roborant, for febrile diseases with weakness and dryness of tongue and mouth		(五分/cc.)	100 cc.
Ext. Asparagi lucidi Solutum	你你似疴, 用於应胃性或神經性頭痛, 頭暈, 痙攣		1-3 cc.	250 cc
天麻没膏溶液	Analgesic and antispasmodic for neuritic headache and dizziness due to cold		(一錢/cc.)	100 cc
Ext. Gastrodiae elatae Solutum	(A) 中海、用於胃痛、腹部冷域、消化不良		0.5-2 cc.	500 cc
天白鳥藥浸膏溶液	Stomachic tonic, anodyne, for stomachalgia, abdominal coldness and digestive disturbances.	12%	(一錢/cc.)	100 cc
Ext. Linderae strychnifoliae Solutum	神經炎之鎮痛消炎藥,並治月經困難		1-4 cc.	500 cc
牛膝浸膏溶液	Analgesic and antiphlogistic, for neuritic used for difficult menstruation	16%	(一鍰/cc.)	100 c
Ext. Achyranthei bidentatae Solutum	利尿、強壯,及恢復劑		2-8 cc.	250 ce
元 磐 没 膏 溶 液 Ext. Scrophulariae Solutum	利 旅、殖 河 及 区 W Diuretic, tonic and restorative		(五分/cc.)	100 c

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	稍 量 Dose	包 裝 Supply
丹皮没育溶液 Ext. Paeoniae moutan radicis Solutum	治神經病,出血,頭痛,月經困難 For nervous disorders, hemorrhage, headache, difficult menses	12%	2-6 cc. (五分/cc.)	500 cc.
王不留行浸膏溶液 Ext. Saponariae vaccariae Solutum	通 經,催 乳 Emmenagogue, and milk-secretion promotor		2—6 cc. (五分/cc.)	500 cc.
白芍疫膏溶液 Ext. Paeoniae albiflorae Solutum	鎮 痛,利 尿 Anodyne, diuretic	12%	2—8 cc. (五分/cc.)	250 cc. 100 cc.
白芷没膏溶液 Ext. Heraclei lanati Solutum	波冒頭痛及治經痛 For common cold, headache, painful menses	12%	0.5—2 cc. (一镒/cc.)	500 cc.
自前搜鲁溶液 Ext. Cynanchi japonici Solutum	鎖隊,治支氣管炎及肺結核之咳嗽 Anticough in bronchitis and tuberculosis		1—3 cc. (一條/cc.)	500 cc.
白 薇 没 育 溶 液 Ext. Cynachi atrati Solutum	解 熱,利 尿 Antipyretic, diuretic		2-6 cc. (五分/cc.)	500 cc.
石 萬 葡 浸 膏 溶 液 Ext. Acori graminei Solutum	健胃,騙風 Stomachic tonic, carminative		2-5 cc. (五分/cc.)	250 cc.
瓜 葽仁 浸 膏 溶 液 Ext. Trichosanthes seminis Solutum	祛痰,緩下,鎮咳 Expectorant, emollient, anticough	12%	1—3 cc. (—∰/cc.)	250 cc.

10.	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 裝 Supply
Subject	and the second s	-	2-8 cc.	500 cc.
瓜蒌皮浸膏溶液	解 熱, 鎮 咳, 袪 褒, Antipyretic, anticough, expectorant		(五分/cc.)	100 cc.
Ext. Trichosanthes corticis Solutum			4-8 cc.	500 cc.
冬瓜仁 浸膏溶液	消炎、緩下,用於腎臟炎、支氣管炎 Antiphlogistic, emollient, for nephritis and bronchitis	12%	(五分/cc.)	100 cc.
Ext. Benincasae seminis Solutum		-	2-8 cc.	500 cc.
玉 竹 浸 膏 溶 液	滋養強壯,治結核病及消耗熱之類 渴咳嗽 Dietetic tonic, for tuberculosis and hacking cough		(五分/cc.)	100 cc.
Ext. Polygonati officinale Solutum			2-8 cc.	500 cc.
生地黄浸膏溶液 Ext. Rehmanniae glutinosae (Shan-ti)	高熱、心臟亢奮時用為滋養解熱劑 Tonic and antipyretic for fever and cardiac excitement		(五分/cc.)	100 cc.
Solutum	止血、收斂,治腸炎、腸出血、月經過多		1-3 cc.	250 сс.
地榆浸膏溶液	止血、攻動、行物 50、加加 Hemostatic, astringent, for intestinal hemorrhage and menorrhagia		(—鍰/cc.)	
Ext. Sanguisorbae officinalis Solutum			1-3 cc.	500 cc
百部浸膏溶液	鐵 咳 袪 痰,用 於 支 氣 管 炎 Anticough, expectorant, for bronchitis	12%	(一鍰/cc.)	100 co
Ext. Stemonae japonicae Solutum	發汗、鎮痙,用於 版 胃發熱		2-8 cc.	500 co
防風浸膏溶液	Diaphoretic, antispasmodic, antipyretic in catching cold.		(元分/cc.)	100 c
Ext. Siler divaricati Solutum	滋補		1-3 cc.	500 c
防黨 磐 沒 育 溶 液 Ext. Campanumaeae pilosulae Solutum	Trans		(—錢/cc.)	100 c

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 造 Dose	包 装 Supply
谷精草浸膏溶液 Ext. Eriocaulon Solutum	治偏頭縮與一般性頭痛,亦可治療角膜涵濁 Used in hemicrania and other headaches, also for opacity of cornea.		l = 3 cc, (—錢/cc.)	250 cc. 100 cc.
吳茱萸浸膏溶液 Ext. Evodiae rutaecarpae Solutum	慢性消化不良、胃腸衰弱用禽鎮吐健胃藥,胃腸性病 痛禽鎮痛藥 Anti-vomitting, stomachic tonic for chronic indiges- tion, and analgesic for gastro-intestinal colics.	12%	0.5~2 cc. (一錢/cc.)	500 cc.
皂角刺浸膏溶液 Ext. Gleditschiae Solutum	转变、排 瞻, 外 科 用作 消炎 解 菲 Expectorant, pus-drainage and as antiseptic in surgery.		1-2 cc. (-∰/cc.)	500 cc.
赤 芎 綅 膏 溶 液 Ext. Paeoniae Solutum	解熱、消炎、利尿,並用為月經痛的鎮痛劑 Antipyretic, antiphlogistic, diuretic and analgesic for dysmenorrhea	12%	2-8 cc. (五分/cc.)	500 cc.
杜仲浸膏溶液 Ext. Euonymi ulmoides Solutum	滋養、強壯、鎮靜,用於神經衰弱,腰痛及高血壓 Tonic and sedative, used for neurasthenia lumbago and hypertension		0.5-2.0 cc. (一錗/cc.)	250 cc. 100 cc.
延胡索浸膏溶液 Ext. Corydalis Solutum	鎮痛劑,用於胃腸神經痛、經痛 Analgesic, used for gastro-intestinal neuritic pain and dysmenorrhea	12%	1-3 cc. (一錢/cc.)	250 cc. 100 cc.
旱 進 草 浸 膏 溶 液 Ext. Ecliptae albae Solutum	收飲,止血 Astringent, hemostatic		1—4 cc. (一錢/cc.)	250 cc.
忍冬藤浸膏溶液 Ext. Lonicerae Solutum	消炎,解熱 Antiphlogistic, antipyretic		2-8 cc. (五分/cc.)	500 cc.

名解 Chiant		含醇量 Alcohol Content	例 造 Dose	包 装 Supply
Subject 金銀花沒膏溶液	解熱、消炎,用于腸胃炎,瘡瘍 Antipyretic, antiphlogistic as in gastro-enteritis, and ulcers		2-8 cc. (五分/cc.)	500 cc.
Ext. Lonicerae foliae Solutum 金狗脊邊管溶液	強 肚 劑, 並 治 風 湛 性 關 節 疼 箱 Tonic, and used for rheumatic articular pain	12%	2-8 cc. (五分/cc.)	500 cc.
Ext. Ciboti Solutum 金櫻子沒膏溶液 Ext. Rosae laevigatae Solutum	收 斂、利 床 Astringent, diuretic		2-8 cc. (五分/cc.)	250 cc
批 杷 葉 沒 宵 溶 液 Ext. Eriobotryae Solutum	社聚、鎮塚,治急慢性支氣管炎之咳嗽氣促者 Expectorant, anticough as in bronchitis		1-3 cc. (一錢/cc.)	500 cc
知 母 没 膏 溶 液 Ext. Anemarrhenae Solutum	解熱、鎖帶、利尿 Antipyretic, sedative, diuretic		2-6 cc. (五分/cc.)	500 c
佩蘭沒膏溶液 Ext. Supaterii Solutum	發汗、解熱,用于頭搖,及去惡臭气 Diaphoretic, antipyretic as headache and foul breath		2—6 cc. (五分/cc.)	500 c
青蒿沒音溶液 Ext. Artemisiae apiaceae Solutum	解熱、簽汗,用于各種熱性病及肺結核之發熱 Antipyretic, diaphoretic for febrile diseases and feve due to pulmonary tuberculosis		2-8 cc. (五分/cc.)	250 c
Ext. Ariemisiae apiaceae Souleani 附子设育溶液	與奮強壯及治腹痛、關節風濕痛 Stimulant, tonic, for bellyache and rheumatic articular pain	12%	1-4 cc. (-錢/cc.)	250 c

劑 量 包 Dose Suppl		Alcoh	功效與用途 Actions and Uses	品 名 Subject	裝 y
1-4 cc. 500 cc -∰/cc.) 100 cc			祛痰,用于急性氣管炎、咽喉炎及傷風咳嗽多痰 Expectorant for acute bronchitis, pharyngitis and cough with expectoration	明 黨 (奏 崑) 浸 膏 溶 液 Ext. Adenophorae Solutum	:- :-
1-4 cc. 250 cc	1-4 c		治外傷痛,骨折傷,運動神經痺痛	骨碎補浸膏溶液	2.
—錢/cc.) 100 cc	(一錢/0	ia	Troumatic pain, bone fracture, motor neuroplegia	Ext. Polypodii fortunei Solutum	с.
2-6 cc. 500 cc 近分/cc.) 100 cc		,	利 尿、解 熱,治 發 熱、黃 疸、痢 疾 Diuretic, antipyretic, and for jaundice, dysentery	苦 參 綾 膏 溶 液 Ext. Sophorae Solutum	с.
2-8 cc. 500 cc	2-8 co	12 %	鐵 暖, 祛 痰 Expectorant, for cough	前 削 渗 膏 溶 液 Ext. Peucedani Solutum	c.
Hi分/cc.) 100 cc 2-6 cc. 250 cc Hi分/cc.) 100 cc	2-6 cc	12%	祛痰、鎮痙、適用于咳嗽氣喘 Expectorant, antispasmodic, and used for asthma and cough	胆 衡 星 浸 膏 溶 液 Ext. Arisaemae Solutum	oc.
2-8 cc. 500 cc 形分/cc.) 100 cc	2-8 cc (五分/cc		消熱,利小便 Antipyretic, diuretic	茅根浸膏溶液 Ext. Imperatae Solutum	cc.
1—4 cc. 250 cc 玩分/cc.) 100 cc	12% (元分/cc	12 %	鎮 静,變 質,調 經,消 散 刑 Sedative, alterative, emmenagogue, discutient	紅花沒膏溶液 Ext. Carthami Solutum	cc.
	2-8 cc (五分/cc		消毒,用于麻疹及惡瘡 Antiseptic for measles and ulcer	紅 條 紫 草 浸 膏 溶 液  Ext. Lithospermi Solutum	cc.

14・	功 效 典 用 途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 裝 Supply
Subject	The state of the s		2-6 cc.	250 cc.
祈艾凌膏溶液	止血,消毒,瞩風 Hemostatic, antiseptic, carminative		(五分/cc.)	100 cc.
Ext. Artemisiae Solutum	發汗、鎮痛、利尿、治風濕關節痛、神經痛、外傷痛		1-3 cc.	250 сс.
威蟹仙涉膏溶液	發汗、鎮縮、利尿、治風濕爾即加、外型加 Diaphoretic, analgesic and diuretic, used for articu- lar rheumatism, neuralgia and pain of injured area	12%	(一畿/cc.)	100 cc.
Ext. Clematis Solutum	鏡 咳, 潤 肺		2-6 cc.	500 cc.
南杏浸膏溶液	For cough	12%	(五分/cc.)	100 cc.
Ext. Armeniacae (Nan Xing) Solutum	10 M 10 M		1-3 cc.	500 cc.
草决明浸膏溶液	消炎,治眼病 Antiphlogistic for diseases of eye		(一錢/cc.)	100 cc.
Ext. Cassiae torae Solutum		_	2-6 cc.	250 cc.
荆芥浸膏溶液	治療務熟,頭痛 For fever, headaches		(五分/cc.)	100 cc.
Ext. Nepetae Solutum	The second secon		1-4 cc.	500 cc.
<b></b> 裝 蔚 子 浸 膏 溶 液	適用於發熱,月經過多,產後出血 For fever, menorrhagia, post-partum hemorrhage	12%	(一錢/cc.)	100 cc.
Ext. Leonuri sibirici Solutum			1-3 cc.	250 cc.
海金砂港青溶液	利尿,防結石,鐵帶 Diuretic, antilithiatic, sedative	12%	(五分/cc.)	100 cc.
Ext. Lygodii japonici Solutum	治霍亂,赤白瀬,疥癬及牙痛		2-6 cc.	500 cc
海桐皮没膏溶液 Ext. Erythrinae Solutum	治 霍 亂,亦 日 無,亦 庫 及 7 mm For cholera, dysentery, scables taenia infection and toothache		(五分/cc.)	100 cc

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 强 Dose	包 装 Supply
海藻浸膏溶液 Ext. Sargassi Solutum	消炎,變質,治頸淋巴腺腫,一般炎腫 Antiphlogistic, alterative, used for common inflammation	12%	2-8 cc. (五分/cc.)	500 cc. 100 cc.
桑葉禮膏溶液	利 尿,發 汗,解 熱	-	1-4 cc.	500 cc.
Ext. Mori foliae Solutum	Diuretic, diaphoretic, antifebrile		(—錢/cc.)	100 cc.
桑自皮浸膏溶液 Ext. Mori corticis radicis Solutum	消炎、鎮咳、利尿,治療支氣管炎之咳嗽痰多,氣喘 Antiphlogistic, anticough, diuretic, used for cough of bronchitis		2-8 cc. (五分/cc.)	500 cc.
桑寄生浸膏溶液 Ext. Loranthi Solutum	強 壯,鎮 靜 Tonic, sedative	12%	2-8 cc. (五分/cc.)	500 cc.
桑枝浸膏溶液 Ext. Mori ramuli Solutum	祛風,通絡,治關節痛 Anodyne, and for arthralgia		2-8 cc* (五分/cc.)	500 cc.
秦皮浸膏溶液 Ext. Fraxini bungeanae Solutum	治卡他性發熱及炎眼 For catarrhal fever, inflamed eyes	12%	1-3 cc. (一發/cc.)	250 cc.
秦 艽 潑 膏 溶 液 Ext. Justiciae Solutum	鎮痛,用於風濕痛 Analgesic for rheumatic pain	12%	2-8 cc. (五分/cc.)	500 cc.
神精 浸膏溶液 Ext. Spiritleavenis Solutum	鍵 胃,消食 Stomachic tonic	21%	1—4 cc. (一餐/cc.)	500 cc.

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 法 Dose	包 裝 Supply
島梅浸膏溶液 Ext. Pruni mume Solutum	解 敷,健 胃 Antipyretic, stomachic tonic		1-3 cc. (五分/cc.)	500 cc.
樂胡凌音落波 Ext. Bupleuri Solutum	解 熱 Antipyretic		1-4 cc. (一錢/cc.)	500 cc.
桃仁技育溶液 Ext. Persicae seminis Solutum	通 輕,鎮 咳 Emmenagogue, anticough	12%	2-5 cc. (五分/cc.)	500 cc.
夏枯草没育溶液 Ext. Brunellae Solutum	消炎,解毒,利尿,用于淋巴腺發炎,目循 Antiphlogistic, diuretic in lymphadenitis, optic pain		1 – 4 cc. (一錢/cc.)	250 cc. 100 cc.
浮小麥沒膏溶液 Ext. Tritici sativi leve Solutum	止汗,退慮熱,生津 Antidiaphoretic, antipyretic, salivant		2-8 cc. (五分/cc.)	250 cc. 100 cc.
麥多没膏溶液 Ext. Liriope Solutum	寫 鎮 咳, 袪 痰, 緩 和 滋 養 劑 Anticough, expectorant, tonic		1-4 cc. (一級/cc.)	500 cc.
側柏葉沒膏溶液 Ext. Thujae Solutum	用作婦人血崩及吐腮之止血藥 Hemostatic for menorrhagia and hemoptysis		1-3 cc. (一錢/cc.)	250 cc
發大沙音密灣	利 尿		1-4 cc.	500 cc

利 尿

豬苓浸膏溶液

Ext. Pachmae Solutum

品 名 Subject	功·效 與 用 途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 弘 Supply
麻黄根浸膏溶液 Ext. Ephedrae radicis Solutum	止汗、用於自汗、盜汗 Antidiaphoretic, for night-sweat	12%	1-4 cc. (一錢/cc.)	500 cc.
漆豆豉浸膏溶液 Ext. Bean velish Solutum	簽 汗 Diaphoretic		2-8 cc. (五分/cc.)	500 cc.
淡竹葉浸膏溶液 Ext. Lophatheri Solutum	解 熱,利 尿 Antifebrile, diuretic		2-8 cc. (五分/cc.)	250 cc.
程 羊 灌 浸 膏 溶 液 Ext. Epimedii Solutum	興奮強壯,治神經衰弱性之陽痿、健忘、足部無力等 Tonic, for impotency due to neurasthenia, and lack of strength of feet, etc.	12%	1—4 cc. (一餘/cc.)	250 cc.
黄柏浸膏溶液 Ext. Phellodendron Solutum	消炎,解熱,健胃 Antiphlogistic, antipyretic, stomachic tonic		1-3 cc.	250 cc.
黄連發音溶液 Ext. Coptis Solutum	健胃、解熱、消炎、可治赤洞、腸炎、脹結膜炎等 Stomachic tonic, antipyretic, antiphlogistic, and for bacillary dysentery, ententis, and conjunctivitis of eye, etc.		1-4 cc. (一鍉/cc.)	250 cc.
蒐絲子浸膏溶液 Ext. Cuscutae Solutum	強 壯、收 斂, 用 於 性 神 經 萩 弱 Tonic, astringent, for sexual neurasthenia		1-4 cc. (一镒/cc.)	250 cc.
莱菔子没膏溶液 Ext. Raphani Solutum	健 門, 祛 褒 Stomachic, expectorant		1-4 cc. (一袋/cc.)	500 cc.

(一錢/cc.) 100 cc.

品 名	功效與用途 Actions and Uses	含醇量 Alcohol Content	州 量 Dose	包 裝 Supply
Subject 刺花浸膏溶液	治頭痛,炎眼 For headaches, inflamed eyes		2-8 cc. (五分/cc.)	500 cc. 100 cc.
Ext. Chrysantheuri Solutum 補骨脂液管溶液 Ext. Psorateae Solutum	強 牡 賴,治 茂 躬 症 Tonic for weakness	12%	1-4 cc. (一鍰/cc.)	500 cc.
到 據 接 符 落 液	治 小 兒 跛 冒 發 熱,鹫 稠 抽 搖 Used in infantile fevers and the nervous disorders of children		1-4 cc. (一錢/cc.)	250 cc
數多花沒膏溶液 ixt. Tussilago farfarae Solutum	鐵暖、往獲用於中風、霧暖、氣喘等 Anticough, expectorant, for apoplexy, phthisis coughs, and asthma, etc.		2-6 cc. (五分/cc.)	500 cc
紫斑疫膏溶液 Ext. Aster tatarici Solutum	赛 咳、柱 袋 Anticough, expectorant	10%	2-8 cc. (五分/cc.)	500 cc
紫花地丁浸膏溶液 Ext. Violae Solutum	治養疽疗腕,頸部淋巴腺結核 For carbuncle, scrofula		2—8 cc. (五分, cc.)	500 c
紫蘇葉沒青溶液 Ext. Perillae frutescens foliae Solutum	祛痰、發汗,解熱 Expectorant, diaphoretic, antipyretic	12%	2-6 cc. (五分/cc.)	500 c
為根沒许溶液 Ext. Puerariae Solutum	止 泅、解 熱,止 吐 Thirst-relieving, antipyretic, antiemetic		1—4 cc. (一锾/cc.)	500 c

---

品 名 Subject	功效及用途 Actions and Uses	含醇量 Alcohol Content	州 城 Dose	包 装 Supply
茵陳浸膏溶液 Ext. Artemisiae capillaris Solutum	利尿,消炎,治腸胃炎性之黃疸病 Diuretic, antipyretic, for jaundice in gastroenteritis	10%	1-4 cc. (- 發/cc.)	500 cc. 100 cc.
<b>葦 莖 浸 膏 溶 液</b>	解熱,利尿		2-8 cc.	500 cc.
Ext. Phragmitis Solutum	Antipyretic, diuretic		(五分/cc.)	100 cc.
稀簽草浸膏溶液	袪風湿,及作瘡瘍藥		2-6 cc.	500 cc.
Ext. Siegesbeckiae herbae Solutum	Antirheumatic, and as a mild stimulant in ulcers		(五分/cc.)	100 ec.
銀柴胡浸膏溶液	解熱,生津		2-8 cc.	500 cc.
Ext. Bupleuri sacchalinense Solutum	Antipyretic, salivant		(五分/cc.)	100 cc.
澤蘭沒膏溶液	治月經困難,小腹脹痛		2-6 cc.	500 cc.
Ext. Eupatorii Solutum	For difficult menstruation		(五分/cc.)	100 cc.
闡沙苑(沙苑蒺藜)浸膏溶液	強肚劑,用於性神經衰弱		1-4 ec.	500 cc.
Ext. Guan-sha-yan Solutum	Tonic for sexual weakness		(—餐/cc.)	100 cc.
熟地黄浸膏溶液	強料		2-8 cc.	500 ec.
Ext. Rehmanniae glutinosae Solutum	Tonic		(五分/cc.)	100 cc.
<b>薤白没膏溶液</b>	為和緩性祛痰劑,健胃		2-8 cc.	250 cc.
Ext. Allii bakeri Solutum	Weak expectorant; stomachic tonic	12 %	(五分/cc.)	100 cc.

・20・ 品 名 Subject	功 效 與 用 途 Actions and Uses	含醇量 Alcohol Content	剂 量 Dose	包 裝 Supply
能利葉浸濟溶液 Ext. Lung-li-yeh Solutum	鐵 咳 Anti cough		1—4 cc. (—袋/cc.)	500 cc. 100 cc. 250 cc.
業本浸膏溶液 Ext. Ligustici sinense Solutum	發汗,鎮痛,用於懷麻質斯筋 Diaphoretic, analgesic, for rheumatic pain		1-4 cc. (五分/cc.)	100 cc.
服 麥 沒 斉 睿 被 Ext. Dianthi chinensis Solutum	利 尿、用 於 水 脈、淋 病 Diuretic, for edema, gonorrhea		2-8 cc. (五分/cc.)	100 cc.
續斷沒膏溶液 Ext. Dipsaci Solutum	強 壯、鎮 痛,用 於 闕 節 性 風 濕 痛 Tonic, analgesic, for articular rheumatism pain	12%	2—6 cc. (五分/cc.)	250 cc. 100 cc.
雞蛋花浸膏溶液 Ext. Chi-dan-xua Solutum	利 尿,用 於 腹 瀉 Diuretic, for diarrhea		2-8 cc. (五分/cc.)	500 cc.
糖稻根没育溶液 Ext. Oryzae glutinosae radicis Solutum	健胃、退熱,用於結核性病熟 Stomachic, antipyretic, for tuberculosis fever	_	2-8 cc. (五分/cc.)	500 cc.
蘇木浸膏溶液 Ext. Caesalpiniae sappan Solutum	用於胃痛,產後積血,月經不調 For gastrodynia, retention of blood in postpartum, and irregular of menses		2-6 cc. (五分/cc.)	100 cc
藿香浸膏溶液 Ext. Kogostemon Solutum	健胃、奧喬, 用於急性胃腸炎之消化不良 Stomachic, stimulant, for dyspepsia of acute gastro-enteritis		2—8 cc. (元分/cc.)	500 cc

				. 21 -
品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 裝 Supply
廣根浸膏溶液 Ext. Phragmites radicis Solutum	利尿,解熱,消炎,濟凉 Diuretic, antipyretic, antiphlogistic, temperantia		2-8 cc. (元分/cc.)	500 cc.
LAL Pinaginites radicis solutum	Difficute, amplytene, antipinogisate, temperatura	-	(:h.9 <b>7</b> /cc.)	100 cc.
	- 1 T T T T T T T T T T T T T T T T T T	-		
		-		

### III. 酊 劑 TINCTURAE

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 撤 Dose	包 裝 Supply
丁香酊	宣 氣,鎖 宿	65%	0.5-2 cc.	500 cc.
Tinctura Caryophylli	Carminative, anodyne		(一鍰/cc.)	100 cc.
五味子所	用於高血壓	42%	0.5−1 cc.	250 cc.
Tinctura Schizandrae	For hypertension		(三分/cc.)	100 cc.
白茅子酊	祛痰,健胃	41%	1-3 cc.	250 cc.
Tinctura Sinapis albae	Expectorant, stomachic tonic		(三分/cc.)	100 cc.
白 荳 蔻 酊 Tinctura Cardamomi fructi	健胃,用於嘔吐及胃酸過多 Stomachic, for vomitting and hyperacidity of stomach	54%	2—5 cc. (五分/cc.)	250 cc. 100 cc.
生 遊 町	健 肾,鎮 吐	85%	1-4 cc.	500 cc.
Tinctura Zingiberis	Stomachic tonic, anti-emetic		(一錢/cc.)	100 cc.
杜 仲 町	用於高血壓	41%	1 cc.	500 cc.
Tinctura Euonymi	For hypertension		毎日三次	100 cc.

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 量 Dose	包 3 Supply
乳香剂 Tinctura Pistaciae	消炎 il: 緒, 內服用於消解癰疽瘡瘍 Antiphlogistic, analgesic, also for carbuncle, ulcers, boils by oral administration	85%	0.5-2 cc. (一錢/cc.)	250 cc.
載 蕉 町 nctura Curcumae zedoariae	健胃、祛痰、通經,並用於喘急 Stomachic tonic, expectorant, emmenagogue and for asthma	41%	2—5 cc. (五分/cc.)	250 cc.
黄連酊 Tinctura Coptis	健 胃、消 炎 Stomachic tonic, antiphlogistic	56%	2-5 cc. (四分/cc.)	500 cc.
乾薑所 Tinctura Zingiberis (dry)	健胃、止嘔 Stomachic, anti-vomitting	85%	25 cc. (五分/cc.)	500 cc.
10 to				· · · · · · · · · · · · · · · · · · ·
		-		

#### VI. 糖 漿 SYRUPI

功效興用途 Actions and Uses	州 造 Dose	包 装 Supply
強 升上 劑 Roborant	2—6 cc. (五分/cc.)	500 cc. 100 cc.
进 養 強 壯 Dietetic roborant	2—8 cc. (五分/cc.)	500 cc.
強 壯 樹 Roborant	1—3 cc. (一鍰/cc.)	500 cc. 100 cc.
為鎮咳、祛痰,緩和遊養劑 Anticough, expectorant, and mild dietetic tonic	1—4 cc. (一錢/cc.)	500 cc.
	Actions and Uses 競 北 例 Roborant 进 從 號 壯 Dietetic roborant 強 批 例 Roborant 跨 號 唳、社 飯、殿 和 遊 養 例	Dose Actions and Uses Dose 接 H 例 2-6 cc. Roborant (五分/cc.) 进 径 號 H 2-8 cc. Dietetic roborant (五分/cc.) 强 景 網 1-3 cc. (一髮/cc.) 第 錄 喉 彩 挺 義 網 1-4 cc.

# V. 浸膏片及片類 Extract-tablet and Tablet

	and rablet		
品 名 Subject	功效及用途 Actions and Uses	劑 量 Dose	包 装 Supply
人參三七發符片 Tabellae Panacis ginseng Extracti	此· 血 Hemostatic	1-3 Tablets	20's
山 豆 根 没 膏 片 Tabellae Euchrestae Ext.	解毒用於咽喉炎 Antidote, for laryngitis	(一錢/片) 1-2 Tablets	1000's
川楝子浸膏片 Tabellae Meliae seminis Ext.	縣 虫,鎮 箱 Anthelmintic, analgesic	(一錢/片) 1-4 Tablets	100's
天 竺 黄 稜 膏 片 Tabellae Tabasheer Ext.	社 级, 鎮 煙 Expectorant, antispasmodic	(一錢/片) 1-4 Tablets	100's
木通设育片 Tabellae Akebiae Ext.	利 尿, 消 炎 Diuretic, antiphlogistic	(一錢/片) 1—3 Tablets	1000°s
牛蒡子後晉片 Tabellae Arctii lappae Ext.	利尿、消炎,解毒,用於急性發疹性傳染病 Diuretic, antiphlogistic, antidote, for measles infectious diseases	(一發/月) 1—4 Tablets (一路/月)	100's 1000's

品 名 Subject	功效及用途 Actions and Uses	Dose	Supply
升麻沒膏片	解毒,用於發疹性的傳染稱	1—4 Tablets	500's
Tabellae Cimicifugae foetidae Ext.	Antidote, for rash infectious diseases	(五分/片)	100's
丹 參 凌 膏 片 Tabellae Salviae multiorrhizae Ext.	強 壯、通 經,用 於 月 經 不 調	1-3 Tablets	500's
	Roborant, emmenagogue, for irregular of menses	(一錢/片)	100's
白 芨 片 Tabellae Bletillae Ext.	止血,用於肺結核出血	1-3 Tablets	500's
	Hemostatic, for tuberculosis hemorrhage	(一分/片)	100's
白 英 蒙 没 膏 片	解熟,消费	1-4 Tablets	100's
Tabellae Fribugi Ext.	Antipyretic, antiphlogistic	(一锭/片)	
石 决 明 浸 音片 Tabellae Haliotis Ext.	鎮 瘦,降 血 嚦 Antispasmodic, vasodilator	1-4 Tablets (一錢/片)	100's
仙 鹤 草 素 片 Tabellae Agrimoniae	北血,用於一切出血 Hemostatic, for all hemorrhage	1-2 Tablets (一錢/片)	100's
地骨皮没膏片	解熱,用於衰弱的	1—4 Tablets	500's
Tabellae Lycii chinense corticis Ext.	Antipyretic, for weakness	(一錢/片)	100's
防己沒管片	利尿、止痛、用於痛風	1 -4 Tablets	500's

Diuretic, analgesic for gout

Tabellae Cocculi Ext.

品 名 Subject	功效奥用途 Actions and Uses	州 量	包 装
牡蠣浸膏片 Tabellae Ostreae Ext.	胃酸過多,鎮靜,收斂 For gastric hyperacidity and for sedative, astringents	Dose 1-4 Tablets (一錢/片)	Supply 100's
車前子後育片 Tabellae Plantago seminis Ext.	鎖 嗳,利 尿 For cough, diuretic	1—4 Tablets (一錢/片)	1000's
沙 參 後 膏 片 Tabellae Adenophorae Ext.	鎮 咳、祛 痰, 用 於 氣 管 枝 炎 For cough, expectorant, for bronchitis	1-4 Tablets	500's
杜仲凌青片 Tabellae Euonymi Ext.	鎮 靜, 用 於 高 血 縣  Sedative, for hypertension	(一錢/片) 1-2 Tablets	500's 100's
金 畿 草 浸 膏 片 'abellae Glechomae hederaceae Ext.	利 尿,用 於 淋 疾 Diuretic, for gonorrhea	(一發半/片) 1-3 Tablets (一發/片)	100's
板藍根沒含片 Tabellae Polygoni tinctorii Ext.	消炎、解毒,用於發疹性傳染病 Antiphlogistic, antidote, for measles infectious diseases	1—4 Tablets (一號/片)	100's
苦楝皮澄膏片 Tabellae Meliae corticis Ext.	騙 虫 Anthelmintic	1—4 Tablets (一錢/片)	100's
厚模没育片 Tabellae Magnoliae Ext.	健胃,用於急性胃腸炎之痙攣 Stomachic, antispasmodic for acute gastro-enteritis	1-2 Tablets (一號/Ji)	1000's 100's

(一錢/片) 100's

品 名	功效與用途 Actions and Uses	例 量 Dose	包 裝 Supply
Subject		1-3 Tablets	500's
當蓄浸膏片	利尿,殺虫 Diuretic, anthelmintic	(一級/片)	100's
Tabellae Polygoni aviculare Ext.	The second secon	1-4 Tablets	1000's
茯苓浸膏片	利尿,用於胃腸炎 Diuretic, for gastro-enteritis	(一锭/片)	100's
Tabellae Poriae cocos Ext. 馬齒莧沒膏片	解 菲,治 翔 Antidote, antidysentery	1-2 Tablets 五 鍰 (新鮮品)/片	100's
Tabellae Portulacae Ext.		1-4 Tablets	500's
馬兜鈴接膏片	鎮 咳, 用 於 急 慢 性 氣 管 枝 炎 For cough, and for acute and chronic bronchitis	(一錢/片)	100's
Tabellae Aristolochiae Ext.	收斂,制酸,用於胃酸過多	1-4 Tablets	500's
海螵蛸浸膏片	收 颁,嗣 般,为 然 i i i k i i i k i i i i i i i i i i i	(一錢/片)	100's
Tabellae Sepiae esculentae Ext.	解 熟, 祛 痰, 用 於 喉 炎, 氣 管 枝 炎	1-4 Tablets	500's
射干浸膏片 Tabellae Belamcandae Ext.	解 無, 在 族, 用 所 破 放, 知 目 板 死	(一錢/片)	100's
	治症疾	2-5 Tablets	1000's
常山沒膏片 Tabellae Dichroae Ext.	For malaria	(一錢/片)	100's
	滋養,健胃,強 肝 劑	1-4 Tablets	1000
淮山没音片 Tabellae Dioscoreae Ext.	Nourishment, stomachic, roborant	(一錢/片)	1000

品 名	功效與用途	剂 量	包 装
Subject	Actions and Uses	Dose	Supply
黄本浸膏片	消炎,解熱,利尿	1—3 Tablets	1000's
Tabellae Scutellariae Ext.	Antiphlogistic, antipyretic, diuretic	(一錢/片)	
當 歸 浸 膏 片	鎮 靜、調 經,用 於 月 經 不 調	1-2 Tablets	100's
Tabellae Tang-kwei Ext.	Sedative, emmenagogue for irregular menses	(三分/片)	
攀 巌 没 晉 片	袪 痰, 利 尿, 緩 下	1—4 Tablets	1000's
Tabellae Drabae seminis Ext.	Expectorant, diuretic, laxatives	(一條/片)	
筛 黄 浸 管 片 Tabellae Typhae Ext.	消炎、利尿、止血、用於各種出血 Antiphlogistic, diuretic, hemostatic for all hemorrhage diseases	1—4 Tablets (一级/片)	500's 100's
槐 花 浸 膏 片	止血,消炎	2-4 Tablets	1000's
Tabellae Sophorae Ext.	Hemostatic, antiphlogistic	(五分/片)	
澤蘭沒育片	利 尿,用 於 腎 病 水 臆	2—6 Tablets	500's
Tabellae Alismae plantago Ext.	Diuretic, for edema of nephrosis	(モ分/片)	100's
蔓荆子没膏片	鎮 痛,清 炎	1—4 Tablets	100's
Tabellae Viticis fructi Ext,	Analgesic, antiphlogistic	(一級/片)	
鸦胆子浸膏片 Tabellae Bruceae fructi Ext.	用於纏疾、痢疾、阿米巴痢 For malaria, dysentery, amebic dysentery	治翔1-2 Tablets 治程1-4 Tablets 一支/片	100's

品 名	功效興用途	利量	包 身
Subject	Actions and Uses	Dose	Supply
薏苡仁浸膏片	利 尿,健 胃,消 炎	1-4 Tablets	1000's
Tabellae Coicis seminis Ext.	Diuretic, stomachic, antiphlogistic	(一錢/片)	100's
蘇子没膏片	鎮 咳, 平 喘	1-3 Tablets	100's
Tabellae Perillae fructi Ext.	For cough, asthma	(一键/片)	
鶴蘇浸膏片	驅 虫 樂,用 於 縣 虫、鏡 虫、鲷 虫	2—4 Tablets	100's
Tabellae Carpesii Ext.	Anthelmintic, for tape worms, pinworm and round worms	(一錢/片)	

• 30 •

### VI. 浸 膏 EXTRACTA

	LAIRACIA		
品 名 Subject	功效與用途 Actions and Uses	例 量 Dose	包 裝 Supply
大腹皮浸膏	健 胃,騙 虫	0.3-1.2 g.	56 g.
Ext. Arecae corticis	Stomachic, anthelmintic	(一錢/0.3 g.)	
水翁花浸膏	解 熱,利 尿	0.3-1.2 g.	56 g.
Ext. Shuei-weng-xua	Antipyretic, diuretic	(一錢/0.3 g.)	90 g.
白頭翁没育	解毒、消炎,用於痢疾、胃腸炎	0.3-1.2 g.	56 g.
Ext. Potentillae	Antidote, antiphlogistic, for dysentery, gastro-enteritis	(一錢/0.3 g.)	
石斛浸膏	解熱,鎮靜	0.5-2.0 g.	56 g.
Ext. Dendrobii	Antipyretic, sedative	(一錢/0.3 g.)	30 g.
百合涉膏	袪 痰,止 咳	0,3-1.2 g.	56 ~
Ext. Lilii	Expectorant, for cough	(一錢/0.3 g.)	56 g.
竹茹浸膏	解熱,止咳	0.31.2 g.	56 g.
Fyt. Phyllostachys corticis	Antipyretic, for cough	(一錢/0.3 g.)	ъь g.

品 名	功效與用途	州 뉍	包 裝
Subject	Actions and Uses	Dose	Supply
全 難 浸 膏	鎮 戀, 鎮 塙	0.3-0.9 g.	56 g.
Ext. Bathi	Antispasmodic, analgesic	(五分/0.3 g.)	14 g.
	健胃,用於消化不良 Stomachic, for dyspepsia	0.3-1.2 g. (一錢/0.3 g.)	56 g.
花粉没有	消炎, 此級, 清凉	0.3—1.2 g.	56 g.
Ext. Trichosauthis	Antiphlogistic, to quench thirst, temperantia	(餧/0.3 g.)	
高 章 根 綾 齊	消炎、止血,用於一般出血	0.3—1.2 g.	56 g.
Ext. Rubiae radicis	Antiphlogistic hemostatic, for all hemorrhage	(一錢/0.3 g.)	
要求没有	键 胃、用 於 消 化 不 良	0.3-1.2 g.	56 g,
Ext. Malti	Stomachic, for dyspepsia	(一錢/0.3 g.)	
旋覆花没挤	甚級,鎮嘎	0.6-2.0 g.	56 g.
Ext. Inulae britannicae	Expectorant, for cough	(五分/0.3 g.)	
連翹浸音	解熱, 消炎	0.3-1.2 g.	56 g
Ext. Forsythiac	Antipyretic, autiphlogistic	(一餐/0.3 g.)	
密蒙 花 泛 斉	服 科樂, 用 於 視 覺 障 職	0,3-1.2 g.	56 g
Ext, Buddleae	Ophthalmic medicine, for dysopsia	(一級/0.3 g.)	

			. 33 -
品 名 Subject	功效與用途 Actions and Uses	梸 <b>iii</b> Dose	包 \$ Supply
雅胆 凌膏 Ext. Gentianae	苦味健胃,用於消化不良,增進食慾 A bitter tonic, for dyspepsia, increase the appetite	0.1—0.5 g. (五分/0.3 g.)	250 g. 100 g.
爱 賞 沒 膏 Ext. Bombicis	鎮 靜, 用 於 小 兒 痙 攣, 氣 管 枝 炎 Sedative, for spasm of child, bronchitis	0.3-1.2 g. (五分/0.3 g.)	56 g.
郵 蜕 没 膏 Ext. Graptopsaltriae	解 熱,鎖 擅 Antipyretic, antispasmodics	0.3-1.2 g. (一銭/0.3 g.)	56 g.
A 25 TO 100 CO			
A control of the second statement of the second statement of the second			
A THE RESIDENCE AND THE CHARLES AND THE RESIDENCE AND THE PARTY OF THE			
			1

## VII. 濃 水 類 Aqua Concentratae

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 量 Dose	包 装 Supply	
小茴香濃水 Aqua Foeniculi Concentrata	健胃、宜氣,用于腹痛 Stomachic tonic, carminative, for bellyache	59%	0.5—2.0 cc. (—簑/cc.)	500 cc.	
香 叢 濃 水 Aqua Elscholtziae Concentrata	發汗、解熱,用于 政 智 Diaphoretic, antipyretic, used in cold	59%	0.5 - 2.0 cc. (一錢/cc.)	500 cc.	
草果滚水 Aqua Amomi medii Concentrata	態胃、宜氣、用于腸胃脹氣及症疾 Stomachic tonic, carminative as in gastro- intestinal distension and malaria	50%	0.5—2.0 cc. (一鍰/cc.)	500 cc.	
		ĺ			

#### VIII. 濃 浸 INFUSA

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	利 撒 Dose	包 岁 Supply				
人 參 滚 没 Infusum Panacis ginseng Concentratum	強壯樂,用于神經衰弱、貧血,等。 Tonic for neurasthenia, anemia	18%	2-6 cc. (三分/cc.)	100 cc. 40 cc.				
五味子濃設 Infusum Schizandrae fructi Concentratum	強 壯,收 歛 Tonic, astringent	16%	1-4 cc。 (五分/cc.)	250 cc.				
地能读这 nfusum Perichaetae Concentratum	逃熱、鎮癮,又有舒展支氣管作用 Antipyretic, anti-spasmodic	17.76						
砂仁濃泛 Infusum Amomi xanthioides Concentratum	健胃、驅風,用于嘔吐、腹泻 Stomachic, carminative for vomitting and diarrhea	55%	0.5 - 2.0 cc. (一锭/cc.)	250 cc				
桂枝濃沒 Infusum Cinnamomi ramuli Concentratum	發汗、解熱,用于或冒、恶寒等 Diaphoretic, antipyretic, for cold, chilliness etc.	22%	2-5 cc. (三分/cc.)	500 cc 100 cc				
河子混设 Infusum Terminaliae Concentratum	收飲、止血,用于久掬、脱肛、子宫出血 Astringent, checking bleeding for chronic dysentery, prolapse of anus and uterine bleeding	18%	2-6 cc. (近分/cc.)	250 cc				

# IX. 醑 類 SPIRITUS

品 名 Subject	功效與用途 Actions and Uses	含醇量 Alcohol Content	創 量 Dose	包 裝 Supply
網 辛 騎 Spiritus Asari sieboldi	解熱、發汗,用于額面風痛、及風寒咳嗽 Antipyretic, Diaphoretic for cough	68%	0.5—2.0 cc. (一鍰/cc.)	250 cc. 100 cc.

# X. 水 類 AQUAE

品名	功效與用途 Actions and Uses	含醇量 Alcohol Content	劑 造 Dose	包 装 Supply
Subject 杏仁水	鉄 嗳 Anticough	20%	0.5-2.0 cc. 五分/cc.	500 cc.
Aqua Armeniacae 海 荷 水 Aqua Menthae	芳香矯味,驅風,發汗 Aromatic, carminative, diaphoretic		10-50 cc. 三分/10 cc.	500 cc.
			-	
			:	

# XI. 其他製劑 MISCELLANEAS

	MIDCELLE		
品 名 Subject	功效與用途 Actions and Uses	例 量 Dose	包 装 Supply
芒 唷 (精 聚) Natrii Sulfas (purified)	輕 瀉 Laxatives	2-15 g. (四分/g.)	500 g. 100 g.
牽牛子脂瀉片	輕 瀉 Laxatives	1-3 Tablets	100 s.
複方鴉胆子片 Tabellae Bruceae Compositae	此. 胸 Anti-dysentery	1 Tablet	500 s.
Tabellae Bruceae Compositac 路 丁 片 Tabellae Rutini	預防高血壓患者的毛細管出血 For prophylaxis of capillary bleeding in hypertension	1 Tablet	100 s
鹽酸黃連素片 Tabellae Berberini hydrochloridi	消炎、止痢,用于細菌性痢疾 Antiphlogistic and for bacillary dysentery	1—3 Tablets (一錢/片)	100 s
硫酸黄连素 Berberini sulphas	淯 炎 Antiphogistic	60-300 mg.	250

		500cc 100cc 500cc 100cc	昆布目	卡普	30 AF		作強壯	學付錢.	治甲狀態	腹,淋巴	1		***
高止血劑,適用於吸血 鼻螂,尿血, 肾出血等症。	(五分/cc) 2-5cc	100cc			浴水	.   飛	腫恶瘡 作心臟	筝,亦用	於各種司	蛛之症			500cc
陽出血等症。					No. 100		養強壯	-	病後我們	<b>高及肺结</b>	2-(五分		500cc
せつめき と思め「ひ温底し	-	100cc	黄精:				(患者)	4.波少	<b>编程</b> ,尤	用於破血。	(五万	Sec	5( 0 :
	(一發/cc) (五分/cc)	100cc 500cc	<b>富</b> 坪/4			-	B.热·解-					4cc	500c
畧圖陳皮。 利聽,止痛胃,通經,用治黃疸等。	2—5cc (一餐/cc)	100cc 500cc 100cc				. 1	<b>氨散風樹</b> 隆等。	毒刺,治	, 展瀑痛:	恶瘡,水			50 c
消腫,止血,利尿,用治淋病及赤尿。	2-6cc (五分/cc)	500cc 100cc	装花	<b>没</b> 膏	溶液						(五分	)/co)	-
爲清凉解熱劑,用於疫弱性潮熱,自 汗,盗行,泄瀉痢疾等。	2—6cc (五分/cc)	500cc 1 <b>00</b> cc	木賊	没有	海泊	液	治目疾, 能發汗。	目谷,多	<b>淡,腸痔</b>	下血等,並			500 100
用於黃疸諸詹及產後中風,產後餘 痛等。	1-3cc (一袋/cc)	500cc 100cc	蛇茱	子浸	青溶液			用於性:	神经衰弱	,並外用止	1-		
用於舉蜂虫。			粉								(E	錢/cc)	250 100
利尿。		100cc 500cc	(a	芨		#1					(≡.	分/cc)	100 500
	(一級/cc)	100cc	林								2.	_5cc	100 500
高肾肚果,用於性种理状则从先入 使松。	(五分, ce)	100cc	-								1-	-4 F	500
滋養,強壯。		100cc	-								2-	-8片	500 100
	2-8cc ( <b>5</b> 分 /cc			-	}	片					整症	1-4	片 2
高,鎮静鎮痛樂,用於頸痛及瘡毒鼻	1-3cc (-∰/ec	500cc	151	H	ij.	片					-		-  -
1	榜、止無胃、填結,用治資值等。 育體,止無,利忌,用治洗與及亦忌。 為清潔解熱虧,用於表爾性消息,有 一度方,波得用原等。 用於原轉型。 利器。 年標性使胃藥。 氣管抽絡,用於性神經衰弱及老人 經絡,用於性神經衰弱。 與此前,用於性神經衰弱。			1				1	1		2		

			ょ	方 成 藥	<b>海</b> 次 用 量
品名称	规格	魚 用 筅	(92)	处 方 (每煎量)	
十全大領九	90.6	消化不良,營養不足,病後衰弱 不振。	,精种	黨參 一錢 乾黃 五分 英茂 五分 川芎 二分半 白芷三分 白芍三分 茯苓 二分半 甘华 二分半 肉桂油 0,005毫升 當歸 三分	成人等次 12 片 毎日3次版8次
十二太保片	96 A	<b>旅栏期間,腰炭鸌痛。</b>	1	身於 1.3分 新校 1.3分 當歸 2.8分 州芎 2.8分 黄芪 1.5 州苓 1.5分 贝母 1.9分 积壳 1.1分 瓮渚 1 分 甘草 1 5芍 3.8分 生醬 1.9分 乾修子 1.9分	每日2次或8次
五苓散片		因腸胃蓄水而小後不利 煩渴 熱,或腸鳴腹泄。	呕吐後	等寫 八分 猜答 五分 複答 五分 白龙 五分 桂皮 三	
<b>六味地黄</b> 片	96 ₦	神程虚性亢奮,頻暈目眩。		准山 6.4分 秋今 4.00 20 20 20 20 20 20 20 20 20 20 20 20 2	
大君子片	96片	胃時衰弱,營養俸得,體力不戶 困難。	足,排復	变参 1.3% 包	毎日2次直3
止喉糖漿	500cc	底胃性咳嗽,急性及慢性氣管 炎,最喘,乾咳,百日咳,及尿及 咳嗽,排炭不爽諸症。	支炎,肺  不明之	桃杷紫馥霏 1毫年 鹽級麻黃素 0,003克 百年該渡香 0,5毫 自母經經行 1,5毫升 甘辛施沒膏 1,0毫升 持转水及核菜 適 存 仁 水0,3毫升 車前率沒膏溶液1,5毫升 持续波渡膏0,5要	升 用開水稀淨。
甘露消毒片	48片	夏日得胃性發熱,及黃疸性炎 更等之發熱,倦怠,胸隔,則滿 腰口渴,小便短赤。	, 年下原 肢瘦,咽	衍石通量 范陵本:18分 葉岑4,17分 苔篇2,5分 贝母2. 水通2.1分 簽含 1.7分 射干 1.7分 並起1.7分 籌持 1. 且於1.9分	每32次点3
生化湯片	96 A	直接子宫带血,小项膜痛。		川芎這沒膏 3 毫升 · 審靜滿沒膏 2 毫升 · 计单流沒膏 1 年 生 堯 斯 0.5毫升 · 批仁沒膏溶策 2 毫升	4,0 - 50,00
仙方洁命欽	100差升	@东之急性炎症拉痛。		白並 3.3分 務風 2.3分 花物 3.3分 香竹 1.6分 降尾 真母 3.3分 定利 1.6分 甘草 3.3分 照花 6.0分 橡皮1 穿山甲 3.3分	N . N . 10
四物片	100 ⊭	月輕不調,病後來的。		拖黄 1 线 雷行 1 线 白芍 B.5 分 川芎 5	分 与日2次数3

									(2)			<u>k</u>					ガ		(-	5刺量	)		畚			-
90	Е	栋	规	榕	Æ		H1	\$7.	(64)			<i>M</i> c								甘华	2	10	厳	人名	洪	8 片
力	-j-	牌	96	27	消化不	(, 食	悠成道	0		安参	. :	线	(a )	ii.	4.7 %	<i>-</i>	提答 ——	0.5	- 24						-	4 片
	r.	井	48	片	消化降	q,q.	·*,腹()	市, 職 微	lk o	<b></b>	E.	8分	陳	ġ.	4 5	<i>&gt;</i>	厚朴			甘州			每	e 2	次章	(3次
0 柏	八号	 . 片	96	片	营養不	良,科	柱栽性	充蓄。		拖货		1.28 3.2		准泽	1. 6. 19. 4.	4分 8分	枝北	答 皮	1.8分 1.8分	山笋	肉	3.2分 6.4分	_			
行柱			48	12	腸胃衰	商,往	双衰弱	之泄瀉	腹痛。	乾雪	先会	3.8	4 分4 分		台廿	丸 3 草 3	34 34	分分	闸	子:	2,67	分分				
17 12	28. 4	r 4	30		~ II AC					-	100	3 42:	> 1	an i	2,30	35	黄道	5.	13分	黄木	ь 3.	42%	fa,	(人)	華次	8)
č.	移	片	96	连	久痢(1	曼性系	骨足)	呕吐,9	1.投,吮尿,	1 11	椒	0.16:	6	篆 名	6.84 \$ 3.4	4分	BH -	F 0.	1分	乾男	5.	18分	每	j a 2	次	灰3.
			Ĺ.		61. MC 0					-									七分	48-	15.	一线	4	人	海次 ロナリ	8
eg.	ф	片	96	1 14	胃陽衰	弱之	腹痛吐	鸿。		室	参	一角	Ł	6	北 一	剱								_		
										党	4	2.6	分	升	# 1	35	无生	参 2 10	.6分 ·4分	天祥	冬茶	2.6分 1.3分	i	<b>L人</b>	各次	:12
			10	~ u	种经衰	奶,	特性	件,健忘	. 灰切, 种片	1 4	. 2	2.6 5.2	分	装建	請 2.	35	當	計!	.3%	15	权	1.8分	-2	∯ a :	2次.	成3.
(i) 4	C 7	F A	9	0 /:	不安,	洋液石	. 足,咽	乾口煙,	D	10	31	= 2.6	ir ir	크이	1 2	.655							-	成人	5 4	- 10
				00.4	時界	能表	新.一 及 5.性	切应性节	7 下卷,胃3 脚之貧血;	黄旗		t 1		党當	参 6 排 5	分 分	廿升		5分2分	命		2 分	1	<b>数日</b>	2次	×3
17 1	- 12	氣片	1	00 4	指導主	· .					68.	£ 1		誕	包 1	銭	<b>%</b>	析	ti 分 6 分	漢王	鼓機	5分分分	1	成人	每步	<u>†</u> 12
<b>53.</b>	ē1	) <sup>2</sup>	10	15 片	急性点	5.病之 呼吸:	企总· 道之初	惡寒 口 捌负症。	渴,咳嗽.	明 計	1 :	茶 4 校 6	分分	竹廿	禁 4	分分							-	成人		
					-	· 4x	in et di	招、框件	,健忘,整	李 蒙		歸2.2	1%	党	参8.5 仁4.6	96分 48分	龍爪 包	R 内 4 北 4	.48分 .48分	枝甘	<b>等</b>	1.48分 1.12分		成人名日		
转	脌	湯 /	1	06 P	少点。	灰消	化力弱	,食少量	皇德,追汗		だ 員木	<b>芪4.4</b> 香1.1	2分	遊	杰2.	245				- 10	44	2 5	_ _			
			_ -						, 支之股痛	46 1 3	でのか	春 2 朴 2	分	紫竹	好. 2	1分	特括	粒	2 %	换	今皮	2 %		成人	. 每:	火き

2. E	现格	鹿	用	乾	(P)	点			(争)	<b>計畫)</b>	每次用
泰莉飲含劑	100cc	治感冒發熱	咳嗽。			春葉1.25頻 杏仁1.00銭			海荷0.40线	廿草0.40銭	成人每次10cc 毎日用二次
温短湯合劑	100cc	治月經不額	子宫冷;	ů.		川芎 1.5线 牛膝 2.0线	當歸 1.5錢 升皮 1.0錢		白芍 1.5线	重参 2.0线	成人每次用16c 或两次分服
逍温散合劍	100cc	血虚火旺 脏痛腹痛。	病目吐力	頂赤口苦;	<b>《热咳嗽</b>	柒胡 1銭 售 生薑 2.5分		5 1线 白东 1	銭 技苓 1銭	甘草 1錢	成人每次用12。 每日用三次
化前柱黄合劑	100cc	肝肾不足目	赤腫痛	頭痛盗汗	初熱諸症		約花0.7錢 澤瀉1.0錢		山萸肉1.4线	淮山1.4线	成人每次用15g 每日用二次
白頭翁湯片	48 A	用于热性下症。	痢赤痢	急性大精	<b>炎腹瀉諸</b>	白頭箭 2.5克	黄連 2.5丸	黄柏 2.5	克 黄芩 2.5	Ł	成人每次用二 每天用三次
益母丸片	48 A	月级不钢板	痛腰痛;	疼痛諸症。	)	益母草 3.2点	· 當粹 0.8点	表	克 未香 0.8	t.	每次用六片 或两次分服
五精散片	96 A	成冒頭痛身 調諸症。	疼恶寒	腹痛呕吐	及超血不	養成 6.5分 厚朴 8.2分 白芷 2.5分	桔梗 5.0分 乾莨 3.2分 白芍 2.5分	麻黄 4.0分 半下 2.5分 當歸 2.5分	<b>茯苓 2.5分</b>	陳皮 4.0分 甘草 2.5分 肉桂 2.5分	成人每次用六 或两次分服
大柴胡湯合劑	100cc	寒熱往來服 下痢諸症。		腹满唱氣	大便标题	祭胡 8.6分 白芍 8.2分	大東 3.2分 枳實 4.2分	生蔓 5.3分 大黄 2.1分	半夏 6.4分	黄芩 3,2分	成人每次5cc 每日一至三3
小杂胡湯合樹	10 <b>0c</b> c	傷寒惡風遊 咳嗽瘡疾奮			食慾不振	柴胡 8.6分 生薑 3.2分		<b>業参 6.4分</b>	甘草 3.2分	大東 3,2分	٠,
1 青龍湯合劑	100cc	用於喉鳴頭 更赭盛。	<b>国飛發熱</b>	氣管支炎	百日咳肺		白芍 1.0克 五味子 1.65			桂枝 1.0克	,,
参蘇飲合劑	100cc	用於底質 抽指服用。			恐惧质热	多參 4.6分 桔梗 .55分 生薑 適量	前胡 2.3分 桔壳 .56分	赤茯苓2.3% 紫蘇 2.3分	於 陳皮1.55分 葛根 2.3分	甘草 •55分 半夏 2•3分	,,
香 速 片	96 片	赤白痢及泊	世萬諸庭	0			玄胡索5,8分	未看5.3分	白芍2.7分	吴茱萸0.7分	成人每次六片 或两次分服
附桂八味片	48 ×	神耀衰弱;	下鳴目虫	<b>夜</b> 冽 頻 数	站在。	熟地黄 1.00 茯苓 0.33克	)克 山茱萸 、牡丹皮 0。	0.50 淮山 33克 桂枝 0	樂 0.50克 .27克 附子	澤瀉 0.83克 0.27克	成人每次四) 每日三次
<b>酸泉仁湯片</b>	48 A	鎮靜劍邁 / 閉症。	用於煩燥	不眠嗜眠	等神腥衰	酸氧仁 2.50 川 芎 0.20	6銭 甘草 0。 0銭	10銭 知母	0.20线 挨	芩 0.20錢	成人每次二) 每日三次

## 勘誤表

ĺ	頁數	品 名	Œ.	鋘
	2	白頭翁根流浸膏	1-3 cc.	1-4 cc.
	2	半夏流没膏	Pinelliae	Pinellae
	3	柏子仁流浸膏	1-4 cc.	0.5-2.0 cc.
	3	枳壳流浸膏	250 сс.	500 cc.
	3	枳實流浸膏	500 cc.	250 cc.
	5	光活流浸膏	1-4 cc.	0.5-2.0 cc.
	9	王不流行浸膏溶液	2-8 cc.	2—6 сс.
	14	荆芥浸膏溶液	2-8 cc.	2-6 сс.
	26	丹参浸膏溶液	浸膏溶液 2-6 cc.	浸膏片 1-3 片

# 廣州星群葯販 中葯製劑介紹 INTRODUCTION OF THE PREPARATIONS OF CHINESE DRUGS

# 星群

# 中國土產出口公司廣州分公司經營出口

EXPORTED BY THE CHINA NATIONAL NATIVE PRODUCE EXPORT CORPORATION CANTON BRANCH OFFICE.

電話:15966,16967

電料: 4333

Telephones: 18966. 18987 Oable Address: PROCANTON 488

# 星群中藥製劑介紹

### 一、概 說

我國際樂事業有悠久的歷史,歷代出現了很多名器對際樂學術作了很多重要的 貢献,際樂方面如公元後二百年(後漢時代)的華陀是世界歷史上最初使用麻醉樂的 第一人,公元前春秋眼園時代的扁鵲是發明用脈學診斷的始祖,選代的張仲景總結了 淺以前的醫學,並加以發展,寫成傷寒論及金匱要累。金匱至角經等書,後入稱之寫 「醫聖」又為洪發明差虫病及最初採用合領植物治甲狀腺腫,在明代時報國首先盛行 以中方方法預防天北。樂學方面在讓代即有兩塵本草經的重要典籍,五世紀時,樂學 專案擊敬著炮系論,奠定了中樂生樂加工的基本方法,此製樂方法其後不斷改進,明 代(公元—五一八—一五九三)的李時珍點著了樂學巨著,「本草綱目」此書其後傳 人各國澤成英、俄、德、日等國家文字對各國樂學的研究給予很大的影响,這些都是中 國際樂者對世界的寬大貢献。

我國中樂具有顧著療效,從幾千年特別是最近五年來臨床經驗,實可証明,近年 來有些思乙型腦院炎病者,用中醫中藥治療有顯著的效果,患者身心亦能恢復正常, 以中樂器級不用刀割,亦無痛苦。

中醫師使用的中藥一般是經過修治好的生藥,如所謂熱藥,這些煞藥依照處方配 齊後要經過餐煎才供服用,這些由生藥製成熱藥的修治,即所謂遊古法製,是多年經 驗累積而來的生藥修治方法,是有一定的科學根據的,治療功效也在日金提高。

地系和 III 不可完全。 中藥的治療功效雖然很顯著,但因體積縮大,運輸不便,常用的賴型亦僅有煎劑, 藥酒和人,散、等積,在使用上常或不便,如煎劑在使用時要經袋煎,不便於在醫院及 工廠中大規模使用,因此中醫藥界早有改良中藥製窯的要求。

我廠籌際樂界人士所賴辦,廣集技術人材,對改良中樂製劑作大規模和深入的研究,目前已製成單味中樂 247 種,本年夏初將再增加 26 種, 古方成樂目前有 21 種,本年夏初將再增加 16 種,古方成樂日前有 21 種,本年夏初將再增加 14 種。單味中樂 64 如下侵點; 可代用原網,可依處方調劑, 26 能存,使用方便,規格統一等; 古方成樂的優點是: 體積少,可溶解,功效 一定等優點, 經過五、六年來臨床實驗, 証明本廠創製的中樂製劑,功效良好,且價格低廉,優點甚多,為餐類及際院所樂用,故成品已暢銷國內外。

我被婴品因為含量標準是根據煎劑的分析而來,原料經用切片,染色後,在顯徹 鏡下檢視及含量测定方法,檢驗半製品,製品均經化驗合格始行出廠,故能保証製品 有良好的質量,在隨床使用上也獲得好評。

円 R X TU P J M A TU P M A TU

• 1 •

過程中,不但使患者極易忍受,並且絕對無毒。

奉牛子所寫片(又名黑白王)我國中醫久用為瀉下藥,印度醫師亦用為瀉藥,功效 草蓄,故英國藥典於一九一四年即採用為藥典法定藥品,現列入英國藥力集(B.P.C.) 我國對此藥與英國,日本兩國一樣同樣到為法定藥品,本敵於一九五一年依中國藥典 規格之率牛子指製成片劑基得醫界好評,此藥片為強力瀉藥,倘服用少數量可於數小 時過大便,便時無痛苦,亦無副作用。

驗酸黃連素片,為一種有效的治細菌性痢疾藥物,在軟管中,黃連煎虧對赤海桿菌,大腸桿菌等十種細菌均有抑制作用,據余介玉氏報告用黃連治菌綱 327 例中間黃連用於細菌性痢疾(異型痢疾桿菌所引起)的治族,特別是成人是有肯定的效果,比磺酸胺更佳,並且不但沒有條實胺類藥物那樣有胃的刺激現象,相反的,凡使用黃連的稱例,食慾均很快恢復正常,並無副作用,杭州市傳染病流亦被与用黃連治綠細菌性初疾,124 病例—般於三日內逃熱,五日內大便培養轉為除性、第七日大便恢復正常,用法是用相當生藥一克的醇製浸膏每日 4-6 次,未見有副作用。

#### 二、 中藥製劑製造前的研究工作

在設計中裝製網製造方法之前,先對該中藥的化學成分作必要的研究。認明該樂的主成份如何,並研究其化學性質及含量,測定方法,因為中藥製網的主要用途在於代用中藥的煎網,因此,也對中藥的煎網的含量,求出其平均量,作為中藥數稱合量的參及標準,中藥成份的分析係利用植物化學的方法,特別看重有藥用功效的化學成份,如生物論(alkaloids)配轄體(glycocides)皂素(Saponin)黃纖(fluvones)有機 (ovganicids) 精油 (Essential oils)等對這些成份的分析和研究,已應用到現代科學方法和機器。

#### 三、中藥製劑的方法

中樂製劑的製造原則上是儘量應用藥劑學的一般原理,並考慮中醫藥的特點來

設計製造方法,其製造的過程分為提出 (Extract) 其成份尤其有效成份 (Active Principle) 和製成適當的製劑兩個步驟,提出成份所用的製劑一般是水或不同碳度的節,溶解的選擇,視主成分的溶解性質,經詳細的研究後,首先考慮用熱水提出,符合中學師歷於的經驗,但用水提出並將結液質 (Malcilage) 澱粉糊 (Starch) 等什質 提出、因此在將提出液適當蒸浪後,須用適當方法除去此等什質,經測定含量後,再 製成各種網製。

有芳香性的樂製成水製浸膏後並加入其芳香水以保存原樂的芳香性成份。

一部份適宜用醇提取的中藥,(此係根據藥物含有的有效成份的溶解性質而擬 定)則用醇提取。

用磨提取所取得的醇液蒸濃,製成流浸膏,澱浸等製劑,或將醇液全部蒸去酒,將 所得的醇製浸膏製成其他的賴型,所以雖然用醇提取生藥,但製成品却不一定會含

有好些中獎在獎典 (Pharmoacopoea) 上已有法定的髮劑 (official Preparation) 一般可直接使用這種獎典製劑。

用於製造製劑的原料,係選用上等的地道獎材,並且經過化驗室用現代生樂學的 技術加以檢驗,有些中藥品種,如黨參、有防黨, ، ، 游黨等,使用何種原料並在振標上加 以註明。

中樂風料依習慣有用溫製,炒製, 灰製等處理者, 製造時對此習慣及其原理亦加 考慮, 如認為有必要者,依法泡製,如認為無必要者,則加以省畧。

我廠製品因在製造過程中採用科學的技術管理,原料, 半製品, 製成品均經化驗 宝化驗,製造操作亦有一定的操作規程,因此,可以保証成品符合規定的規格,有良好 的質量。

#### 四、劑型解說

中藥製劑的賴望大別為液體製劑及固體製劑兩類。液體製劑有流浸膏,削劑,讓 浸,糖漿 鬍,讓水及浸膏溶液等劑型;固體製劑有片劑、浸膏(粉)等劑型。

各種製劑,都註明每單位(每毫升或每片或每若干克)相當以代用原樂若干的煎

- 流浸膏,一般係用腔窩溶劑,用漆漉法提取,生藥一克製成流浸膏一毫升,流浸膏的含醇量一般在20%左右,(藥典製劑含醇量一般較高約在40%左右)。
- 2. 削賴,用稀靜作溶媒,生變一斤製成製劑 5 斤或 10 斤, 含酒精量較高,一般在40% 左右。
- 3. 讓浸,讓浸一般是每 400 克的生藥製成 1,000 毫升,多是稀醇渗渍,製劑合酶 約 16-20%。
- 4. 搪浆,保由一定量浸膏(水製浸膏或醇製浸膏)加入一定量的單糖漿而成的製料。
  - 5. 濃水及醑, 濃水及醑都是一定量揮發油溶於醇中的製劑,醑的含醇量較高, 濃

. 3

. 2 .

Continued Conv. Approved for Bologog 2010/09/10 v CIA BDD91 010/42B000700240000 B

水的含醇量較低,濃水及磷除含原藥提出的揮發油外,不含其他的浸出物。

不的占件運要區,成小及副時已,每季這已由持事,並是持 6. 浸膏溶液,係指一定量的水製浸膏或酢製浸膏用水或芳香水或稀醇溶解製成 的製劑,一般不含醇;少數含少量的醇,這是养為中醫師使用的中藥製劑而設計的一 種新的報製。

7. 沒待,係將一定量的水製浸膏或際製浸膏加入一定量的賦形藥(澱粉等)製成 的粉狀製動。

8. 浸膏片,係將浸膏製或片劑,每片含有一定量的浸膏或一定量的有效成份。 有些資劑司時有兩種劑型,這樣可便於使用者選擇,但將來仍擬淘汰其中之一, 而保留一體較適用的劑型。

#### 五、含酒問題

植物樂品的製劑因為要使較多的成份溶在少量的液體內,不能不加入多少酒精 以幫助溶解。但當使用的樂品種類及數量較多時,合於總量也會達到令數酒有敏酸的 人(尤其小孩)發生輕微反應,這反應多是面紅及微覺酒醉,露避免這酒的面卻作用,處 方的中醫師要注意出品目錄上註明的各樂的合節量,並計算在處方中酒的含量,其進 若干,述詢問病人對酒會不會過敏,假如會過敏,則將樂液再連舊加熱(如用微或蒸), 使所含的酒揮發,再行服用、(對嬰發更須如此),或在十五分續內分水服用,亦可減輕 值的副作用。軟常用的液體樂用於常用的處方時,(一般是 10餘種樂),合節的樂常 只有三、四種,總的合於量不會超過三、四亮升,對於一般病人是不會有影响的。

對盡量減低製劑中的含醇量問題,我數已極為注意,當繼續研究,加以改進。

#### 六、劑量問題

我廠所製的中樂製劑都記明了劑量、(標記的劑量都是一次量,一天可服二次或 三次)使用時一般希望不超過規定的最大量,尤其是印有紅色"刺"字的樂如杏仁水, 麻黃流泛汽等劇樂更絕對不要超過劑量,但如該樂並非刺毒樂,而中醫師使用該項中 樂製劑已有經驗,認為必須用較大劑量並無危險時,得由中醫師次定的量提高劑量。

如大黃流浸膏是獎典製劑,其劑量為 0.5-1.0 毫升,但獎典使用本製劑的目的多用作苦味劑,少用作下朝,而每毫升的大黃流浸膏相當於四分大黃的煎劑,故中醫師使用大黃流浸膏時可的用 1-4 毫升的劑量,根據經驗,2-4 毫升的大黃流浸膏可有瀉下的劲效,而無副作用。

杏仁水雖然每毫升相當杏仁五分的煎劑,但因為是劇藥,劑量不要超過二毫升。

凡劇樂,(瓶標上用紅字註明)如照中醫師的處方換算已超過最大的賴量時,處方 的中醫師應減低處方的用量,或調配人員應通知中醫師酌量減低處方的用量,以免最 樂過量,發生危險。

如白芨片,原藥不代用煎劑,故不列明相當煎劑若干,可照规定的用量處方。 在這裡並附帶說明一下容量及衡量的單位: 依中國樂典例,容量用臺升為單位,每市斤的水約為 500 毫升 (ml), 滔升亦海 公摄或西西 (c.c.),可用玻璃量标量度;衡量用克為單位,克 (g.) 亦稱公分或瓦,何市 斤相當 500 克,每該(市秤)相當 3.125 克,可用天秤或厘跟秤量。

#### 七、調劑方法

製劑方法是按照中榕師的處方,將液體的藥和粉片類的藥分別調配,所有液體的 藥可合併置入一藥瓶內,大多數夜體的藥是每毫升相當原藥一發或五分的煎賴,極少 數是每毫升相當原藥三分煎賴的,如柴胡浸育溶液6。塞升相當於原藥一發的煎賴,則 處方柴胡一發可用柴胡浸育溶液一毫升代替,如黃年浸膏片每片相當於黃年一餐的 煎賴,則處方黃年一錢可用黃本浸膏片一片代替,(調劑人員對各製劑代用煎劑的量 紅加注章)。

量液體樂是用玻璃量杯或量衡量,均有10毫升、20毫升、25 毫升、50 毫升、100毫升。.....等。 一般以用20毫升的量钚被置宜,每量好一種樂液後最好即領入歷裝的樂紙中,然後量另一種樂液,這已量過 上一個樂液的量杯不一定要沉過,但如由樂瓶傾取樂液人量杯時不應順取過量,以避免將過量的樂液傾回樂瓶中,致影响樂瓶

兩種樂液相說和時可能有混濁生成的現象,這多半不是禁忌的問題,而是兩種樂液的含醇量不同,當藥液的含醇量有變化時,有些成份變為雜溶而析出,如乳香稻,當加入水時因含劑資條低,所含的乳香析出,可使全液變為乳白色,但絕不影响使用效能,可照整服用。

當液體樂若干額已量齊後,要檢查有沒有忘配量的,或量錯的,然後加蒸溜水或 沙禮水或冷開水至總量達一定的容量,即達到樂瓶中一定的格數然後在瓶標上註明 用法及用量。

同一處方中如另有樂榜或樂片,最好不要加在樂液內,因為樂粉樂片在樂液中不 易溶解,應該另包,註明在眼藥液時同時服用。

中樂調配時有沒有禁忌呢;這問題現在還沒有發現,因為中樂絕大多數都是植物 藥,植物藥與植物藥之間較少禁忌的問題,極少數兩種藥液相遇時有法衙或沉淚的現 象.但這主要是酒精的濃度改變,有些原來溶解的東西變為不溶解。(如乳香門,黃少 頁等),而不是禁忌問題,中藥契約的禁忌,目前還沒有發現問題,一般中藥契納的禁 急,可依照中藥的煎劑情例。中藥契約的禁忌是個別提集契剂的,被沒有"先煎""後下" 的問題,即不論處方有無註明"先煎""後下",都是一樣調配。

中聚製物的網線三条與紅具備下列設備,這些設備在出售化學儀器的店或較大的樂房均有出售。計開: 10 毫升至 50 毫升的量标,或量振三、四個, 玻璃棒三、四支, 100 克的天平一架, 骨匙二、三支, 沙波虹一個, 或有下口的蒸溜水瓶 (約500 毫升於量)—個, 中型的 (120mm, 180mm) 玻璃漏斗二個, 濕的及乾的毛巾各一方, 此外檢好還有網的水溶鍋一個, 鉄架, 鉄環各一、兩個, 250 毫升的操怀兩個, 火酒灯一個, 以便必要時可以蒸去合醇較多的製剂中的酒精。

• 5

## 八、製劑保管問題

中藥製劑一般要存放於冷暗處,切不可給日光直晒;取用後要隨即塞好概塞,如 原用有螺旋的電木蓋的瓶蓋蓋的,必要時可換用較長的軟木塞。

粉片劑皮要塞好(必要時換木塞),以免藥粉或藥片吸收空氣中的水份變成潮湿, 如有潮濕現象,可隨即烘乾。

如樂房中自備有砂塞的硬質玻璃瓶,可轉換至硬質瓶中,液體藥用小口的瓶,粉片類用廣口瓶,但瓶子應先洗淨、焙乾。

樂液存放一些時候,常會有沉澱析出,這是植物藥液體製劑的常有現象,一般不 影响樂效,可自行滤過,機續使用。

樂液因保存不善而致有浮面的白胶或發電、發氣泡等現象;藥片、藥粉如有發電 現象,即表示藥品已有變質;不可再行使用。

中藥製劑的有效期限,像一般植物藥的藥典製劑一樣沒有規定,依經驗,一般原 庄劑品在兩年內仍可保持療效。

#### 九、結語

以上簡單地對我檢的中藥製劑作了概括的說明,有些中醫師會提出的問題已在 此說明在上作了簡單的答閱,但最近亦有些中醫會提出清熱店藥經提媒後是否會影 响票效,經臨床試驗結果証明不但不會減低藥效而且增大清涼混熱的效能,轉在此作 補充溶覆,最後要提出的是:中藥製劑還在發展和擴大製造階段,技術上對點題 沒有百分之一百解決,製制有什麼缺點,請不客氣的指出,各藥劑之臨床上功效如何, 請各醫酒醫院請常提出報告,以使我嫁能參考研究並改進,不斷提高中藥製劑的實 值。

本廠出品之中樂發劑,不僅在國內已為各中醫師醫院診所樂用,而且暢銷於新加坡、馬來亞各地,均獲僑胞好評,種甸、墨羅、潤水等地的中醫亦樂意使用及推廣,目前 在新加坡設有總代理,專事馬來亞、英屬婆羅洲的供應工作,特在此加以介紹。

# CHINESE MEDICAL PREPARATIONS OF SING KYN DRUG HOUSE, CANTON, CHINA.

#### I. INTRODUCTION

Chinese medicine has had a long history. Generations after generations, noted physicians had made important contributions to the medical science. At about 200 A. C. (Hou Han dynasty) Hua To was the first man to use narcotic. Before the Christain era during the time of Chun Chau Chin Kwok there was a man named Pien Chiao who discovered feeling pulse as a means of diagnosis. In the Han dynasty Chang Chung-ching summarizing the medical theories before his time enriching them by his own originality wrote such books on medicine, as Essay on Typhoid, Chin Kuei Yao Lueh and Chin Kuei Yu Shen. Hereafter he was known as the "medical sage." Later Ko Hung discovered the disease, Japanese riverfever, and was the first man to use drugs containing iodine to treat exophthalmic goiter. As far back as the Ming dynasty, the use of humanvaccine for the prevention of smallpox was invented.

As to pharmacy ever since the Han dynasty, we had the Shen Nung Pen Tsao Ching, an important writing on materia medica. At the fifth century a pharmacist named Tsao Ching wrote a thesis on the heat treatment of herbs, which had laid down the fundamental methods for the treatment of crude drugs, which had been improved from time to time. In the Ming dynasty, Li Shi-chen compiled a magnificent work on materia medica, called the Great Herbal. This book had since been translated into English, Russian, German, Japanese and other language, swhich had greatly influenced the research on pharmacognocy in many countries. Such are the many contributions, Chinese medical men made to the world at large.

That for thousands of years, we had maintained a large and ever increasing population, we must give credit to the part Chinese medicine, our valuable national heritage, play in the preservation of national health.

Chinese medicine is very effective. In the past thousands of years and especially for the past five years, clinical experiences had proved that hopeless cases of menigitis had been cured by Chinese physicians with Chinese drugs in a very short time without mental or physical defects. Chinese physicians in the treatment of hemotrhoid need not resort to operation, and the patients

. 7

suffer no pain in the course of treatment.

The medicines which Chinese physicians used are generally crude drugs that have been treated and are called refined drugs. The treatment of Chinese drugs is the consumation of long years of experiences having due empirical ground. But at the present time when sciences have advanced by leaps and bounds, in order to render greater service to the preservation of health of our people, changes need be made in many cases in the way of treatment in Chinese drugs.

In as much as Chinese drugs are very eminent in their medicinal effect, but being too voluminous are difficult to handle in transportation. The preparations generally used are in such forms as decoction, tincture, pill, and powder, some of which are very incovenient to use. As for example most of the decoctions are to be prepared by boiling just before taking. These forms of preparations when used extensively in hospitals and factories are very inconvenient. Therefore for some times Chinese physicians have urged for a change to be made in the methods of preparation in Chinese drugs.

The Sing Kyn Drug House was organized by noted physicians, getting together technical men to investigate intensively as well as extensively on the improvement in the manufacturing of Chinese medical preparations in large scale. At present we have succeeded in preparing 247 single drug preparations and expect at the beginning of the summer session to add 28 to this list. We have prepared 21 kinds of ancient patent medicine and expect to increase this number by 15 this summer. The single drug preparations are advantagous in that they can be used in peace of decoctions and can be dispensed according to prescriptions, are convenient to use and standardizing in quality and can be preserved. The advantages of our ancient patent medicines are definite in medical effect and are compact in size and soluble. Five to six years of clinical experiences demonstrated that the preparations prepared by our drug house are potent in effect, standardizing in quality and low in price. They are well welcome by physicians both at home and abroad. By way of example we may dwell briefly on a few preparations as prepared in our drug house.

For example, Tincture of Euonymus is not only effective in the treatment of skeletal weakness and Lumbago, it is also an effective remedy for high blood pressure. The preparation is easy to take and is not at all toxical.

The Fluidextract of Leonurus can be used in place of ergot, and has been used by many physicians, hospitals and clinics. The therapeutical functions of Leonurus have been substantiated by many specialists. Lu Fu-hua's experiments by means of isolated rabbit uterus and uterine sistula, have proved that Leonurus

is a uterine stimulant. Leaf of Leonurus has a stimulating effect on the uterus increasing uterine contraction, tension and rhythmic frequency, it is only slightly toxical and suitable for clinical purposes. Chui Ni-se found that on addition of a small amount of Fluidextract of Leonurus to the isolated uterus of confined rabbit contractions increased in frequency and tension raised. Research of specialists all over China, pointed to the fact that the Leonurus in place of ergot is pharmacologically sound.

Pharbitis has long been used as an effective laxitive in China, and in India it has been used also for the same purpose. Therefore in 1914 the British pharmacopoeia listed Resin Pharbitis among the official drugs and it has since entered the B. P. C. It is also an official drug in the Chinese pharmacopoeia. Our drug house prepared Pharbitis Resin in tablet form. It has met with good approval as an effective laxitive. Only a small amount when taken induces evacuation of the bowel in a few minutes.

Berberine Hydrochloride (Berberine being the active principle of coptis) is an effective remedy for bacterial dysentery. Yue Kai-yoh's report in 327 cases of bacterial dysentery proved that Coptis is very effective as a remedy for bacterial dysentery, especially in the case with adult. It is even more effective than sulfaquanidine. Patients taking coptis do not suffer from any side effects, and appetite is easily restored. Hospital for Infectious Diseases in Hangchow reported that in using coptis for bacterial dysentery, in 124 cases fever reduced usually in three days, and in five days stool culture being changed into negative and stool became normal in seven days.

# II. INVESTIGATION MADE PRECEDING MANUFACTURING OF PREPARATIONS

Before deciding upon the method we are to use in the preparation of any one Chinese drug, we first make a detail study of its chemical composition, determine its active principle, and study the chemical properties of the latter, and decide upon the method of determining it quantitatively. Since the main purpose of the preparations in Chinese drugs is to use them in place of the ingredients of a decoction, therefore it is important to find out the average quantity of the active principle of a drug contained in a dose of decoction, and use it as a standard in the preparation of the same drug.

For the analysis of Chinese drugs, we employ methods of plant chemistry. Special stress has been made on the analysis of those parts in Chinese drugs that have medicinal effect. We have made use of the most up to date methods

. 9 .

and apparatus for the study and analysis of such chemical compounds as alkaloids, glycosides, saponins, flavones, organic acids and essential oils.

#### III. METHODS OF PREPARATION IN CHINESE DRUGS

In determining the methods used in the preparation of Chinese drugs beside adhering closely to the principles of pharmacy we at the same time paid due regard to Chinese medical traditions. The process of preparing Chinese medicine is devided into two steps. The first step is extraction especially the extraction of the active principle. The second step is to prepare the extract into proper form for use. For extraction the solvents in general used are either water or alcohol in different concentrations. In determining what solvent to be used for the extraction of the active principle of any one Chinese drug we first make a detail study of its solubilities in different solvents. Extraction by water is in coherent with Chinese medical tradition. But extraction by water foreign matters such as mucilage, starch are also extracted out together with the active principle. Therefore foreign matters must be removed by proper means from the extracted solution after concentration. After determining the quality of the active principle in the extraction we use it to make different preparations.

In preparing aromatic drugs, after being made into aqueous extracts, we add to each of them the particular kind of aromatic water, so as to restore the aromatic nature of the original drugs.

In accordance with the solubilities of the active principles of some Chinese drugs, we determine to use alcohol for their extraction. After extraction by alcohol, we concentrate the extracted solutions into such forms as fluidextract and concentrated infusion. We may drive away all the alcohol from an alcoholic extracted solution and obtain an alcohol extract and use it in different preparations.

There are some Chinese drugs already included in the Pharmacopoeia as official drugs, and can be used as such.

The raw materials we used in our preparations are the best kind of natural drugs. They are tested in the laboratory with modern technique in pharmacognosy before being used.

Some of the Chinese drugs are of different species such as Tang-shen. We have the Fang-tang and Lu-tang. As to which species we used indicate it in the label.

In the treatment of crude drugs, Chinese medical practices usually employ the following method. Frying or roasting as such treating with alcohol or treating with honey. In preparing the crude drug for use we take into consideration of the traditional practices, and retain those processes which we considered essential.

Since we analyze our raw materials, semi-products as well as the finished products, we guarantee the quality and standard of our products.

#### IV. FORMS OF PREPARATIONS

The form of Chinese medical preparations may be devided into two main classes, the liquid form and the solid form. To the liquid form belonged: fluidextract, tincture, concentrated infusion, syrup, spirit, concentrated water and extract-solution. To the solid form belonged: extract-tablet, extract (powder).

In every one of our preparations we indicate each unit's (1 c.c. 1 tablet or so many grams) equivalence for a certain quantity of the original drug in a

- Fluidextract: In general we prepare fluidextract by percolation using alcohol as solvent. For every c.c. of the finished product one gram of the crude drug is used. The alcohol content of a fluidextract is generally 20% (the alcohol content of a fluidextract in the Pharmacopoeia is higher being 40%).
- 2. Tincture: In preparing tinctures we use alcohol as solvent. One katty of the crude drug is used in preparing 5-10 katties of a tincture. The alcohol content of a tincture is comparatively high generally being 40%.
- Concentrated infusion: In the preparation of concentrated infusion, we use 400 grams of the crude drug to make 1000 c.c. of the finished product using dilute alcohol for percolation. The alcohol content of this kind of preparation is about 16-20%.
- 4. Syrup: Syrup is a preparation made by adding a definite quantity of either the aqueous extract or the alcohol extract to a definite quantity of simple
- 5. Concentrated water and spirit: Both concentrated water and spirit preparations contain only those essential oils extracted from crude drugs, without any impurities. The alcohol content in spirit is higher than that of concentrated water preparation.
- 6. Extract-solution: Extract-solutions are made by dissolving a definite quantity of either the aqueous extract or alcohol extract in water, aromatic water, or dilute alcohol. They contain little or no alcohol. Extract-solution is a new form of preparation made to meet the demand of Chinese physicians.
- Extract: An extract is a preparation in powder form prepared by adding a definite quantity of excipient such as starch to a definite quantity of either the aqueous extract or alcohol extract.
  - 8. Extract-tablet: Extract-tablet is a preparation made by putting an ex-

. 11 .

tract into tablet form. Each tablet contains a definite quantity of an extract or an active principle.

#### V. ALCOHOL CONTENT

In preparing Chinese medicine from herbs, in order to reduce the volume of the finished products, we are often obliged to use alcohol as a solvent.

If the preparations called for in a prescription are numerous and big in quantities the total algohol content in a dose of medicine may be so high as to cause slight drunkenness in patients susceptible to alcohol especially in the case of children. Physicians in prescribing, in order to avoid the side effects of alcohol, should take notice of the alcohol content of the different preparations as indicated in our catalogue and calculate the total content of alcohol in their precriptions. If the patient is susceptible to alcohol, the alcohol should be driven off by such means as steaming before administrating, especially with children. Deviding a dose of medicine into portions to be taken 15 minutes at a time may also reduce the side effects of alcohol. As a rule the total alcohol content in a dose of Chinese medicine would not be more then 3-4 c.c., the alcohol effect of which is negligible with most patients.

We have paid much attention to the reduction of alcohol content in our preparations. For further improvements in this matter we are still making investigations.

#### VI. DOSAGES

The dosages of the preparations of our drug house are indicated in the labels. (the quantity indicated is for one dose and 2-3 doses can be taken in one day) We expect physicians not to use our preparations exceeding the upper limits of their dosages, especially those marked with the red character, "drastic". Such preparations as almond water. Fluidextract Ephedra and the like should not in any case be used in excess. Preparations that are not drastic experienced physicians may use their own discretion in regard to their dosages. For example the dosage for Fluidextract Rhei in the Pharmacopoeia is 0.50-1.00 c.c. But in the Pharmacopoeia is is used as a bitter tonic rather than a laxitive. Every c.c. of our preparation of Fluidextract Rhei is equivalent to 0.04 oz. (1 tael=3.125 gm) of Rhei in a decoction. So physicians if preferred may use a bigger dose of Fluidextract Rhei between 1-4 c.c. From experience 2-4 c.c. of Fluidextract Rhei would have a laxitive effect with no side effects.

in a decoction, but being a drastic drug it is not to be used beyond 2 c.c.

#### VII. DISPENSING

In dispensing a prescription it is best to prepare the liquid parts and the solld parts separately. The liquid parts can be mixed in one bottle. 1 c.c. of most of our preparations is equivalent to 0.05-0.10 oz. of the original drug in a decoction, very few of them contain the equivalence of 0.03 oz. of the original drug. For example 1 c.c. of extract-solution of Bupleurun is equivalent to 0.10 oz. of the original drug in a decoction if the prescription called for 0.10 oz. of Bupleurun, one can use 1 c.c. of the preparation, extract-solution of Bupleurun, in its place. If one tablet of Extract-tablet of Scutellaria is equivalent to 0.10 oz. of Scutellaria in a decoction and the prescription calls for 0.10 oz. one can use one tablet instead (the dispensor ought to be conversed with the equivalence of each preparation to the original drug in a decoction).

For measuring liquid preparations, one may use either a measuring cup or a graduate. A 20 c.c. measuring cup usually would serve the purpose. When one has finished measuring one liquid, empty it into the bottle and then measure the next. If one has emptied an excess amount of a liquid preparation, it is not advisable to empty the excess back into the original container so as not to contaminate the medicine in question.

When two liquid preparations are mixed the mixture may become turbid. This condition as a rule is not to be feared. This is due to the change of alcohol concentration in the solution causing the precepitation of some of the constituents. For example when water is added to the Tincture of Pistacia on account of the lowering of the alcohol concentration, Pistacia is precepitated, causing the solution to become milky, but the mixture can be taken just the same

After having checked up the number and quantities of preparations used, add distilled water, filtered water or boiled water (that has been cool) to make up the required amount, and then write down the direction for taking of the prescription on the label. If in the same prescription powder and tablet are called for they are not to be added to the liquid portions, as they are difficult to dissolve and they are to be put up in separate packages, with direction given to be taken together with the liquid portion at the same time.

#### VIII. STORAGE OF PREPARATIONS

Chinese medical preparations as a rule should be kept in dark cool place

and should not be exposed to direct sun-light, have to be stopped up right after using. If the preparation comes with a plastic screwed, it is best to use a longer soft wood stopper instead. To prevent powders and tablets from absorbing water stoppers may be changed if necessary. It is advisable to rebottle the preparations in ground glass stopper bottles, if one has any. If powders and tablets have absorbed moisture, it is best to drive the water away in a desiccator.

After standing for some time a slight precepitation may occur in liquid preparations. This is often the case with preparations prepared from herbs. This is not a matter of much importance. The preparations may be used afterfiltered.

In case of a liquid prepartion, if there is a layer of white mold on the top and bubbles are being given off, and in case of powder and tablet having evidences of molding the preparations are not fit for use.

Chinese medical preparations like other medicine in the Pharmacopoeia made from herbs, have no definite limit of time of effectiveness. With our preparations in general, they can retain their medicinal effect for two years if they are not opened.

#### IX. CONCLUSION

We have given a general description of the preparations of our drug house. Many questions that have been brought up by Chinese physicians have been answered in this pamphlet. Recently some Chinese physicians have inquired whether that class of the so called "cold drugs" (drugs having the power of reducing fever and inflamation) after undergoing the process of preparation, change their medicinal effect. We hereby take the opportunity to give them a respond. Clinical stations using our preparations have demonstrated that the so called "cold drugs" increase rather than decreese their medicinal effect after going through the process of preparation.

In closing we want to say that although our drug house is developing rapidly, it is only on its formative stage. Many technical problems are still to be solved. We welcome critizisms as well as clinical advices and informations in regard to the effect of our preparations, which would do a great deal toward helping us to improve the quality and method of production of our products.

Our products are not only welcomed by physicians, hospitals and clinics at home, but they are also highly esteemed by our oversea brothers in Singapore and other places in the Malay Peninsula. They are also demanded by physicians in Siam, Indo-China and Indonesia. To meet the demand for our products in the Malay Peninsula and North Borneo, we have established a special agency in Singapore.







# PRICE LIST OF SHIWAN S



廣州主産出口公司工藝品部 CHINA MATERNAL NATIVE PRODUCE EXPORT CORPORATION(CANTON) APTL & CRAET\_DEPARTMENT

電承掛號:

ADLIPESS: 129 ILEIN CHENG ROAD CANTON CABLE ADDRESS: \$55530 ARTICRAFT L

# 美術陶器

<u></u>	÷8 .∓	٠.	1
土日	呋艾	正	丟

13		五	建更正	E表			
	次行表	之楠	31	Committee of the commit	裎	T in	
2	_	木箱線丝装	伊	16 6	77	更	正
1	-	<i>h</i>		the second second second		1865	
1	31	,		14 90		1480	
1 3	6		-	1800		1850	
3	7 8	3		3 23 6 H 2 60		3 60	
1-3	-	,		6 46		373	
3	33	4		- <u>5 60</u>		E 44	
	78	- 1		4 66		463	
3	15	单位		9 43		6 1	
F	13	木箱樣丝便	= +	87 10	20	全刑去	
4	30	4		14		12	
	6	竹盆装街		十致 7翰 1古		786 789 15	
1-6	77 1	木稍線が他		- 大型		188	
14	621	ne &		7 14	T	12	
14 x	5181	1		学半馬公	1 1	1年	
15 1	2 4/			色牛鱼	Į.	1-1-2	
16 5	9	1	_   ()	不争坐力	NO	至重)公	
16 to	3/	4	\	产业品人!	V 22	五公	-/ 6
17 /2	. 1	1	担	可計量公	10	大桶公	!
17 5	4	the second secon		11	1-1	MOIR'S.	4 1
月左	6	1		1	<del> </del>	/	4 3
20/2	3/	1	块	2	tie !	<i>y</i>	J. Ä
20 左	/	*	企	和東京	- 1AI	24	
20 左 21 を	F			1	-35	衙	
コント左ん	21		獅	東京			3
13 左/	!	1	原	山寨十	后指	Pa 1	
23 左34	1	2	1 10-7	上王 !	魚山	第	4
33/5/		,	上胎身	车一	松毛	IT !	- Sj
23 左3	1	1			113	rt.	7
23/21/3	1						9
註為	好 自由	格	yo!	0	4000		Street, or
		卷   卷	安全器	单位: "	7.	::	in and a second

# 目 録 表 ※

	_
1. 石灣美術陶器	2
2.石灣陶器玩具	9
①各式亭類(彩釉)101-178	9
②各式塔類(彩釉) 201-231	10
③各式標類(移釉)301-327	-
④各式寮類(彩釉) 401-427	11
⑤ 合式屋、廟、寺、樓(彩釉) 501- 561	12
⑥其他(包括屬、聚,牌店、城 麅 廠)(彩釉)…601-628	12
⑦各式車類(彩釉)701-720	13
⑧行式船、飯、排類(彩釉) 80 1-834	-13
⑨各式山公類(彩釉) 901-922	14
⑩牛馬為獸類(彩釉)	14
①化釉各款公類 (化釉)1101-1157	15
②其他化釉公類(化釉)1201-1263	17
③各式烟具類(化釉)	18
@各式插盤石山類 (K釉)1401-1455	
⑤易獸鱗甲類(化粧)1501-15153	19
⑥原釉各式茅簝類 (原釉)1601-1622	22
<b>⑰原胎人物、傷獸、公餓(原胎)</b> 1701-1731	22

# 石灣陶器(廣州人民美術社出品)報價單單位:介

			, ,			17	A 124111	الماليا الماداد				
貨 號	00		名	釉	r	Æ	規	柞	學等	s F / 僧	6#	註
7. 0			ш				尺(公分) 度	重量		木箱籐茅		σI
FIOI	主	席	僄	甘		翋	23X30XI3	. 2.0	6.70			
F101 A	_	r		石		胎			8.50	2	-	
F102				Ħ		釉	17X 20 X []	0.8	3,63			
F1024		.,		石		胎	и	ч	2.96			
5 104	屈		原	自		雅	36X15X13	1.1	18.70	20,30		
\$104c				壁	梨	釉		,11	24.90	25,60		
S116		"		台		釉	12 X27X10	1.0	1310	13.70		
S116C		и		壁	裂	釉	-1	"	1680	1740		
\$117	姜	太	公	自		釉	20X28X15	1.875	15 60	1800		
S1170		, 11		壁	쥦	秙	p.	п	1970	2200		
5118	李	な	白	匀		釉	25X 4X 1	1.25	13 70	1530		
S118.c		-11		壁	鮤	釉	ls.	at .	17 50	19 10		
\$119	杜		甫	白		釉	12X26X9	1.0	13 70	14.60		
S119C		"		ଫ	裂	袖		"	15.90	1680		
S 120	鍾		旭	自		釉	10/,15/,28	1.30	13 16	1507	,	
S 120C		4		壁	裂	釉	н	11	16. <u>75</u>	1665		
S 122	張		良	白		釉	23 X 23 X I4	1.25	15,00	16.60		
\$1220		n		壁	鮤	釉			19.10	20.70		-
5 126	王羲	之	文稿	自		釉	32 XI4 X I3 13 XI2 X 9	2,25	26 30	2790	單位: 套(共2	寅)
51260		r		壁	鮤	釉	п	10	3.3 80	35 <u>40</u>	1/	
5129	岳专	刺	一輩	自		釉	11 X22X15	1.1	21 30	2290		-
5129C		"		壁	鮤	釉	p	11	2730	2890		
F130 A	魯		迅	白		釉	35X14X10	1. 25	1000	1110		
F130A		n		Ŧ		胎	1 p	"1	8 <u>90</u>	1000		$\neg$
S1308		"		白彩	油紅	頭	n :	n	13 80	17 50		
5132	魯	智	深	白		釉	29X 22X 12	2.0	23.80	2540		
S 13 2 C		h		壁	姴	釉	n ·	.,	30 50	32 10		
S 13 3	陶	淵	明	自		釉	33X2OX9	1. 25	18 10	2050	-	$\dashv$
51330		n		壁	鮤	釉	н	"	24.60	2700		
\$ 134	蓝	浩	紅	乍		釉	32 X 9 X 19	1.375	1350	1490	-	
5 134 C		" .		壁	製	粬	n	"	1720			i
F139	荷	7Ġ	殤	包		社	36 × 17 × 17	1.50	1570	ter Secretaria - Con		
F139A		a ·		石	-	胎	,,		760			-

													,				3
[					т			T					`			-	
-   貨	號.	00		名.	和	1 - 1	色	規	-	<u></u>		ر (۾	8. F 元)	價	備		許
F139	18	荷	椛	舞	The			尺(公尺)			量竹	装	補籍	費	178		σŢ
\$ 140		貴		<b>州</b>	彩		曲	36 1.171	-	1.50			149				-
5140		F		X6 #	白		油	30X13X1	0	1.0			237				
F 14 1		喂		鴿	壁白	裂剂		- "-	4				30 <sup>2</sup>				
F 14 I		-Ж	,,	中与	石		酣	22X18X1	1.	1.0			g ⊆				
F 142		朝		Azz			胎	"	4	"			72				
F 14 2		717	鮮	舞	白		由	23X12X6	1	0.75			37				
F142			n u	-	石		台		_				64				
F 14 3		苗家		=	粉		由		_	. #			3 60	1			-
F 143		111 6	(Λ "	重	甘	和	-+	28X19X12	1	1. 25	93	20	1115	2			
\$ 145		李		=6	石		-+	"	_	"							
S 145			<del>吋</del>	珍	<u> </u>	和	+	37×14×14	4	"			201C				
\$147		<b>Y</b>		-		裂程	-+	· AI	1		232	0	25 <u>1</u> C	2			
5147		B .	1)	打	白	雅	+	35 X 11 X 13	4	n	-		4 5C				
\$148	-			+		製和	+		_	^	17 7		8 5C	1			
3148	-	<u> </u>	Ä	-	日	釉	+	11×97×50		O <u>60</u>	8.9	_	0 00				
F 150			75 A	+	壁多		+	"	_	"	8.9	-1'	0 00				
F150		臣		-	<u> </u>	湘	+-	21X8X5		),25	28		304				
F 150 E		,,		-	<u> </u>	胎	-	n	_	ь	23		2 <sup>59</sup>	Г			
F 15 1	+			+		釉	+-	. "		n	35		372				
F1514	新		-	+	Ξ	釉	+	6 x 81 X OZ	С	) 5	3.10		3 <u>78</u>				
F151E		"	·	+	5	胎	+				2 6		3. <u>29</u>				T
F15.2		"			9/	- 社	+-		-		44	. 1	512				٦
F 152			럞	+		釉	2	OIX8IXIO	0	937	440	2 .	493				
F 15 2 E		<i>p</i>		子		胎	_	"		".							7
F205	+-	-	rd#	养		釉	L	"									
F 205 A	4		霷	+-		釉	2	3 X16X10	0	75	645					-	7
F 208	蚁	飯		子		胎		"		,	594			-			
E210	1 70		御		Í	Ŧ, ļ		O1X62X			3 <u>9</u> <u>80</u>						7
F213	1		争	ļ		!	-		0		15 AC					4	
5316	Λ //\	厝		i	er Taller			5X13X11			33 <u>50</u>						
F217	1	- 10	- 馬	-	一個外	- 1	-	X 17X 5	0.		3.60			_			
5221	14.	鴨	羊	白鉤		-	~	X17/8	Car		350						
	l	147	1 - 1	25)		釉	12	X22712	0.5	52	4.00	· A	66				7

	•
_	

						規	掎	單 (港	F 價	備 註
赏 號	iii	名	釉	き	,	尺(公分) 度	董 (公斤) 量	竹笠裝價	磁像集	1 TT UIL
5 2 2 2	鴨		胎	₹		12X22X12	O <del>61</del>	15 50	16 10	
5 2 2 3	斋	307		15		12×25×13	0 875	14.50	1610	
5224	毽	羯		ч	1	19X11 X17	1, 0	25 <u>90</u>		
\$227	書	眉		,,		22XI7X14	O 5	26 <u>10</u>		
5228	了	哥		〈黑	()	23X12X13	O 875	1690	1770	
F229	大綿	¥	白	兼	b	27X18X14	1. 375	2090	2330	
5 2 3	大	穐		,,		37 X 28 X 15	20	1590	1878	
5231	<b>*</b>	鴨	稻	₹	5	26X20XI4	1 75	2900	3020	
\$232	駱	駝	彩	色素	街	18X14X17	0.75	248	3∞	
\$ 233	虎		胎	3	ŧ	22XI8X 7	0.75	14 60		
\$234	18	鴦	彩	色	曲	12X17X11	07	2 <u>59</u>	3 13	
F 23.5	Ħ	系	Ħ		油	6X18X18	04	2.12	2. <u>59</u>	
\$236	雄	鶏	彩	色	油	18 X12 X 9	07	2 14	2.62	
5 2 3 7	0	猫	1	"		14x1:1x 7	04	1 49	173	
S 238	松	魚	鈞	1	曲	14X17X7	046	192	215	
5239	蔫	薦	繚	. 7	柚	18 X 9 X 7	06	209		
5240	4	頻	彩	各	抽	16X12X7	04	142	4	
5241	子 #			,,		14X11X7	0.5	220		
5242	- 8	*	甘	3	袖	13 X4 X8	012	116	1 26	
5244	獨描	熊	1	,,	-	10X12X7	034	1 23	1 '	
F	7' €		T	r		15 X23 X 9	032	2 59	313	
5	4 4					16X14-X8	0 5	1 35	1	
<u> </u>	坐	鴨			_	8x14x8	04	106	125	1
5	企	鴯				17X14X8	0.34	186		
	黄	杂	,			13X17X6	0.25	1 57		
F	4"	## 20	-			9 X 14 X 15	02	0.73	1	
5 303	蚧	存		黄	釉	11 X 17 X 11	0 875	4.18		
5 304		原 前	-		釉	12 X 24 X 12	10	5 ±		
5 305	龍	并	-	"		11×22×11		72		
5306		- 方 前	5	0		13 X 24 X IS		745		
\$307		頭形	-	,		8 × 20 × 8	- 75	425		
5308	-		Ā.	. ,		11×22×1	-	4.5	502	
5310			15 白		揯	-	+	42	4 7	2

	貨	名	Fin	1	名	釉		色	規		搭 蕈(公开)量	單(港	无) 價	備	註
	5 3	10	-17	( 1987)		- Gily		釉.		~	10	740	4.88 4.88		
	S 3			市隊		-		种	13×18		0.75	1	1		
		13/4	75	W 18.	/互 /王	-	13		13×1.	77.9		6 13	6 10		
	53		450		ur to	<del> </del>			2.4		0.95	67	20	有燈頭	打球
			7.3	E 魚 /	短 性	-	"		24 X I		0.75	5 <u>67</u>	630	<del> </del>	
	5 3· 5 3		蚧		45	60/		=1	. "		0.6	. 17	- 55	有超頭	和榜
			-		羅	+	黄	釉	10 X 12			3 17	3 <sup>55</sup>		
	F 31		-	· 禁 x		<del></del>		釉	15 / 5		0 35	153	1 75		
	5 32			鶴		+		釉	12/,2		1 0	507	607		
	5 32			無	<u> </u>	ļ	,,	-	12 %.2	:6X8	05	4 19	4 67		
	S 31			魚		<u> </u>	**		11 X1	2X13	0 15	111	1 25		
	5 3 3		-	魚魚			р		14.7.10	) 7.4		1 12	1 28		
	53:			元力			ń		9 //4	+X4	и	1 12	28		
	5 33			<b>第</b> /				_	13 % [0	)X4	e,	1 12	113		
	F38		Ħ	鸽	当 壁	8		釉	16X 18	X IO	O <u>875</u>	3 77	473		
	533	8	魚	筆	揷	包括	灰釣	釉	15X15	X6	"	3 <u>79</u>	4 33		
į	5 34	2	羊	萝	箫	鉤.		釉	18.613	X13	0 7	4 86	5 25		
	3 34	4	小	花	胾		п		18X14	X!4-	0.75	4 60	5 32		
į	£ 34	-5	雙	薦	稅		"		29 X 14	/H	1.4	10:20	11 70		
į	F34	7	元	洒	蛊	台		釉	14 X 14	X5	05	191	215		
	F34	3	牡	丹	旅				22 X i 8	81X	1.2	690	g <u>60</u>		
	535	0	雙	龍糖	虚	鈞		釉	23%.26	5/16	1.4	1200	14 80	. ,	
	\$ 35	f	稿	糖	蛗	È.		釉	20X28	X20	20		7 7 7		
	5 9 9	3	卧	達	鴨				19X14	X15	O <u>875</u>	970	1050		
ſ	5 35	56	夔	魚古	瓶	\$ <u>+</u> :		雅	31X26	x 8	1.6	040			
ſ		1	包	沈	傳	彩		抽				_		-	
			風	塵王	俠		7								
1			將	相	ŦU.		is.					$\neg \uparrow$			
	F 50	1	绮	枟	微	3	油		8	英士		215	2 63		
	F5c	2	青	栃	专	-	j.	_	· 8″·			261	309		-
f	F 50	3	Ħ	標	飯		ь.	+	8			2 37	2 68		
-	F 50	4	专	杬	惊	*	P	+	10"		100	5 50	6 58	<del></del>	
1	F 5C	5	台	梳	衙		-		10"		00	5 20	6 58		-
-	F50	6	青	架	概		n		8			261	309		
												2-1	3		

6	

the pres		71 67	規	格	單(港方	5 價	備 註
貨號	品名	釉色	尺(公分)度	童(公介)量	竹笠物	木箱譲襲	備 註
F 507	白 素 瓶	釉	8"		2 38	286	
F 508	青 素 瓶		10"		4 84	5 94	
F 509	白素 瓶		10"		4 37	5红	
F5IC	青素瓶	11	12"	5	7 15	8 70	
FOIL	白素瓶	,, '	12"	5	6 <u>75</u>	8 30	
F512	通花平口瓶	白 釉	8"		483	5 <u>36</u>	
F513	11		10"				
F514	11	p	12"			1010	
F515	大號青筆洗	君由	9½"	O 95	3.80	4 33	
F516	大號白筆洗	17	п		380	433	
F517	三號青筆先	n	8"				
F518	三號白筆洗	ч					
F519	水费	1 н	6½"	25	450	550	
F520	通花瓶	白 釉	10"	O 75	6 26	691	
F522	梅筒	. н	8"		4 88	5 <u>36</u>	
F523	"	ħ	10"		6 <u>48</u>	713	
F524			12"		8 <u>35</u>	990	
	白通 花魚 熊	н	102	050	500		
5 245	防禦鶏	彩釉	(空分) 16X16X16	0 975	794	864	
5.246	海鷗	. 11	26X16X11	0 4	725	8 <sup>05</sup>	
5247	雙 鸽		23X16X2I	1 5	781		
5248	大 鶏	n	11 X12 ½ X 10		163		
5250	駱. 駝		16X13X8	03	2 77	313	
5251	隋 牛	н	15 × 10 × 4	001			
5252	小鴨		12 X 9 X 5	0 15	1 36		
5253	鴂 薦	4	14X 10X 7	02	2 27		
5254	唐 馬 (FP		27X72X15		8 <u>37</u>		
\$255	唐 馬 (俯	1	26X 12 X 17	10	8 36		
5243	胎毛猫		BXIIXE	03	6 58	6 82	
5357	折半瓶	<b>對</b> 釉	15X 7X 7	O 26			
5358	胆・静	-	21X10X10	0 35	24		
5359	杭 前	5 "	20 X 10 X 10		2 43		
5360	大方剂	1	25 X12 X12	10	5 <u>9</u> 3	65	3

必	號	8		名	釉		色	規		格	單(海	元質	1苦	- -	÷
箅	<b>万/</b> 茂	00	٠, ٠	T	10		e l	₹ 度	重	量	竹笠裝價	棉籐裝	18	g.]	£.
	Sái	刻	花方	瓶	箌		釉	20X 10 X 7	0	55	3 49	383			
	362	芽	白	瓶		п									_
5	363	薏	頭	瓶		"		25 X 9 X 9		375	3 45	383			
5	364	Ŧ	豫	箫		11		30X23X23		25	9 32	12 <u>53</u>			-
5	365	大	梅	新		,,		34X18X.18	2	25	927	11 97			
5,	367	刻	龙蒜	頭瓶		.,		22X I6X I6		<u>75</u>	397	4 77			
S	371	F	瓜	瓶		.,	-	28X 16X 16	1	375	5 88	6 <sup>95</sup>		2311 011	_
5	375	雜	百	瓶	-	,		27X27X4	1	25	724	7 88			
5	376	聖	魚	碟		n		27X27X4	1	3	702				
	384	カ	角	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		n		17X12X12	1 -	625	325				_
	385	竹	頭			n		16½X11X11	0	625	303	342			_
	386	雙	禄	插		- "		15XIOXIO	0	5	347				_
	387	金	魚		彩		穑	20X!2XII		55	500				_
	388		花 角		m			21X10X10	0	875	4.22				_
	389	2		卦 壁	彩		釉	23/15/1/62		82	4 14	4.63			
	390	松	·	<b>小壁</b>		,,		15X42X17	0	90	4 57				
- <u>-</u>	398		丹为	9 座		- 11		29X 16 2X162	2	0	g 45				
5	399	+	每 7		-	/1		22XI5X I 5	0	65	703				
	400	走	0 (S)			,1		1911917	0	625	4.70	5 <u>38</u>			
S	404	雙	耳	洗	鈞		釉	8 X 24 X 20	0	6	583	6.52	١.		
5	405	蓮	ACCRECATE SALES				釉	17X 19X 19	0	98	7.36	895	1		-
	413	+	花月				2.00	3 X 8 ½ X 8 ½	C	2	068	074			
	414	+	玉		-	.,		2×7×7	0	125	047	0 51			_
-	418	鱼			-		釉	19 X 16 X 16		0	4 32	511		-	_
	419		耳小				釉	17 × 11 × 17 × 17	0	90	308	3 56			
	420	+	魚大			-	釉			5	5 42				
	421		娃;					15X5X62	0	12	179	192	1		
	4 22		雀			,		7X7X15	10	25	1 84	201			_
		+			+			-	T						_
-		t	77		1.				1		1			7	-
		1-			$\dagger$						1				
-		+-	1.2		1		,		Ť	7 7			1		-
		+			+-	-			1.		1	1 9 8 5			-

第二個的類

112

\* 121 1220 121 1220 2 12 1220

です。 20.50 後 亨 - 5 - 1.670 近日 - 24.60 25 - 24.60

	^			:				100		/個			
40 <u>ss</u>	品	名	¥	曲	色	規	- 格	單(注	元	19	借	j	註
貨 號	ŪŪ	11	1			尺(公分)度	里(公介)量	竹笠素	男人家	自原家			
S	古.	塔	7	1	釉	2"		<del> </del>	+				
S			.			3″		1 -	-	- 00			
S		ıı .	A .	- 0		4"		0.8	2	0 98			
S		•		н		1支"			-	07			
S	方	捏	5	, a		2 <u>1</u> "		03	3	0 37			
S	1					1 ½"			ŀ				
S	Ш	海庫	a l	. 4				ļ.,	-	- 70			
S		н′		11		2"		0.5	2	072			
S	料	右身	哭	. 1		1."		0.2	1		Ľ.		
S	1	,,			1	1날"		0:		0 58			
S	標	河	亭		4	1"		0		0 38			
5	1	,,			p	1½"		0:		0 48	_		
S	牌		坊		0 .			0.		0 33	_		
S	13	,4	*		н	12"		. 0	- 1	0 46			
<u>-</u>	橋		亭		h	1\frac{1}{2}"		0	- 1	0 25	-		
S S S	- 100	7,1	Ť		1)	2"	1	0	34	036	<u> </u>		
5	方	7	亭		п	12"							
5	赤		塔		u	4"		.0		079			
S	紀	念	亭		-11	2"			34	1 44			
S	於	亷	塔		1)	. 5"		1	61	1 93	3		
S	雙	獅			и :	1 2	74						
S	1	4	澶		п.			0	33	037			
S	++	10			н	1"							
S	無		仔			1½"			<u>63</u>	069	2		
S	+	"	,,		и .	2"	-	(	72	074	=		
	Щ		公		11	ち分		(	15	016	2		
S	1	廊	亭		н	1"							
	- 城	/ / / /	博		11			(	25	0.2	Z		
S	橋	·	亭	-	,,	1							
5	往	-	牙	-		12"		(	) 11	01	3.		
12	1 12			<u> </u>		2"			) 19	02	2		
19				1 .		'2	1	1					
S S	Ā		馬	-		2	+		176	1	4		

# 胸器玩具

187 7 7 9 9 15 188 8 8 8 1551. 电黄序

100 5 8 8 7 2

·6 7 五角雙水亭 1.9%

41.90

1 3.901 1 0.50 1 1 6.901

88.40

58 | M

v

			形由	类	頁		1.	各式	亨 類	編品	* 1	 10		名	規格	鲋	C.I.F.	7
編	號	띪			名	規格	单位	C.I.F		134	4 1	莇	横	亭	15	E)	+	-
10	1	六	角	双	亭	77	缺	11.50		13	5	,,		- 11	1寸5分	+	23.10	-
10	-	-11			"	1 t		13.90		136	5	ji		n	2寸	-	29.50	
10		n				1寸5分	-	18.00		13	7 1	膏	上	亭	17	"	13.10	)
10		"				25	'n	25.70		138	3	,,		11	付5分		16.40	
10		11				2寸5分	1	41.00		135	)				2寸		23.30	
10					-"	31	"	68.30		140		9		n	2寸5分		25.70	
10					.,	51		141.10		141		,		'n	31	"	35.90	
10	-+	ナ	角	F .	亭	7分	."	10.30		142	1	利	- 9	亭	77	,,	10.30	
10	-+	"			"	17	,	12.80		143				n	17	,	10.80	
-			角三	陲	亭	付5分	,	23,30		144	1				1寸5分	,-	15.70	
11	-+	ь-				25	4	31.30		145	Ŀ			^	21	,,,	23.10	
11	-+	Ż	字		亭	1寸5分		23.30		146	,			,	2寸5分	н	33.30	
11	-		角		亭	15	4	10.80		147	1			•	3 f		47.40	
11	-	п			"	付5分	"	15.90		14-8	力	斜	單	亭	7分	и	9,00	
11	+	"			"	2‡	"	35.90		149	-	-		п	11	п	9.70	
111	-+	,,			"	2寸5分	n	43.60		150	石	1	ŧ	亭	15	n	10.80	
11		ÿ	F		亨	7分	0	13.10		151	,			,,	付5分	"	15.70	
113	-+-	31			-	17	"	14.10		152	"			"	2寸	à	23.10	
113	+	"			"	1寸5分	,,	18.20		153	右	ß	È	亭	7分	"	12.80	
120		"			"	21	"	24.90		154	四	面彩	念	亭	2寸	0	89.90	
12	-+-			_	"	2寸5分	"	41.00		155	檦	河	튻	亭	17	"	25.70	
12:					1	3‡	"	66.70		156	,,				1寸5分		30.80	
123	-		件 右		-	1寸5分	"	16.90		157	さ	字	-	亨	15	"	19.00	
124	+	,1			1	2†	"	25.70		158	雙	F		亨	<b>4</b> 寸	11	48.00	
125	+	Ξ	長	-		14	"	18.50		159	ナ	角	雙	亭	45	1	28.20	
126	_	•			4	付5分	1	24.60		160	Ξ	角	雙	亨	2寸	-	41.30	1 4 1
127		,			"	2寸		32.10		161	<i>p</i>			,,	付5分		18.00	
128	+	•		-	+	2寸5分	1	41.00		162	п			,,	11	"	13.90	
129	+-		有雙		+	1寸5分	+	21.80		163	Ż	字	- 1	7	2†	,,	30.80	
130	+-			."	+	25	1	30.80		164	Л	角 1	雙	子	17	"	16.90	
13	-		屋	亨	-	15	2	15.70		165	大	角三	層	<b>手</b>	3ŧ	,,	83.40	
132	+-				1	)	-	19.80		166					<b>4</b>	- 1	50.50	
133	-			,	1	25	0	24.60		167	大	角雙	水	-	2寸		43.40	

# 網器瓦具

																			-					
				N.	規格	单位	C.1	F		-	編	號	100	1		名	規程	单	V	C.I	.F			
編引					35			1.10				09	t	層	赤	峼	3t	Ħ,	R	30	80			
16			雙水			月大	-	3.10			2	10	,,				3‡5	6 "		37.	20			
16			雙		3‡	H		5.50			2	11	,	,			215	分.	1	26.	90			-
17			字	亭	31	H		9.50			12	12	١,			r	<b>4</b> †			43	.60			
17		n 		to to	41	1	-	8.90		1	1	13	Ι.	i,			5		"	55	.10			-
	-	四四	紀念	7	4†	-	-	5.90		,	1	214	£	童		焙	95	-	"	233	3.50			-
17		n 			45	-		7.30	_		1	215	T	p		r	1天:	寸	-	269	.30			-
17	-+	Jī ·	-	亨		- r	+	0.30	-			216	1	古		焙	13		"	1	.00			4
17	-		争		2 1 5 7	+	+	2.10	-		The same	217	1			,,	11	分	11	١	1.50	_		_
	-	两	桋	亭。	31	+	-	2.60	t-		1	218	3	v		n	2	†	ь	16	5.7O	_		4
-	77	"	-		+	+	+	7.20	+-		1	219	1	,,		н	25	5分	n	19	9.80			1
1	78	彩	亭	仔	37	+	+	1. 20	+		1	220	+	ь		,,	3	Ŧ	.,	2	8.20			_
-	-				-	+	+		+	-	-	22	+	13		,	4	寸	n	5	6.40	_		_
,  -					+-	+	+		+		1	22	-+	h			. 5	t	,,	13	8.5C	-		_
-					-	+	+		+		-	22	3	四	方	Ħ	計	5分		1	3.6C	)		
-	-				+-	+	+		$^{+}$		-	22	4				. 2	21	п	1	7.5C	1		
-		_			+-	+	+		$^{+}$			22	5	,,			. 2	5分	. "	12	21.30			
-					-	+	+		$^{\dagger}$			22	6				. 3	3†	"	3	30.80	1		
-		-		-	-	+	+		+			22	-	鐘			唱 :	3 <b>†</b>		2	2.90			
-		-	-		+	+	+		$^{\dagger}$			22	_	,,			4	尺	-	2	56.50	٥		
1		-		_	-	+	+		+	-	_	22	9	九	層	阱	塔 .	41	1		53.4			_
-		╀	-		+	-	+		+			23	30	9			п	5†			68.19	0		
-		+			-	-	+		+			23	31				-	6‡	ŀ		94.2	0		
: -		+			-	-	7		1		-			中	山彩	7.8	烙	寸5系	1	-	23.1	0		
1		Ļ	113	E di	类頁		2	各種	塔	類		1		1,		-		2寸		7	28.9	이		
-	45 M		3	144	名規	松	轍					1		1.			-	31		-	40.5	0		
. +	編號	-	丘層	· #		t t	配	11.3		-		1		1,			"	41		•	76.6	0		
-	20	+		14		5分	11	14.						1			-	51		. 1	05.0	20		
- · · +	202	-1-	n.		-+-	25	,	19.		-		1		1.				61			41.2	20		
ŀ	201	+	n n			15分	-	23.		1		-		١,				71	$\cdot$		221.5	50		
	20	-+-				31	-	25.		+		1	_	1	<u>-</u>		塔	63	-	"	130.	30		
	20	-	•	· · · · ·		17分	+	16		+-	-			1	ī	古	棓	7:	-	à	15 3.	40		
	20	-	. 8	Z =#		25	-		.90	+	_	-		-+-			n	8	t		214.	10	_	
	20		t /	3 17		23 寸5元	+-	-	:20	+	-	1	_	1										
	20	0	*			1 .27	1	1 '		4-										- 0				

	平3	踩	[美]	<b>其</b>	3,	各式檔	類		釆:	統	撕	<u> </u>	4.	各式寮	類
獨號	12		名	規格	单位	C.I.F		絹 號	n		名	覌: 桁	郸	C.I.F	
301	平		橬	7分	訳	6.90		401	彩	ıμ	寮	5分	臤	10.30	
302	н.		10	11	- 11	7.40		402	11		"	7分	,,	10,80	
303				1寸5分	p	08.01		403	n		,,	11	19	14.20	
304	"		. 10	2†	11,	13.30		404	n.		"	1寸5分	,,	21.70	
305	и		p	2寸 5分	11"	16.20		405	11		.,	24	n	32.20	
306	"		n	3†	"	23.30		406			13	2寸 5分	,,	42.60	
307	,		n	4寸	-	76.80		407			u	34	"	68.10	
308	.,		.,	51	п	103.00		408	,.		,,	1寸3分	-11	19.90	
309	"		,,	4寸5分	"	84.60		409	彩	水	寮	5分	"	13.20	
310	拱		檔	7⅓	п	6.90		410	"		"	7分	"	13.70	
311	,,	-		1 寸	"	7.70		411	n		,	15	и	17.00	
312				1寸5分	"	11.00		412	-11		п	1寸5分	ŋ	28.40	
313	,,		,,	2寸	,,	13.30	,	413	,.		.,	1538	"	25.80	
314	4		"	275%	٠,,	17.20		414	,,		**	25	"	38.70	
315				3\$	,,	23.90		415	н		n	2寸 5分	"	59.30	
316	Ξ	眼	稿	7分	"	6.90		416	"			31	"	101.00	-
317	"		н	15		7.70		417	新	式	繁	7分	4	12.90	
318	-11		;	1寸5分	.,	11.00		418	"		."	11	"	16.50	
319	п			2寸	,1	13.30		419	,"		0	175分	,,	24.80	
320	"		,,	2寸5分	,,	17.20		.420	и.		,	2†	"	37.40	
321				31	,	23.90		421	页	施	寮	1寸5分	,,	24.80	
325	栱		欘	4寸	н,	39.20		422	,,		'n	2‡	,,	37.40	
326	"		4	5\$	11	53.90		423	"		,	11		17.00	<u></u>
327	Ξ	T.	檑	6 <b>寸</b>	"	72.30		424	秽	水	簝	4†		273.50	
								425	"		и	5 t	n	441.00	
								426	彩	山	寮	41	я.	183.00	
				-				427	,,		и	ちす	. #	268.OC	
					,				Ŀ					12.1	
		-						-	_						
														100	
													L		
	-			1		-		1					1	1	

采	和	1类	Ę	5	. 谷式屋.	廟.肀. 樓	. 編號	E E		看	規格	郸	C.I.F.	T
띪		1	1 規格	郸	CIF		534	-		模	34	+-	+	1
木	-	Ī.	Ē lī	取	15.70		535	砲						
n			1寸5页	1	26.90		536	,,,		,,	2 †	-		<del> </del>
n,			2‡	4	37.20		537	洋		馬	1寸5分	"	25.60	
雙	右	1	自门寸	,9 ,	18.50		538	彩	雅亭	宇		-	5.60	
,,		,	175分	n	24.40		539	雙	有	廟	3 + 5 7	н	128.40	
		,	2 1	15	32.10		54C	"		n	4.5	1	-	
雙		庳	7分	"	14.60		541	蘸	官	寺		,	<del> </del>	
,1		,,	14	,13	21.30		542		華		-	,,	-	
п		н	1寸5分	.,	25.90		543	斜	古	·-		0		
"		n	21		33.3C		<del> </del>	+				n.		-
單		麻	7分	"	11.80		550	+	P	"		,,		
11		n	11	0	16.90		5.51	南	華	幸		,		
,,		.,	付5分	,,	22.60		552	1,12	T-	11				
			2寸	4	26.90		553	雙		寺	2寸5分	-1		
雙		寺	7分		14.90	-	554	<u></u>		,		,,		
			15	,	16.90		560	洋		樓		,		
л		,,	1寸5分	,01	21.80		561	,	- 1	,,				
",		,,	2\$	n	30.80	-		_					127:70	
單	:	寺	7分	"	11.80						-	-		-
"		,,	14	n .	13.60	,						1		
19		ď	1寸5分	"	17.50				-	1			-	
ъ.		*	25	,,	24.40		7			1	-	-		
角	華	寺	1寸 5分		34.40		采	洲	类質	6.1	が類の	標:	関 胸 撤垃	城墙画
н		."	2寸	n	40.00		稱號	品						·····································
n		a	2寸5分		46.40		601			-+		-	-	
麓	宮	寺	15	n :	16.90	•	602	71		-+	-	,,	-	
n '		· pi	1寸5分	.,	26.90		603	19		+		+		
		10	25	.,	36.70		604	單面	山海	-	-	+		
¥	10	模	T分		23.30		605	,,		-+		-+		
ı)			IJ	"	2590		606	10,		+		+		
1)			1寸5分	-			607	斜		-				
			25	,,	42.30		608			+		-		
		"	2寸 5分	-	59.30			牌		+	7分	+	16.70	
	而木 · · · 雙 · · · · 雙 · · · · 雙 · · · · 雙 ·	品木,, 雙 ,, 雙 ,, " 擘 , , " 擘 , , " 臀 , , , 臀 , , 瞻 。 , 羊 , ,	日本	本	田 名	田 名 規格 戦 CIF 本 屋 1寸 取 15.7亿 " 1寸 50 " 24.4亿 " 1寸 50 " 24.4亿 " 1寸 50 " 14.6亿 " 1寸 50 " 14.6亿 " 1寸 50 " 11.80 " 1寸 50 " 11.80 " 1寸 50 " 14.90 " 1寸 50 " 14.90 " 1寸 50 " 14.80 " 1寸 50 " 11.80	田 名 規格 戦 CIF	田 名	田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田	田 名	田 名	田 名 塚格 粒 CIF	田 名	田 名

編號	品	- :	名	規格	單位	C.I.F.		絹號	6		看	規 格	郸	C.I.F	
	牌		坊	15	臤	16.70		709	馬		車	1寸5分	ο	25.60	
610	n		4.	1寸5分	н	21.30		710	單.	人車	水	刀分	'n	20,50	
611	" //		4	25	n	26.70		711	· p		,,	11	n	22.‡O	
612	雙	飾	槭	1寸5分	"	26.90		712	, h		33	1寸5分	n	28.20	
613	天		澶	18	"	16.40		713	ä		n	2寸			
614			.07	1寸5分	#	23.80		714	雙	人首	水	7分		35.90	
615	I		厭	14	,,	:9.80		715	n ·		.,	付	"	43.50	
616	n		η	1寸5分	И	24.60		716	11		a	1寸5分	a	51.40	
617	雙	牌	妨	41	,,	226.00		717	Ξ	<b>/</b> I	丰水	7分	^	43.50	
618	₹		嬗	24	11	36.70		718	n		и	15	-	51.40	
619	n		n	34	п	66.40		719	'n		p.	1寸5分	'n	59.00	
620	雙	牌	牥	34	"	158.00		720	汔		車	1 ग्रे	n	9.20	
621	天		麆	4\$	,,	102.00			Ŀ						
622	斜	右	殿	2寸5分		62.10									
623			п	34		113.00			彩	来	1 类		_	<b>谷</b> 式船舶	<b>类排類</b>
624	n		п	4†	ù	226.00		編號	品		名	規格	单位	CI.F	
625	-		-	5t	"	367.00		801	鰀		公	5分	臤	:12.80	
626	雙	面山海	騆	31	14.	101.00		802	L.		,,	7分	u	13.10	
627	中:	山紀念	碑	1753	133	25.40		803				11	11	14.10	•
628	雙	狮	揻	25	7	29.70		804	"			1寸5分	"	17.50	
					Ĺ			805				25	. 18	23.40	-
								806	-			23 57		28.20	
		4.			3			807	Ľ		ń	31	"	35.90	
								808	Ŀ			3 5 5 %	"	51.40	
	祭	無	换	<b></b>	7	各式車	類	809	-		11	5寸	1"	76.90	
編號	品	-	名	規 格	郸	CIF		81 0	帆		ħ	2 1	"	56.40	<u> </u>
701	1	#	車	5分	部	12.60		811	-		n	2 1 5 7	} n	64.10	
702	'n		. 4	7分		15.40		812	Ľ	1		34	10	76.90	
703	in		н	15	,,,	18.00		813	麓		艇	2寸56		110.30	1
704	- "		. 4	1寸5分	"	23.60		814	-6.		. "14	34	,,	126.00	1
705	11		u	2 †	n	37.40		815			-	44	1"	13900	1
706	,		a	2寸5分	"	51.40		816				5寸	] "	192.00	1
707	馬		車	7分	-	18.00		817	- "			61	1.	25100	
708	1	-	n	1 t	,,	22.00	J	818	紫	1	1	17	١,	22.10	1

編號	品		看	現 硌	畢位	C.I F		褥號	<u> </u>			衔	現.格	軍拉	C.I.F.	
819	紫	洞	頒	付5分	死	26.70		906	釣	魚	Ш	公	7分	臤	5.90	
820	"		.,	24	н	32.10		907	,,			н	14	н	6.90	
821	"		ıı.	2寸5分	.,	37.20		908	騎	4:	<b>F</b>	公	5分	,,	9.00	
8,22	排		公	7分	11	6.70		909	· f				7分	-1	10.00	
823	n		n	14		6.70		910				•	14	,	11.20	•
824	.,			1寸5分	n	12.10		911	,,				1寸5分		17.10	
825	·, .		11	2‡	р	19.30		912	,,				2‡	n	23.20	
826	н			2寸5分	п	28.20		913	奪	4	F	公	15	,,	19.70	
827	鶶	排	公	1寸5分	13	13.10		914	п	- ,	,	,,	付5分	7	28.10	
828	公 j	仙過	河	15	,,	178.00		915	坐	헠	魚	公	1寸5分		15.80	
829	,,		p	<i>¹7∄</i>	"	12800		916	飑	對	魚	公	1寸5分		15.80	
830	帆		船	ちす	,1	211.60		917	翠	4	=	公	79		18.40	
831	,,		. 4	付5分	4	42.80		918	п			n	2寸	1,	42.20	
832	荣	洞	綆	34	~	107.20		919	彩	宓	仙	$\mathcal{Z}$	付5分	n,	11.20	
833	,,		,,	4寸	η	183.90		920	騎	便	5	公	5₺		8:00	
834	坐.	棑	公	6\$	"	150.60		921		12			7分	.,	1000	
								922		н			ं । च	,	11.20	
	•								釆:	<b>/</b> *	抽	数	į	10.	牛馬鳥	獸類
								編號	6			名	規格	暰	C.I.F	
•								1001	單	4		馬	7分	臤	4.90	
								1002	."			n	14		5.10	
		-	_					1003	"			"	付奶	ъ,	6.40	
	`							1004	鳥			獸	5分	"	5.10	
				- 1				1005				r	7分	11.	5.60	
							4.4	1006				n	11	ų	6.20	
								1010	彩	桐	4	河	5分	."	5.10	
								1011	, п			н	7分	•	5.60	
	釆彡	稇	类			各式山	公類	1012	11			,,	寸	n	6.20	
稀號	ño.			覌 栫	暰	C.I.F.		10 13	單		_	馬	7∄		4.90	
901	彩	山	公	5分	蔝	4.10		10 14	. :		.,		11	.,	5,10	
902	п		"	7分	0	4.40		1015					13 59	4	6.40	
903	44		-	1‡	n	4.90										
904	9.		-	175分	"	7.70										

•																10
	1	ť	釆	由类	須	1	1. 各款/2	類	編品	£ 55		H	規格	單	C.I.F	T
編號	ť	10		9	規模	單	C.I. F		1103	4 生	1†	公	9#	Đ	R	1
11001	1	P	什	Ź	1134	) E	11.30		1103	3 £	魚	公	付5分	-	1240	
11002	1			,	1 1 5 5	, ,	11.30		110 96	5 "		.,	2 寸	١.	15.00	
11003	Ŀ				2 f		13.70		11037	, ,,		1)	2 1 5 1		22.10	
11004				,,	2寸5克	,,	2030	,	11038			*1	2寸8分	1 "	24.50	-
11005	١,			-	2寸8景	"	22.4C		110 39	-		- 13	3 🕏	١.,		+
11006	ŀ				3\$		25.50		11040	"			41	,,	43.40	+
11007	"				3f 5f		31.80		11041	1.		п	5±		84.20	+
110 08					4 \$	-	4050	: /	11042	-			6\$	-	1+3.10	<del> </del>
110 09	"				5寸		75.20		110 43	,,		.,	7寸	-	153.40	
1010	11				5158	,,	84.20		1KO 44				8\$	١,	252.50	<del> </del>
110 11	"			11	6寸	.,	98.40	7	11045	坐	無	公	1寸5分	-	13.20	<b></b>
10 12				0	7#	"	139.00		11046			4	2寸	1	16.00	
1013				,,	8\$	"	19400		11047	-		,1	2寸5分	,	23.90	
1014	р			11	9\$	,	246.00		11048	,		,,	3‡	,,	30.80	
10 15				,,	9寸5分	,,	289.00		11049				4寸		52.60	
10 16				,,	17	.,	347.00		11050	-	,	-,	5.†	-	95.50	
10 17	*			,,	ほぼ	и	564.00		11051				6 <b>寸</b>	p	137.80	
10 18	n,			n	尺2寸	н	622.00		11052	r			7寸		194.70	-
10 19	Û	EV	山	公	14	"	5.00		11053		***********		81	10	302.50	
020	"			п	时5分		7.90		11054	(路)	、坐排	)公	1寸5分	п	14.20	
021	坐	即	山	公	11		5.00		11055	-		-	2\$	<b>)</b> ,	17.£O	45.5
022	и			,,	1757	,,	7.90		11056			.,	2寸5分		26.30	
1023	坐	1	<u> </u>	公	1757	r	11.30		11057	· m			34	,,	31.80	
024	1,			٠,	2‡		13.70		11058			,,	4寸	^	57.90	
0 25,				. ^	2寸5分	-	21.00		11059	11		.	5寸		107.90	
026	•			,,	3\$		26.60		11060	跑	魚	公	1寸5分	,	16.30	
027	,			r	3寸5分	*	35.50		1061			,	2寸		19.50	
028	н				4+	A	45.50	.*	11062	ъ.		,,	2寸5分		28.90	
029	"				5†	•	84.20		11063	п		.,	3‡	,	34.70	
080	"				5寸5分		92.60		11064		•		4寸		55.20	
031				*	64	- 1	18.60		11065	,,			51	n.	105.00	
032	.,			11.	7 <b>†</b>	70	68.30			报	焦	公	25	,	19.50	- +
33	,				81	-	- 1		1066	,,			2寸5分		28.90	:

١	6

				- 1				稱號	品			名	規格	單位	CI.	F		
編號	no n		名	規格		C.I.F.		11100		- 7	71	公公	5158					
11067	报	魚	公		臤	34.70		11101				-	4寸5分		81.		.1.,1	
11068	ь		"	4 t		55.20			<u> </u>	##	衐	75	2寸5分		31.	60		
11069	挺	魚	公	2寸5分	"	28.90		11102	-	4	, D.L.	-A	34	,	38.	10		7
11070	,1		"	3‡	,1	34.70		11103	+-			.,	4\$	10		80		1
11071	担	魚	公	2寸5分	-	30.50		11105	┼		-	.,	5 7	-	118			
11072	*		**	34	"	37.60		11106	+			.,	65	1,	152			
11073	0			4·t	"	6070		11107	-				75	1,	218			7
11074	7		-1	31.58	"	5000		╁			= 40	公	23 5%	,,,	-	,40		-
11075	腱	睡刊	了公	1寸5分	"	14.50		11108	+-		駅	, 'A'	35	-	+	,60		٦
11076	"			21	"	18.90		11109	+-				-	1,	+	.80		ᅥ
11017	1.		"	2寸5分	1	26.80		History	+				4† 5†	+ "	+	3.10		$\neg$
11078	-		-11	3‡	"	31.80		1111	+				+	+,	+	7.50		$\neg$
11079	末	足	公	15分	-,	16.00		1111	+				64	+:	-	140		-
11080	2			2寸5分	11	27.90		(111	-+-		1.0	,	75	+:	-	0.50		-
11081	公	孫	焦公	2寸5分	"	43.40		1111	-		水	龍化	7	+	+	230		$\dashv$
11087	2 "		.,	34	"	55.20		1111	-		-		25	+	-	1.80		
11083	3 "		n	45	11.	89.70		1111	+	n			+	1	+	0,50	-	
11084	+ 坐	大石	魚公	3 寸	"	37.60		1111	-					+			+	
1108	5 酰	蚌	茲	45	-	133.10		╁	+	産	缸			+	-	3.60	+	
1108	6 漁	夫	. 対	3\$	.,	63.70	\	1111	-+-		扶	龍		-	-	9.50	+	
	и		,	45	"	110.50	)	1111	-	".			1.00	+	-	1.50	-	_
1108	7 験	魚	<u>Z</u>	2\$	-	17.10	)	1112	0	E .	金 :	进力		-+	-+-	6.00	-	
1108	8 "		11	21 57	· {	26.30		1112	21				21	+		9.20	+-	
1108	9 "		,	3\$	-	31.80		1112	22	0			. 2寸6	_	-	8.90	+	
1109	10 "		,	3 5 5	· ·	40 5C	)	1113	23	p			33	-+	-	4,70	-	
1109	ı f	扶	旺公	2寸59	∂ "	28,90		1111	24				43	+	-	5.20	+	
1109	2 "			31		35.50		111	25	11			5	-+		5.2	+	
1109	1 8		- 1	45	'n	55.20		in	26	n			. 6	+	" 13	9.4	9	
1108	94			5 5	,,	105.20	)	1111	27	r			. 7	1	" 16	4.0	<u> </u>	
1108	5 .		,	65	,,	139.40	0	111	28	,,			" 83		" 27	6.2	<u> </u>	
1109	96			7 7 7		194.70	)	, (111	29	码	補	<b>个器</b>	2 2 j	5/1	* 3	30.5	0	-
110	97			, 8f	, /	276.20	0	111	30	н			31	t	- 3	37.6	0	
110	98			. 91	. ,	355.10	0	111	31	"			2 4	ŧ	"	8,06	0	
1101	99 t	大方	· 在	Z 75	.	24200	0	111	32	,,			" 5	ŧ	" 1	13.1	0	•

編號 品 有 概称 型 CIF															
	編號	iii	1	5 規格	單位	CIF		編號	8		名	兓 格	單位	C.I.F.	
1136 未足状質公 4寸	11133	担水桶	竹雜生	61	积	147.60		1208	企	公孫挑	公	4寸	豜	60.80	
1136   世水橋下養公   2寸   20.30   1211   7寸   21040   11137   全加大秋町公   6寸   172.30   1212   別	11134	и		7 <del>†</del>		21040		1209	0		a ·	51		112.90	2.5
1137   全切木杯町公   6寸   172.30   1212   乳   焼   3寸   5790     1138   次 紅 霧 ②   2寸   20.30   1213	11135	赤足力	き籠2	4 +		66.50		1210	11		n	6 <b>†</b>		15050	
1138   秋 和 龍 公 2	11136	担水桶	竹籬	21	"	20,30		1271	,		۸	7寸		21040	
1139   世 藍 公 2寸 " 2030	11137	企加大	扶矼么	65	10	172.30		1212	和	MI MI MI MINI	姑	34		57.90	
11140	11138	扶矼	籠 2	2 1	н	20,30		1213	11			44	"	98.40	
1114  全	11139	担整	1 /	25	e,	20,30		1214	,			5 <b>†</b>	"	185.20	
11142 全 介 ② 戊5分 。 43400	11140	路 館	į į	3寸5分	-	45.00		1215	,*		,,	6 t	,,	20830	
11143   担象 公 2 1	11141	企 扶	镰 /	4寸5分	0	86.80		1216	机	大	于	2寸	.,	13.70	
11144	11142	企力	† 2	区 5分	"	43400		1217	37		, a	2寸5分	- н	21.00	
1145 全	11143	担魚	i 2	2 t	P	2030		1218	н		н	.34	n	26.80	
1144 企産魚公 45分 " 72.30	11144	跑浪	t 2	61	"	147.60		1219	,,		*	45	,1	43.40	
11147 全 孔子 公 555分	11145	坐 箭	1 2	6 5		173.60		1220	-11	-	"	5†	"	84.20	
1148	11146	企養	魚	4寸5%	0.	72.30	-	1221	-11		,,	6寸	a	110.50	
1149 生 排 ②   1寸分 ・   14:20	11147	企孔	子生	5寸 5分	11	86.80		1222	"		н	7寸	"	153.40	
1150   在午午公   6寸   147.60   1225   東   公   15分   1390     1151   7寸   21040   1226   頂 子 公 3寸   3080     1152   2寸   2030   1227   女理 年公 3寸   2630     1153   3寸   37.60   1228     4寸   4340     1154   2寸号   30.50   1229     5寸   78.90     1155   4寸   6080     戸神 要 3寸   26.60     1156   9寸   113.10     2寸   2寸   13.70     1157   京 龍 公 2寸   2030   1230   貴 和 野 園 3寸   5520     1157   京 龍 公 2寸   2030   1230   貴 和 野 園 3寸   5520     1157   京 龍 公 2寸   2030   1230   貴 和 野 園 3寸   5520     1157   京 龍 公 2寸   2030   1230   貴 和 野 園 3寸   5520     1201   全 野 公 2寸   取 28.90   1233   恵 美 公 3寸   37.40     1202   2寸5号   44.70   1234     9寸   12440     1203   3寸   3寸   57.90   1235   木 聖 公   105.20     1204   4	11148	坐孔	子	4寸	r	52.10		1223			o	8寸		211.20	
1151	11149	生者	ŧŹ	付5分	"	14.20		1224	,		ır	9†	"	289.40	
11152   *** 2寸 *** 2030   1227 女理傘公 3寸 *** 2630     11154   *** 2寸所 *** 30.50   1228 *** *** 4寸 *** 4340     11155   *** 4寸 *** 6080   月神 饕 3寸 *** 26.60     11156   *** 5寸 ***   13.10   *** *** *** *** 2寸 ***   13.70     11157	11150	担什	羅乙	6 t	" .	147.60		1225	嫘		公	付5分	11	13.90	
11154	11151	"		7 寸	n	21040		1226	覄	仔	公.	3.†	r	3080	
1154	11152	"		2 \$	٠	2030		1227	女.	担傘	公	34	"	26.30	
1155	11153			31		37.60		1228	μ		а	4.T	n	4340	
1156	11154	.,		2寸5分	"	30.50		1229	"		. "	ত‡	"	78.90	
1157   扶 驚 公 21   2030   1230   黄 如 醉 酒 31   5520     12 新 英	11155			41	,	60.80			拜	神	婆	37	а	26.60	
F七米由類	11156			5 t		113,10			н		.,	21	н	13.70	
編號 品 名 規格 戦 C.I.F. 1232 - ・・5寸 ** 156.20 1201 生 新 公 2寸 駅 28.90 1233 蕉 美 公 3寸 ** 37.40 1202 ** ・・2寸5分 ** 44.70 1234 ** ・・5寸 ** 124.40 1203 ** ・・3寸 ** 17.90 1235 大 聖 公 ** 105.20 1204 ** ・・4寸 ** 101.30 1236 日 月 公 9寸 ** 474.00 1205 ** ・・5寸 ** 178.00 1237 ** ・・1にけ ** 584.50 1206 ** ・・6寸 ** 347.20 1238 ** ・・1にけ ** 90.280	11157	扶 驚	. %	2†	,	20.30		1230	貴	妪 醉	酒	34	,,	55.20	
120  全 府 公 2寸 既 28.90		107	抽类	<b></b>	12	. 各式公	類	1231	.,		0	4 <b>†</b>	n	84.20	
1202   12440   1234   12440   1203   1235   12440   1203   1235   12	編號	60	1	規格	暰	C.I.F.		1232	н		n	5す	и	156.20	
1203   1204   1205   1206   1206   1206   1206   1206   1206   1206   1206   1206   1206   1207   1208	1201	坐 死	F 3	2 1	蔝	28.90		1233	蕉	美	公	3 <b>†</b>	"	37.40	
1204   "	1202	p.		2寸5分	n	44.70		1234	· n			.0T	п	124.40	
1205   178.00	1203	**		3 1	1.	57.90		1235	大	聖	公		"	105.20	
12 O6 " " 6† " 347.20 1238 " " 170‡ " 90280	1204	п		4寸	11	101.30	5 F	1236	В	月	公	9 <b>†</b>	"	474.00	
	1205	п.		51	"	178.00		1237	"		,,	厌け	.,	584.50	
1207 企公孫彬公 3寸 " 4050 1239 企 清 官 6寸 " 147.60	1206	,1		6 f	h	347.20	- 1	1238	"			J尺2扩	"	90280	
	1207	企公表	联批 2	3 3 3 4	n	4050		1239	Œ	清	官	61	"	147.60	

	-										
編號	品名	規格	靴	C I.F		編號	E .	現格	暰	C.I.F	
1240	坐清官		-	173.60		1306	狗仔烟哥	ŧ i	臤	4000	
1241	, P	7步	,,	251.70		13 07	竹雀	某	"	43.40	
1242	樹 頭 公	2寸5分	,	2080		13 08	鞋仔烟石	*		25.50	
1243	童捉蛤公	3寸		<b>6</b> 0.80		13 09	荷葉 烟	集	"	40,00	
1244	工持鴿公	4寸	Р.,	57.90		1310	孩 抱	I 4寸	.,	101.30	
1245	化釉企牛公	2\$	n	39.50		1311	竹笙涠	豊 3寸	-7	135.70	
1246	е ' о	3 <b>†</b>	п	94.70		1312	樹頭烟	五 3寸		135.70	
1247	,, ,,	41	9	129.70		1313	孩無烟	菜 2寸	"	42.60	
1248	p e	2寸5分	п	56.60		1314	梅雀烟	黨 2寸5分		78.90	
1249	坐 清 官	4.5		68.40		1315	н .	" 3 <del>†</del>	"	14200	
1250	全公 孫挑公	3±		44.60		1316	雀桶烟	盘. 3寸	10	94.70	
125	公孫漁公	5,5	n	167.80		1317	蝦 蛇	育 3寸	~	94.70	
125	二人指轎公	10	η	24.70		1318	和平鶴	水 3寸	,	72.30	
125	老人賣魚公	4寸		66.50		1319	推車	∑ 3 <b>1</b>		81.50	
12 54	企事梅公	71	n	167.80		1320	大狗烟	葉 4寸	r	46.30	
1255	, r	5†	η.	92.60		1321	和平鴿烟	喋	1.	60.80	
125	,	4寸	.,	47.90		1322	魚形 烟	萘		52.60	
125	實	5 🕏	n	98.40		1323	洋犬烟	喋	Ľ	40.00	
1258	3 1 1	41	n.	52.10			推車	公 2寸	Ŀ	52.10	
1259	* * *.	3 \$	"	28.90			循弩烟	碟 2寸	"	69.50	
1260	<b>慶</b>	6寸		191.00					$\perp$	<u> </u>	
126	奏 袖 企 れ 子	5寸	0	92.60					1		
126	2 " "	4 <b>j</b>		47.90					1		
126	3 " "	35	-	28.90					L	<u> </u>	
L							化釉	類	14.	各式福宜	.石山類
						猫號	80	名 規 棺	暰	C.I.F.	
		3.		1		1401	竹節雙雀	简 3寸	臤	107.80	
	化釉类	頁	13.	各式烟泉	類	14-02	h	·· 4寸	1.1	131.50	
編号	品 名	規格	單位	C.I.F.		14 03	樹頭單雀	筒 4寸	1	92,10	
130	! 象烟碟		臤	46.30		14 04	樹頭雙雀	筒 4寸	"	97.70	
13 C	2 蓮 花 蛊	2寸5分	"	78,90		14 05	蓮 鴨	简 4寸	r.	110.00	
130	3 獅 隊 碟	2	-	78.90		14 06	樹頭大	<b>養</b> 3寸		72.60	
130	4 孩 拖 缸	3.1	1	69.50		14-07	實鴨穿	蓮 3寸	4	133.60	
13 C	5 獅 梱 碟		"	40,00		14 08	图蚧	∯ 5寸	,	136.00	
-											-

															19
編號	品	1	7	現格	靴	C.I.F.	<u> </u>	編制	£ 55		7	規模	野町	C.I.F	T
1409	圓	詽	*	61	百名	144.70		1443	9 變	釉	店 前	-	酥		
1410	童	抱魚	植	4寸	٦,	72.30		1444	F			81	Ť.	579.00	<del></del>
14 1 1	洋	Ħ	. 荷	3‡		63.70		1448	5 .		,	8J 59	ş	868.10	
14-12	白	鰢	筒	4†	a	115.70		1446			0	91		1013.00	-
1413			n	5寸	,,	13 9.40		1447	"		1)	1尺	1,	1,157.00	+
1414	石	雙雀	筒	45	n	116.50		1448	變	地大	<b></b>	: 31	,	749.70	
1415				51		138.10		1449	變	袖三	足力	4+	,,	231.50	
1416	1,4		,,	34	-	89.70		1450	-	蕉	石	6\$	100	289.40	
1417	飾	.筆	ha An	2寸5分	,,	43.40		1451	變	抽水1	山盆	55	-	231.50	
1418	獅	象	架	3 🕏		36.90		14-52	_				T	-	
1419	蓮		象	5#	,,	192.00		1453			-			•	
142C			a.	6寸	.,	257.80		14-54	T	*****					
1421	"			7\$	,,	376.20		1455			-				
1422	蟾	蜍 公	篙	3‡	п	72.30									
1423	石	山	景	3\$	.,	72:30									
1424	蹇	栊	插	(†5分	'n	23.30	1								
1425	礌	鴨	蓮	3†	11	110.50					-				
1426	Ê	聘	蓮	3 <del>1</del>		136,80			1t	和	类	ŧ	15.	鳥獸鮗	甲類
1427	菱		₩	3號		150.50		稱號	100		名	規格	靴	CIF	
1428	方	Щ	盆	9打5分	n	232.00		15 00 1	鷄		公	7分	职	6.20	
1429	p		r	8 <b>†</b>		173.60			μ.		•	Ιŧ	"	6.90	
1430	и.		"	6寸5分	.	115.70		15002	.,			1寸5分	и	8.50	
1431	草	煱	産	4寸5分	"	86.70		15003				2‡	.0	1050	
1432	"			4寸	η,	57.90		15004	門		鷚	3‡		28,90	
1433	有	圓花	插	5 †		101.30		15005	毋		鷄	7分		6.20	
1434	*	底	盆	5寸		101.30		15006	小		鶏	3 🕏	'n	4.90	
1435	万	草	鲎	41		101.30		15007	蹈	-	鴨	5分	,	4.60	
1436	1	草	盆	91	1 2	24590		15008			. "	7分	"	4.90	
1437	п			7す	•	183.10		15009	o,			ゖ	. "	5.60	
14-38	n		"	51	"	86.80		15010	,,		-	付5分	"	7.20	
1439	小	鷄	Ш		"	28.90		150 11				25	"	8.70	
1440	方	形花	插	9†	"	217.00		15012	Ŷ		鴨	5₩	,	4.90	
1441	高形	圖草	童	4寸	"	86.80		15013				7 श्रे	4	5.60	
1442	天	冰	瓶	5寸5分	-	231.50	1	15014		-	-	1,1	. [	620	


2	0


	-														
福號	묾	- 名	湖	格	粒	C.I.F		編號	品		名	規格	軰	C.I.F	
150.15	企	鴨	1:		沢	8.50		15049	企質	甲聚	虎	3‡	臤	49.20	
15016	"		+-	2†		1080		15050	n			41	"	81.00	
15017	毋	碧	+-	24	7	8.70		15051	糖		仔	7分		4.90	
15018	<b>小</b>	73	+-	5分	,	4.60		15052	'n		r	11		5.60	
	<u> </u>	F (大一)が	+-		,	42.30		15053	楯		19	2寸	"	15.70	
15020	鵡		+-	1寸	,	7.2C		15054	и		10	2打5分		21.30	-
15021	469	7	+-	15%	,	9,00		15055	图	喜	貓			14.10	
15022			+	25		11.30		15056	石	莊	魚	74		5.60	
15023	黛	類	+-	5分	,	4,90		15057			,,	14	Ŀ	7.20	
15024	. Pr		+	7分	,	5.60		15058	"		ıı	付5分	Ŀ	8.70	
15025			+-	1 寸	,	6.20		15059				2‡	n	1030	
15026			+-	すら分	n	. 8.50		15060	鋼		魚	77	"	5.10	
15027		1	-	2寸5分		15.70		15061			••	11	-	5.90	
15028	-	<u>-</u>	+	7分		6.20		15062				1寸5分		7.40	
15029	100	1		- <del>///</del>		5.60		15063			,,	27		9,00	
15030	1-		+	15		5.90		15064	鑑		魚	79		4.40	
15021	<b></b>		+	はう分	ь	7.90		15065				11		5.4C	
15032	┼		,	25	ļ.,	10.50		15066	5			1758	١.	6.90	<u> </u>
1503			3	7分	-	10 80	-	15067	-			25		8.5C	
15034	+			15	-	12.60		1506	*	更复	魚	7分		4.40	)
15035	5			115分		16.40		15069	9 "		,	13	1.	5.40	)
15036	<del></del>		-	2 \$	1	21.50	-	1507	0 "		-	155	9	6.90	
1503	+-	. 3	鳴	7分		10,00	2	1507	1			2 🕏	·	8.5	
1503	<del>-</del>			13	1.	11.36		1507	2 倉		1	t 7/3		. 4.60	
1503			1	25		14.40		1507	3 "			. 13	Ĺ	- 5.60	)
1506	-		<b>£</b>	2158	+	28.20		1507	4 .			1寸8	7)	6.9	<b>&gt;</b>
1504	+		赤		1.0	11.80		1507	5 題			77	, [	4.90	)
	2 8		4		+	16.40		1507	6 .			- 13		5.90	כ
-	3 旗		群		1.	1030		150	77 .			155	Ð	- 6.9	51
	4 7		ĦE.		1.	9.7	o <sub>i</sub>	150	8			·· 1#8	7	7,44	)
150	5 6	唐德	蔗	1\$	1.	144	ol	150	79 /			- 2:	- 1	7,9	٥
1504		r-1 ft		1155	}	118.2	C	150	30 <b>g</b>	Ē	,	2	1	- 31D	
-	47 ,		-	23	-	21.3	c.	\$ 15O	311			- 3	T - {	- 86-8	0'
150					al .	1 23.1	0	150	32			4	5 7	-111-5.7	c
1,50		-		1											-

掃稿 品 名 現 報 で C.T.F   / / / / / / / / / / / / / / / / / /															
15084 魚	網號	ñ			規格	鞡	C.I.F	稱號	60		各	規格	鄻	C.I.F	
18086 m	15083	좚		魚	51	臤	167.80	15117	t	眼鶏	魚	14	臤	6.10	
15086   17分   1720   15120	15084	魚		仔	37	r	1.90	15118	p			1寸5分	p	7.70	
15087 全	15085	и.		,,	5分		2.20	15119	-		0	21		00001	
15088   15089   15122   78   15122   78   15122   78   15122   78   15122   78   15122   78   15123   1512	15086	п		.,	7 🛱	п	2.20	15120	簺		無	2寸5分	-	59.20	
15089   1508   1508   1508   1508   1508   1508   1508   1508   1509	15087	坌	•	Æ	7分	м	7.20	15121	獅	4	壳	3寸 5分	ń	49.10	
15080   2寸   11.50   15124   77   250   15091   3寸   16.90   15125   田	15088	14.		,,	14	4	7.90	15122	穿	绳建于	魚	3 <del>7}</del>		2,20	
1509  *** *** *** *** *** *** *** *** *** *	15089	,,		и	1寸5分	11	9.70	15123			и	5∄		2.40	
15092 連   脚 寛 5分 ** 4.40	15090	n		-	25	,,	11.50	15124	-		•	77	p	250	
15093 n	15091	,	•	al	3‡	n	16.90	15125	極	頭	袈	1寸5分		45.10	
15094   交   野   竜   7分   - 540	15092	連	脚	亀	5分	4	4.40	15126	夡			34	-	26.10	
15095   15096   1519   15199   151	15093	n.			77	**	4.90	 15127	詹		Ä	2 🛨	,,	9.00	
15086   1509   7.90   15130 日	15094	芠	脚	龟	7分		5.40	15128	驾		莓	2\$	_	11.30	:
15097 蛤	15095	,,		÷	17	•	640	15129	蚧		仔	2#	,,	38.50	
15098   177	15095				付5分		7.90	15130	Ħ		售	34		34.70	
15099   15090   15133   36   284(公)   15150   15150   15133   36   284(公)   15150	15097	蛤		纡	5分		4,20	15131	化	釉白	鸖	3‡	ě	38.10	
15:00	15098	11 -		.,	7分	,,	4.60	15132	Ŷ	瘫	鴨	2號	a	359.00	
15+0    ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	15099	n			竹	,	5.90	15133	٠		4	3號		284.00	
15102 · · · · 3寸 · · 28.90	15:00			p1	付5分	4 /	14.10	15134	羊		仔	25	•	25.90	
15°03 第	१५५०।	a			2寸		19.80	15 135	繜		仔	3‡	-	28.20	
15404 · · · · · 7分 · · 13.60	15102			.,	3\$	п	28.90	15136	白		乭	1寸5分	*	11.50	
15105	15103	蚧		仔	5分	,	12.80	15137	r			25	•	21.30	
15106 数	15104				7分	-	13.60	15138	r.		п	17	.,	9,00	
15:07 " "   15分 "   12:80	15105			r	11		14.60	 15139	.,		*	万分		7.90	
15108   15108   15108   15108   15108   15108   15108   15108   15108   15108   15108   15108   15109   15108   15109   151	15106	蚁		仔	15		11.00	15140	青	釉	龟	付分	•	9.20	
15009   第	15:07				175分		12.80	15141			u	11	-	7.40	
15710 就 意   1737   1030   15144 青糖 常任   1537 - 27.60     15311 蓮	15108				2‡	"		15142	n	-	,	7分		6.20	
1511 種	15009	蛹		#	1寸5分	"	1080	 15143			•	5分	.,	620	
151,2 章   2t · 21,30   15146 · · · 7分 · 15.70 · ·   15413 · · · 3 · · 31.80   15147 · · · · · 5分 · 15.70   15148 常 符 付 5分 · 24.10   15148 青 接 等 付 付 5分 · 16.20   1515 元 · · · · · · · · · · · · · · · · · ·	15110	就		急	打切		6.90	 15144	青	猫羚	仔	1寸5分	•	27.60	
15413 · 3 · 31.80   15147 · " 弱 · 1570   15114 兌 任 15分 · 24:10   15148 青 級 年 1 切 · 1620   1515 獨 午 1 切 · 1030   15149 · · · · · · · · · · · 690	15911	蹇		魚	11		24.10	 15145			•	13	•	1690	
15114 99	15712	€			2₹	•	21.30	 15 146	_		*	7分		15.70	
15115 帰 中 17 1030 15149 * 17 690	15413				35	٠	91.80	15147	•		"	5分	r	15.70	
Ag 17 OOO TOO	15 114	枀		仔	1757	*	24:10	 15;48	青	綠蛤	仔	付5分	,	16-20	
151:6 大眼鷗魚 7分 ~ 5:0 15:50 7分 - 5:10	15115	焉		+	17	-	10.30	15149	п			15	. •	6.90	
	(51:6	7	瞬到	馬魚	72		5.∶0	 15150	-		,	77	, ,-	5.10	

	-							֒	-				1		T=	ŤE	台	代百	i i	17	4	作為劉、之	被類
編	號	TE TE			名	規	,格	靴	C:	I F			1	-		<u> </u>			·	單位	-	I.F.	
151	51 3	青月	ŧ	蚧	仔			臤		1,60			+	导號				-+		型配	-	5.80	
151	52	企 <sup>1</sup>	蓮		鴨	7	、號	17.	434	.00	-		+	701		茄	Ш	公		H/A		5.30	
151		化利	切			-	2†			7.90			+	702	11			4	58		-	6.30	
1515	54	企 .		3	<b>原</b>	_	1,4	i*		40	- 2		-	703	-"			-	7分	<u></u>	-	7.60	
1515	55	,,			"	_	55	13	-	3.20	_		+	704				-	15	-"	⊢		
151 9	56	0			"	2	24	.,		.30	L			705	"			-+	付5分	-	+-	26-60	
151	57	,,			4	2	<b>打扮</b>	" .	33	3.10			1	706	_"			-	25	"	1	40.10	
151	58	n			٠,,		3 t	n	49	9.20	Ŀ		1	707	们	" )	<del>.</del> Ті	公	万分	"	┞	4.60	
151	59	r			l»	4	4寸	*	8	1.00	Ĺ		1	1708	"	_		"	11	"	-	5.10	
-														1709	1			,,	155分	Ľ	1	7.70	
		原	17	柚	类	頁		16	各	对茅	寮	類		1710	Ŀ				2\$	1.	┿	13.30	
編		E E	_		名	_	見格	靴	C	ΙF				1711	ر	_ M	無	公	15分	-	+	42.30	
-	01	原		Щ	寨		5分	取		5.90				1712	Ŀ			,,	2\$	1"	1	54.10	
	02	-1				T	7分	'n		6.2O				1713	1	n		"	2559	,,	1	66.70	
1	03				٠,	1	11	n	T	7.00				1714	-	4			3\$	1	1	74.60	
16	04		-		14	t	15分	"	1	0.60				1715	5 1	h 3	5 踏	鴨	51	Ŀ	1	32,00	
<u> </u>	05	J1			,	+	2寸	,,	1	6.5C			- Constitution of the last of	1716	5 1	指 =	5 企	鴨	5 f	1	1	58.00	
-	06				,		2寸5分		2	6.80			-	171	7	胎	毛 麗	領	34	Ŀ	·	60.5O	
-	07					+	35	1.	4	3.10	1			1718	3	胎	<b>€</b> 4	? 5°0	3\$	T	1	265580	
-	08	-,				+	4†	1,	-	400	+			171	9	胎	毛煎	日梅	35	T		81.50	
-	09	-				+	55	+	117	0.00				172		n,		r	41		n	158.00	
-	510	-				,	6 <b>j</b>	1.	+-	23.00	+	7		172	1	胎	毛企	排	55	T	, ,	203.00	
-		原	_	水		¥	5分	+	1	8.50	+			172	2	,,		,,	to	T	n	255,00	
-	611	15%		4,	-	T.	7分	+	+	9.50	+			172	-	企	胎	猫	3 1	1	-	56.80	
-	513	-					1寸	+-	-	10.10	+			172	+	白	胎	렚	3 3	T		52.10	
	614	+-	_			-	13 13 13 13	+		16,0	+		<del></del>	172	-+	胎	₹ 4	丰公	64	-	,,	320.00	
-		+-				,	25	+	-	27.10	-+		÷	172	-		半身主		+	+	,,	130.00	
-	615	+-						-	-	410	-1		- 7	172	-+	胎	单		-	+		6.90	
-	616	+-				-	215	1	+	66.8	-		-	172		11		. 45		$^{+}$		6.90	
- 1	617	+				"	3†	+	-	7.0				173	$\dashv$	,,	<del></del>		-	_		7.40	
-	618	-		m		-	1 寸	+	+	3.4	-+			17	-	, B	<del></del>		1118	+		7.90	
+	619			釉		宇	-	+	-		-			17:	_				19 2	-	11	10.00	
-	620	+		釉	·		-	+	"	4.7	-	<del></del>		-		Re	L :			-+			<del>                                     </del>
H	62	+-	見	オ	<u> </u>	寮	41	-+	-+-	202.0	-			17		-	上市					8.50	-
- 1	162	2	и.			ņ	51		1/3	278.0	00	_		17	33	ii			13		-	8.50	1

稱號	Ei,		名	規格	鄲	C I.F.	稱號	<b>5 5</b>	規格	影	ĊΙ.F.	
1734	胎上	樹	缑	1寸 5分	臤	9.00	1768	上胎單牛、馬	7分	臤	23.90	
1735	.,		-	2 🖠		10,00	 1769	ng · P	Ιŧ	",	31.00	
1736	胎 雙	頭	猴	7分	.,	14.90	1770	上胎人騎牛馬	5ঠ		38.50	
1737	r		(1	15		16.20	1771		7分	"	40,00	
1738	н			2†	"	19.80	1772	n P	15	,,	52.70	
1739	跣 =	頭	缑	7分	"	22.60	 1773	上 胎小亭守		*	6.90	
1740	r		,	11	"	24.60	1774	胎毛騎馬	34		122.00	
1741			11	けの分	<i>;</i> -	26.20	1775	п	2 f	-	92.30	
1742			,	24	2	29.70	1776	上胎單馬	り分	"	22.60	
1743	,r			3‡	.,	33.90	 1777	11	7分	"	23,90	
1744	貼售	頸	缑	1寸5分	"	17.70	1778	r)	17	-,	31.00	
1745	上月	台馬	獸	3∯	. "	18.20	 1779	上胎人騎馬	5分		33.50	
1746	'n		.,	5分	n	18.50	1780	п	7分		40.50	
1747	,		.,	7分	"	19.50	 1781	,	13	L	52.70	
1748	行月	ர் ப்	公	7分	"	4.40						
1749	脂毛	騎牛	馬	3‡	4	122.00						
17-50			,i	25	"	92.30				_		
1751	胎刊	5 £	鴨	4 <b>j</b>	,	135.00				_		
1752	胎ョ	5 路	鴨	4寸	2	113.00	 			L		
1753	胎	5 企	鴨	9‡	4	110.00						
1754	形 =	5 路	鴨	34	"	94.20	 <u> </u>			L		
1755	行月	í H	公	1寸5分	2	41.60	 		<u> </u>	L		
1756	p		н	2寸	"	41.30	 		L	L		
1757	4		.11	2寸5分	"	46.20	 <u> </u>			_		ļ
1758			**	31	9	50.00	 			_		
1759	上月	台島	獸	15	"	23.10				L		
1760	上月	台小	舟	1才5分	"	48.70				L		
1761	上	冶林	船	15	"	70.50			ļ .	L		
1762	胎	毛生	簙	大號	"	347.00	-			_	L	
1763	"		,,	2號	"	237.00				_		
1764	ч			3號	"	150.00				L		
1765				4號	"	130.00						
1766	± 1	货币	新	11	"	70.50				L	ļ	
1767	上點	單件	馬	5 छे	"	22.60	PACIFIC STREET		L	L		1





空氣壓縮機

# 中國機械進口公司 CHINA NATIONAL MACHINERY IMPORT CORPORATION

(IMPORT — EXPORT)

ER-LI-KOU, HSI-CHIAO, PEKING, CHINA CABLE ADDRESS: "MACHIMPORT" PEKING

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-

# AIR COMPRESSOR

MODEL 1-6/7

This Air Compressor is of two-stage, four-cylinder, V-construction, single acting, air cooled type. Capacity 6 cubic meters free air per minute to pressure of 7 atmospheres.

It is driven by a direct-coupled 40 KW. motor. The compressor, motor, and intercooler are all mounted on a frame work, equipped with manometer and safety valve.


Air cooling of cylinder is effected by fans. Lubrication by splash method. Air receivers are of two sizes, namely: 0.25 cubic meter and 1.31 cubic meter respectively; any or both of them may be equipped if required.

The machine is suitable for use in building construction works, mines and workshops to supply energy to pneumatic tools.

#### SPECIFICATION

No. of cylinders:	1st stage				2
	2nd stage				2
Cylinder bore:	1st stage				230 mm.
	2nd stage				135 mm.
Stroke:					120 mm.
Intake capacity:		٠.			6 m³/min.

Pressure:	1st stage	•	٠	•	٠	•	•	Z ami.
	2nd stage							7 atm.
Power required								52 H.P.
Speed								730 rpm.
Motor:	Power .		٠					40 KW.
	Speed .							730 rpm.
Overall dimension (L (including motor		٠		٠	٠	2	120x90	5x1261 mm.
Net weight (including motor				٠		•		1360 kg.




N.B.—For improvement of the machine, we reserve the right to alter either the design or the specification.

Sanitized Copy Approved for Release 2010/08/19: CIA-RDP81-01043R000700240009-5

# BRANCHES 171 Chien Shien Road (Ho Si District) Cable Address: MACHIMPORT Tientsin SHANGHALOFFICE: 27 Chung Shan Road E1 Cable Address: MACHIMPORT Shanghai CANTON OFFICE: No. 2, West Bund Road, Canton Gable Address: MAGHINERY Canton

# ANTHINA Water Pump Centrifugal Type



中國機械進口公司 CHINA NATIONAL MACHINERY IMPORT CORPORATION

IMPORTERS & EXPORTERS

ER-LI-KOU, HSI-CHAO, PEKING, CHINA

CABLE ADD: MACHIMPORT PEKING



#### INTRODUCTION

Water pump is a kind of Machinery for pumping water from a mer level-up to, a higher level. Mines, Factories, Fundamental natructions use water pumps for transporting water, supplying are and displacing water. Agricultural productions also utilise water ups to fight against nature disasters.

There are many kinds of Water Pump, but the most effective and of widest usage ones are the Centrifugal Type Water Pumps. The main edvantages of the Centrifugal Pumps are as follows:

- (i) Simple and strong construction.

  (2) Low cost of manufacture.
  (3) Easily transportable.
  (4) Easy handling and operation.
  (5) Low cost of maintenance.
  (6) Stoppages and non-functioning can hardly occur.
  (7) High pressure and great capacity.



#### TABLE FOR ACCESSORIES

Part No.	Nomenclature	Material	No. of Pcs.	Remarks
1	Main Shaft	Mild Steel	11	
2	Bush Cover	Cast Iron	- 1	
3	Bush Check Nut	Mild Steel	1-2	
4	Ball Bearing	Hard Steel	- 1	Single Roll or Double Roll
. 5	Housing	Cast Iron	1	
6	Ball Bearing	Hard Steel	i	Single Roll
7	Stuffing Box Cover	Cast Copper	- 1	
8	Packing	Asbestos	3-4 Rolls	
9	Water Seal Ring	Cast Copper	.1	
10	Priming Cup	Cast Iron .	1	
11	Priming Cock	Cast Copper	- 1	
12	Impeller Key	Mild Steel	-1	
13	Impeller Nut	Cast Copper	1	
14	Impeller	Cast Copper	. 1	
15	Pump Casing	Cast Iron	- 1	
16	Stuffing Box Liner	Cast Copper	- 1	
-17	Sheaves	Cast Iron		
18	Sheaves Key	Mild Steel	1	,
Α	Rear Bearing Oiling Screw	Mild Steel	. 1	
В	Middle Oiling Screw	Mild Steel	·	
С	Front Bearing Oiling Screw	Mild Steel	. 1	
D	Water Seal Screw	Mild Steel	1	
E	High Pressure Water Seal Screw	Mild Steel	. 1	
F	Standard Oiling Bevel Screw	Mild Steel	-	
G	Oil Drain Cock	Mild Steel		
Н	Stuffing Box Water Drainage Cock	Mild Steel	1	
K	Pump Casing Drainage Cock	Mild Steel	1	


#### Centrifugal Type Water Pump Size and Its Character

Pump	Dia	neter	II D	R.P.M.	Gal./	Total Head	Net Wt.	Equipments
Size	Inlet	Outlet	n.r.	R.P.I'I.	Min.	In Ft.	Kg.	Equipments
2"	23"	2"	3	1800	200	30	47	
3"	4"	3"	5	1800	350	40	79	Ø 4" Suction Valve I piece Ø 4" 90° Elbow I piece
4"	5''	4"	8	1500	500	60	127	Ø 5" Suction Valve I piece Ø 5" 90° Elbow I piece
5"	6"	5"	15	1500	600	60	154	Ø 6" Suction Valve I piece Ø 6" 90° Elbow I piece
6"	8"	6"	20	1400	800	60	217	Ø 8" Suction Valve I piece Ø 8" 90° Elbow I piece
8"	10"	8"	25	1000	1500	50	331	Ø 10" Suction Valve I piece Ø 10" 90° Elbow I piece
10"	12"	10"	30	900	2500	50	574	Ø 12" Suction Valve I piece Ø 12" 90° Elbow I piece
12"	12"	12"	35	900	3500	40	689	Ø 12" Suction Valve I piece Ø 12" 90° Elbow I piece
14"	14"	14"	40	680	4200	30	1335	Ø 14" Suction Valve I piece Ø 14" Elbow I piece
16"	16"	16"	55	600	6000	30	1795	Ø 16" Suction Valve I piece

#### The Construction of the Water Pump of Centrifugal Type.

The constructions of various specifications of the Centrifugal Water Pump manufactured by the factory are all in one of the same model. The following drawing is one the recent production:

Centrifugal Type Water Pump Constructions



#### TABLE FOR "V" BELT DRIVEN

Pump			Sheave 4		Sheave 6	s Dia.	Sheave 8	
Size	H.P.	R.P.M.	V Belt Speed Ft.	No. of Belt	V Belt Speed Ft.	No. of Belt	V Belt Speed Ft.	No. of Belt
2"	3	1800	1800	B-2	2700	В-і	3600	A-2
3"	5	1800	1800	В-3	2700	B-2	3600	А-3
4"	8	1500	15 00	C-3	2200	B-4	3000	A-4
5"	15	1500	1500	C-4	2200	C-3	3000	B-5
6"	20	1400	1400	C-5	2100	C-4	2800	C-3
8"	25	1000	1000	D-5	1500	C-7	2000	C-5
10"	30	900	900	D-6	1350	D-4	1800	D-3
12"	35	900	900	D-7	1350	D-5	1800	D-4

#### BRANCHES

TIENTSIN OFFICE:

171 Chine Shien Road (Ho Si District)

Cable Address: MACHIMPORT Tientsin

SHANGHAI OFFICE: 27 Chung Shan Road E I


Cable Address: MACHIMPORT Shanghai

CANTON OFFICE:

No. 2, West Bund Road, Canton

Cable Address: MACHINERY Canton

Cylindrical Grinding Machine
Cylindrical Grinding 外国磨床




# 中國機械進口公司 CHINA NATIONAL MACHINERY IMPORT CORPORATION


(IMPORT — EXPORT)

ER-LI-KOW, HSI- CHIAO, PEKING, CHINA

"GABLE ADDRESS: "MACHIMPORT" PEKING

# Model M115





#### HYDRAULIC CYLINDRICAL GRINDING MACHINE

HYDRAULIC CYLINDRICAL GRINDING MACHINE

Model M115

This machine is designed for plain cylindrical and taper grinding of workpiece
up to 150 mm in diameter and 750 mm in length.

During operation, the workpiece is held between the dead centres and is
driven by a driving dog fixed in the headstock face plate.

The upper working table may be swivelled to a desired degree for taper
grinding. The machine is equipped with hydraulic drive unit, by means of which
the following to longritudinal ravee of raise.


(2) The rapid advance and back movement of grinding wheel and the
intermittent feed of grinding wheel during the travelling of table.


The machine is fitted with hand-operated table travelling mechanism and
grinding wheel feeding mechanism. The wear of grinding wheel can be compensated
after adjustment. The electric system consists of four independent motors.

#### SPECIFICATION

	SPEC	IFIC.		ON					
1.	Main dimensions:								
	Height of centres (over tab	le)						125	mm.
	Max. distance between cent	res						750	mm.
	Distance between centre line	e of grin	ding	whee	l spi	ndle	and		
	centres:	_							
	Max							425	mm.
								225	mm.
2.	Size of Working Table:								
	Diameter of workpiece that	can he ø	ronne	1:					
	Max. (with centre rest							60	mm.
	Max. (without centre 1	est)						150	mm.
	Min								mm.
	Max. length of workpiece th	at can l	10 011	hnu					mm.
	Working table, headstock ar								
	Max. longitudinal trav	el of ta	hle (	hvdra	anlic	æ			
								780	mm.
	Max. swivel of table								5
	Taper in centres of he							Morse 1	No. 4
3.	Wheelhead:								
٠.	Max, travel of wheelhead:	Manual						150	mm.
	Max. Mater of wheelinead.	Power							mm
	Graduation of cross feed of							0.005	
	Dimensions of grinding wh								
								600	mm
	Min. diameter								mm.
									mm
									mm
4.	Capacity of Machnie:								
٠.	Work spindle speeds							75,150,300	mm
	Traverse speed of table (h	rdvanlie	Δ					10,100,000	ı pın
	Max							10 m	/min
	Min							0.08 m	
	Feed rate for rapid advan							0.00 111	/ 111111
	wheelhead							2 m	min
5.	Motors: 3 phase, A.C.								
-	for Wheelhead:	Power						E 0	кw
	ioi wheemead.	Speed					****	1500	
	for Work spindle:	Power							KW
	tor work spinuse.	Speed						1000	
	for Hydraulic pump:	Power							KW
	ioi ilyanune pump.	Speed						1400	
	for Coolant pump:	Power							KW
	pump.	Speed					****	3060	
6.	Overall dimension	_poou						0000	- pm
J.						99	60 v 1	590 x 1770	
7.									
7.	Net weight:							3900 kg. aj	prox

## Model M125





#### HYDRAULIC CYLINDRICAL GRINDING MACHINE

This machine is intended for grinding cylindrical and tapered surfaces of workpieces up to 260 mm. in diameter and 1000 mm. in length.

The workpiece is set on two dead centres and totated by means of a driving day on the description in grinding tapers, the working table can be swivelled to fit the work grinding tapers, the working table can be swivelled to fit the work grinding tapers, the working table can be swivelled to the following functions are made possible:—

1) Reciprocating movement of table.
2) Rajud feed and withdrawal of grinding wheel.
3) Intermittent feed of grinding wheel.
The machine enables grinding up to the limit stop and provides means for compensating wheel wear.

SPECIFICATION


	512011101				
1.	Capacity:-				4000
	Max. distance between centres		****	****	1000 mm.
	Length of workpiece that can be ground	****	****	****	1000 mm.
	Height of centres from table Height of centres from floor				160 mm.
	Height of centres from floor				1000 mm.
	Max, diameter of workpiece that can be	ground	with grind	ling	
	wheel of ø 750 mm				250 mm.
	Min. diameter of workpiece that can be	ground			10 mm.
	Overall dimension (L x W x H)	25	432	0 × 2	225 v 1500 mm
	Net weight		402		6000 kg.
	Net weight			****	0000 Ng.
2.	Working table and bed:				
	Max. longitudinal traverse of table				1085 mm.
	Table traverse per revolution of hand-who	eel: l	Rapid		24 mm.
		i	510W		4 mm.
	Hydraulic table traverse speed				0.1-10 m/min.
	Max. table swivel				7*
				1	: 10 inclination
3.	Carriage for grinding wheel:				
	Grinding wheel dimensions: Minimum d	iemeter			500 mm.
	Maximum				750 mm.
	Face				75 mm.
	Hole	"			305 mm.
	note	"			305 mm.
	No. of spindle speeds			****	
	Range of spindle speed				860-700 rpm.
4.	Cross feed mechanism of grinding wheel of	arriage	-		
	Traverse of grinding wheel carriage leadsc	rew			250 mm.
	Traverse of grinding wheel carriage hyd	raulic (	lrive		50 mm.
	Traverse of grinding wheel carriage pe	r revolu	ition of h	and	
	wheel				1 mm.
	Diameter of workpiece ground off per di	al gradi	ation		0.01 mm.
	Diameter of workpiece ground off per				
	adjustable stop	area gr			0.005 mm.
	Intermittent feed per tooth of ratchet	wheel	(traverse	of	01000 Minn
	grinding wheel carriage)	WHEEL	( or m ver se		0.01 mm.
_					0.01 111111
5.	Headstock:				
	Taper of centre				Morse No. 5
	Diameter of face plate	****			200 mm.
	Speed of face plate				40-350 rpm.
6.	Tailstock:				
	Taper of centre				Morse No. 5
	Extension of spindle bushing				35 mm.
	Diameter of spindle bushing				80 mm.
_					OU IIIII
7.					0.1 / -
	Hydraulic pressure				9 kg./cm <sup>2</sup>
	Capacity of oil pump				50 kg./min.
	Capacity of coolant pump				22 kg./min.
8.	Electric driving system:-				
	Motor for grinding wheel carriage: P	ower			10 KW.
		peed			970 rpm
	Motor for oil pump: Power				28 KW.
	Speed				1420 rpm
	Motor for headstock: Power				1 KW.
					940 rpm
	Speed	****		****	540 rpm.

N.B.—For improvement of the machine, we reserve the right to alter either the design or the specification.



# TRADING AGENCY IN HONG KONG: CHINA RESOURCES CO. BANK OF CHINA BUILDING, HONG KONG CABLE: CIRECO HONG KONG

香港華潤公司代理 地址: 6灣中國銀行大厦11/12 電掛: "CIRECO" HONGKO



# Analytical Balances

Representative products of our modern industries, enjoying wide admiration for their high sensitivity & durability

Exported by:

CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION
(IMPORTERS & EXPORTERS)

## SINGLE-PAN PROJECTION READING ANALYTICAL BALANCE

Latest scientific researches have enabled us to offer to the public an entirely new model of analytical balance, the construction of which is made possible by the employment of a principle vastly different from that hitherto used Instead of the conventional 3 knife edges and 2 pans, the new balance has only 2 fine agate knife edges and 1 pan. Its weights are loaded on a support suspended to one end of the beam with a counter weight fixed to the other end. These weights can be readily detached from or reloaded onto the support by means of remote control knobs constructed outside the case enclosing the balance. Weighing is done by simple manipulation of the knobs by detaching the equivalent weights from the support and with the help of the electric projected vernier, the accuracy of reading therefrom can reach 0.05 mg. The result of the weighing can be easily readable from the optical scale specially provided for this purpose. The capacity of this balance is 100 grams.

The balance is equipped with a built-in transformer adaptable to 110v, 130v, 160v, 220v A.C. and is enclosed in a sturdy aluminium alloy case protected with anti-oxidizing laquer, with glass sliding doors and an overall size of  $440\times410\times270$  mm, weighing about 17.5 kilograms.

#### ADVANTAGES:

- 1. Accuracy:
  - a. All weights are fixed inside the balance and handled with ease by control knobs outside the case. They are chrome plated to resist corrosion and thus unalterable.
  - b. Constant loading on the beam eliminates bending errors and ensures uniform sensitivity up to the maximum loading.
  - c. The optical reading range is 115 milligrams. All weighing under 100 milligrams is absolutely accurate.
  - d. The weighing indicator scale is fixed on the front control panel.

(figure 1) and it is divided into three parts: From 0.1 gram to 99.9 grams read directly

from indicater (1)

From 1 milligram to 100 milligrams read

directly from projection scale (2)


From 0.05 to 0.1 milligram read directly from vernier (3)

#### 2. Rapid Weighing:

The time required for weighing with this balance is less than 1/3rd of that of an ordinary balance. After the zero point is adjusted, weighing is done simply by turning the control knobs. Every weighing can be done in less than 30 seconds. Due to the ingeniously designed air-damping device, the balance is brought to rest quickly after only a few oscillations.

Model NUCSP







- 3. Simplicity:
  - a. No arithmetic calculation is needed since the total weight is read directly off the indicator scale.
  - b. When weighing, simply detach weights corresponding to the article weighed by turning the control knobs, and the total weight is read right off the projection scale.

#### DIAGRAM:

- 1. Adjustable plates for the elimination of errors due to atmospheric changes
- 2. Air damping device
- 3. Arrestment lever
- 4. Beam arrestment
- 5. Center knife edge and plane of agate
- 6. Compensating weight for pan and weights
- 7. Compensating weight for adjustment of the zero point
- Fine agate knife edge and plane
- 9. Optical scale plate
- Pan brake lever
- 11. Pan, circumference 100 mm. 12. Sensitivity compensation
- adjustment weight Set of weights; two 25-g; two 10-g; five 5-g; one 2-g; two 1-g; one 500-mg; one 200-mg; and two
- 100-mg.
  14. Stirrup from which the ③ weights and pan are suspended



# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION



Model NCAPD

# ANALYTICAL BALANCE AUTOMATIC PROJECTION READING FOR RAPID AND RELIABLE WEIGHING

Capacity: 200 grams

Sensitivity: 0.1 milligram

#### SPECIAL FEATURES:

Air-damping Projection Reading External Application of All Weights
Zero Point Adjustment from Outside of Case

#### CONSTRUCTIONS:

Beam:-

Brass alloy in flat form, 140 mm long, chrome plated

Knife edges and plane:-

Finest agate

Weights:-

Brass, chrome plated

Slightly concave, chrome plated

Compensating suspension:-

Movable in all directions, pendulum motions of the pans without any effect upon the blocks

Air-damping:-

Without diminution of sensitivity, brings the balance to rest in 3 to 4 seconds

Projection reading with automatic light switch and adjustable device:

Range 0.1 mg, to 10 mg, direct reading to the exactness of 0.1 mg, A.C. transformer included, applicable to house current

Mechanical manipulation of weights from outside the case:-

From 10 to 990 mg, by means of the upper dial &/or turning knob

From 1-9 g. by means of the middle dial

From 10 to 190 g. by means of the lowest dial &/or turning knob

Arrestment:

By means of central knob which also operates as switch for projection light


Zero point adjustment:

From outside the case by means of a small knob beside the arrestment knob

Base plate:

Mirror glass with levelling screw and shock absorbers

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION




Model SAOOG

#### ANALYTICAL BALANCE SEMI-AUTOMATIC PROJECTION READING FOR RAPID & RELIABLE WEIGHING

Capacity: 200 grams

Sensitivity: 0.1 milligram

With all special features and similar constructions as NCAPD except that the mechanical manipulation of weights from outside the case is only for range of 10 mg, to 990 mg.



Model FANOF

#### ANALYTICAL BALANCE

Capacity: 100/200 grams

Sensitivity: 0.4 milligram

Beam:  $140 \, \mathrm{mm} \, \mathrm{long}$ , aluminium alloy with colorless anti-oxidizing lacquer

To ensure accurate placement of rider, the indicating scale attaching to the beam is serrated and notched into 50 divisions from Central "O" to each side, each division representing 0.2 mg when placing a 10 mg rider on the scale

Knife edge & plane:

Agate

Rider slide:

Vertical type, spring loaded, traversing the whole length of the beam

Releasing Mechanism:

Automatically acting on hangers, beam and pans, operated from outside the case

Chrome plated, slightly concave, diameter 73 mm

Pan supporters:

Adjustable with special spring plunger so that oscillation does not occur when setting the

Reading Index:

20 divisions from "0" on the right to "20" on the left


The swing of beam is damped by detachable air damping device

Finish:

All metal parts are protected with either chrome plating or anti-corrosion lacquer

Case:

Polished teak, with counterpoised front slide and hinged side doors. Black plate-glass or marble base. Levelling screw and bubble levelling system




## ANALYTICAL BALANCE

Capacity: 100/200 grams

Sensitivity: 0.4 milligram

This balance is similarly constructed as FANOF with the exception that no Air-damping device being provided.

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION



Model SNBOM


#### PRECISION BALANCE

Capacity: 100/200 grams

Sensitivity. 1 milligram

A precision balance for schools, laboratories and/or chemical works. With rider slide. Agate

knile edges and planes. Arrestment controlled by central knob.



Model CTNAO Sensitivity: 4 mg. Model CTFMG Sensitivity: 20 mg.


#### PRECISION BALANCE

Capacity: 100 grams.

Sensitivity: 4 mg. or 20 mg.

This precision balance is specially designed for textile industries, with brass alloy beam, riderless, 2 concave bakelite round pans. These balances are contained in polished teak cases with counterpoised front slide doors, black lacquered wooden base, levelling screw and plummet.

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION




## PRECISION BALANCE

Capacity: 100 grams

This precision balance is specially designed for mineral industries, schools and laboratories, riderless, concave bakelite pans diameter about 75 mm, allumintom alloy beam with colorless anti-oxidizing lacquer, agate knife edges and planes.

The case is of polished hardwood, counterpoised front slide door, black lacquered wooden base. Levelling screw and plummet.




# INDUSTRIAL ANALYTICAL BALANCE-HEAVY DUTY

Capacity 1000 grams

Sensitivity 2 milligrams

Diameter of Pans 107 mm Height of Pan Holders 255 mm Length of Beam 270 mm

# CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION



# Table for DENSITY OF DISTILLEDWATER

at different temperature					
mper	Density	Temper- ature	Density		
0	0,999,867	21	0.998,017		
oc	0.999.927	22	0,997,795		
2	0.999,968	23	0.997,563		
3	0,999,992	24	0.997.321		
4	1,000,000	25	0,997,069		
5	0,999,992	26	0.996,808		
6	0,999,968	27	0,996,538		
7	0,999,929	28	0,996,258		
8	0,999,876	29	0,995,969		
9	0,999,808	30	0.995,672		
10	0.999,727	31	0,995,366		
11	0.999,632	32	0,995,052		
12	0.999.524	33	0.994,728		
13	0,999,404	34	0.994,397		
14	0.999.271	35	0.994,058		
15	0,999,126	36	0,993,711		
16	0,998,969	37	0,993,356		
17	0.998,801	38	0,992,993		
18	0,998,621	39	0.992,622		
19	0,998,430	40	0,992,244		
20	0,998,229		Ì		

Model SGBTF


# SPECIFIC GRAVITY BALANCE-WESTPHAL PRINCIPLE

Complete with rider weights, plummet (displacement  $5\ cc$ ) with platinum wire and stainless Complete with rider weights, plummet (displacement 5 cc) with platinum wire and stainless steel hook the thermometer connected therewith is graduated from 0 to 35 degrees Centigrade and it is for determination of Specific Gravity of all liquids up to 2 S.G. The beam of the balance is fitted with steel knife edge supported in agate channel and is precisely serrated in 10 divisions. Before leaving the factory, the balance is subjected to rigid test to conform strictly to the table.



# ANALYTICAL WEIGHTS

# 物理儀器・生物模型・標本・顯微鏡切片



#### 出口下列各類科學儀器

#### CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION HEAD OFFICE:

Er-Li-Kou, Hsi Chiao, Peking, China. Cable Address: "INSTRIMPORT"

BRANCH OFFICES:

SHANGHAI: 27 Chungshan Road (E.1).
Cable Address: "INSTRIMP"
TIENTSIN: 171 Kien Shieh Road.

Cable Address: "INSTRIMP"

CANTON: 25 Tai Ping Road, S.
Cable Address: "INSTRIMP"

#### - 中學物理儀器 —

- 高等物理儀器 -主要範圍

度量衡器械 測量器械 物性 力學 分子物理及整學 磁學 電學 光學

主要範圍

支持器械 度量假器械 內體、液體、氣體力學 物性 然學 磁學,光學 600-1500倍顯微鏡 化 即應該 解倍額微鏡

#### <sub>--</sub> 化學玻璃儀器 --

主要範圍

童杯、童简、童瓶

安全漏斗、漏斗

酒精燈、研鉢、水槽

**試驗管、燒杯、燒瓶** 

#### 模型標本-

主奏範圍

#### 數學模型-

主要花園

#### \_生物器械\_ 解剖顯微鏡10X-30X

李瓶,采集箱

空中,水中捕蟲網

掘根器;展翅板

植物采集葉夾

# 中國儀器進口公司 CHINA NATIONAL INSTRUMENTS IMPORT CORPORATION

(IMPORTERS & EXPORTERS)

# 物理演示儀器 PHYSICAL APPARATUS

#### 通用儀器 GENERAL APPARATUS

#### 力 學 MACHANICS

	· .
0011-2 慣 性 球	Inertial Ball
0012-2 惯性實驗器	Inertial Apparatus
0013-2 牛坝第二定律實驗裝置	Newton's Second Law Apparatus .
0014-2 平 板 小 单	Platform Carriages
0015-2 反衡水力機模型	Model of Recoil Hydraulic Machine
0016-1 牛 頓 管	Newton Tube
0017-2 簡單阿特或德機	Simple Atwood's Machine
0018-2 演示抛物线器	Parabolic Projector
0019-2 平地和自由落體等時實	Level Throw and Free Falling Body
验器	Isochronous Apparatus
0020-2 吊 車 模 型	Model of Hoist
0021-2 多克斯幸浪摄	Maxwell's Revolving Pendulum
0022-2 圓 形 測 カ 計	Dial Dynamometer
0023-2 重 心 板	Center of Gravity Plates
0024-2 物體穩度演示器	Demonstration Apparatus for Centre
	of Gravity
0025-2 候風地動儀模型	Model of "Hou-Feng" Seismoscope
0026-2 滑 輪	Pulleys
0027-2 滑 輪 組	Pulleys set
0028-2 輸	Wheel and Axle
0029-2 斜面附滑輪	Inclined Plane with Pulley
0030-2 螺 旋 模 型	Model of Screw
0031-2 螺旋压榨器	Screw-Press
0032-2 螺旋睾重器	Jack-screw Model
0033-2 接 揚 機 模 型	Winch Model
0034-2 叟 合 劈	Combined Wedge, Split
0035-2 球軸承模型	Ball Bearing Model
0036-2 記里鼓車模型	Model of Drum-carriage for Mileage
0037-2 指南单模型	Compass Carriage Model
0038-1 帕斯卡定律演示器	Pascal's Law Apparatus
0039-1 侧壓演示器	Side Pressure Apparatus

#### Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

```
分子物理學和熱學 MOLECULAR PHYSICS AND HEAT
0040-1 液體內部壓強實驗器
                                Liquid Pressure Apparatus
                                                                                           0084-1 換 散 黄 驗 器
0085-1 布朗運動説明器
0086-1 内 聚 力 貴 驗 器
                                                                                                                            Diffusion Tester
0041 - 1
        微 小
                 歷
                   後 計
                                 Fine Manometer
                                                                                                                            Brownian Movement Model
0042 - 1
        速
                 逋
                         祭
                                 Equilibrium Tubes
                                                                                                                             Cohesive Force Apparatus
0043-7 水
                                 Level
                                                                                                                            Apparatus showing Transmission of
Mechanical Energy into Thermal Energy
                                                                                           0087-2 機械能變熱能演示器
0044-1 阿基米德定律實驗器
                                 Archimede's Law Apparatus
0045-1 液 微 比
                   重 计
                                 Hydrometer
                                                                                                                            Testing Apparatus for Mechanical
Equivalent of Heat
                                                                                           0088-2 熱功雷量實驗裝置
0046-1 液 體 比
                    重
                                 Hydrometer
                                                                                           0089-2 线 膨 脹 演 示 器
0090-2 體 膨 脹 演 示 器
0091-2 雙 層 金 屬 片
0092-2 熱 傳 導 比 較 器
0093-2 图 體 縮 力 演 示 器
                 堡 圓
0047-1 馬 徳
                                 Magdeburg Discs
                                                                                                                            Linear Expansion Indicator
0048-1 北里
                                 Torricelli Tube
                                                                                                                            Cubical Expansion Indicator
Double Metal Plates
             家
                 紙
                    歷
0049 - 1
                                 Barometer
0050-1 金 屬 壓 強 0051-1 無 液 氣 壓
                       át
                                 Metal Manometer
                                                                                                                            Heat-conduction Comparator
                        計
                                                                                                                             Indicator for Solid Minification
                                 Aneroid Barometer
                                                                                                    水的最大比重演示器
                                                                                                                             Indicator for the Maximum Specific
0052-2 氣體彈性實驗器
                                 Gas Elasticity Tester
                                                                                                                             Gravity of Water
         空
              吸
                   抽
                                 Vacuum Pump
0053 - 1
                                                                                           0095 - 1
                                                                                                                             Radiometer
                                 Force Pump
         壓
              カ
                   抽
0054 - 1.
                                                                                                    熱 輻 射 演 示 器
玻意耳—馬略特定律演
                                                                                                                             Indicator for Heat Radiation
0055-1 秋 火 機 模 0056-2 水 壓 機 模
                                                                                           0096 - 1
                                 Fire Extinguisher Model
                                                                                                                             Boyle-Mariotte's Law Apparatus
                                                                                           0097 - 1
                                 Hydraulic Press Model
                                                                                                    示器
0057-1 流體流緩演示
                                 Liquid Stream-line Illustrator
                                                                                                                            Expansion Apparatus
Illustrator of Capillarity
                                                                                           0098 - 1
                 窈
                         8
0058-1 噴
                                 Atomizer
                                                                                           0099-1 毛细现象演示器
                                                                                                    毛切块 不快乐 
品體空間點降模型
深的 灣 動 實 驗 器
绝和氣壓與溫度的關系
0059-1 主 私 助
                     ħ
                                 Air Motion Scale
                                                                                           0100 - 1
                                                                                                                             Crystal space lattice Model
         向心力實驗 必
                                                                                                                             Beam Bending Tester
0060 - 1
                                 Centripetal Apparatus
                                                                                           0101 - 1
                                                                                                                             Testing Apparatus, the Relation
0061-1 #
                                 Centrifugal Rotator
                                                                                           0102 - 1
              性
                   國
                                                                                                     實驗裝置
                                                                                                                             Between Temperature and Saturated
0062 - 1
                                 Elastic Hoop
                                                                                                                             Atmosphere
0063 - 1
         維
            心分解
                         25
                                 Centrifugal Separator
                                                                                           0103-1 藍布列希德濕度計
                                                                                                                             Lambrecht's Hygrometer
0064-1 - 華
            125
                分
                     便
                                  Centrifugal Liquid Separator
                                                                                           0104-1 干温珠温度计0105-1 毛髮温度计
                                                                                                                             Dry and Wet Bulb Hygrometer
                 Ŧ
                     燥
0065-1 華
             135
                                 Centrifugal Drying Machine
                                                                                                                             Hair Hygrometer
0066-1
             is Ép
                    速器
                                  Centrifuge Governor
                                                                                                                             Model of Steam Engine, Cross Section
                                                                                           0106-1 蒸汽機模型
             133
                   軌
                         道
                                  Centrifugal Track
0067 - 1
0068-1 特选 析模
                         40
                                 Model of Speed Counter
                                                                                                                             Model of Steam Engine, Pumping type
0069-1 離心抽水機構造模型
                                 Model of Centrifugal Water Pump
Simple Harmonic Oscillation Apparatus
                                                                                                                             Model of Steam Turbine
                                                                                           0108-1 蒸汽輪機模型
0109-1 内煤 機模型
0070-1 簡諧振動演示器
0071-1 鐘 擺 模 型
0072-1 縱波模波鏡明器
                                                                                                                             Model of Internal combustion Engine
                                  Model of Pendulum
                                                                                           0110-1 四汽缸内煤機模型
                                                                                                                             Model of Four-cylinder Internal
                                  Vertical and Horizontal Waves Illustrator
                                                                                                                             Combustion Engine
         力學共振演示器
                                                                                           0111-1 噴 氣 發 動 機 模 型
0112-1 氣體熱壓強係數測定裝
 0073 - 2
                                  Mechanical Resonance Demonstrator
                                                                                                                             Model of Jet Engine
 0074-2 齿輪調速器
                                                                                                                             Air Heat Pressure Coefficient
                                  Gear Speed-Regulator
         水輪機模型
                                                                                                                             Determination Apparatus
 0075 - 2
                                  Water Wheel Model
 0076-2 風力發動機模型
                                  Model of Wing Mill
                                                                                                                            學 ELECTRICITY
                                                                                                                        雷
                                                                                                                             Glass Rods
                                                                                           0113 - 2
0114 - 2
                                                                                                                    棒
                                                                                                    玻
                                 学 SOUND
                                                                                                                             Bakelite Rods
                                                                                           0115 - 2
0116 - 2
                                                                                                                É
                                                                                                                             Foil Electroscope
                                                                                                     箔
                                                                                                        片
針
                                                                                                            验验
                                                                                                                    器器
                    音
                                  Tuning Fork, Vibrograph
 0077 - 1
                                                                                                                             Needle Electroscope
                                                                                                    指数
                  叉 F=256
 0078 - 1
          青
                                  Tuning Fork
                                                                                            0117-2
                                                                                                        Œ
                                                                                                           35
                                                                                                              連
                                                                                                                 挨
                                                                                                                             Electroscope connecting Rod
                     F==440
                                                                                                                    羽
                                                                                                    榆
 0079 - 1
          퍔
                  又
                                  Tuning Fork
                                                                                            0118-2
                                                                                                                             Electric plume
                                                                                            0119 - 2
                                                                                                                    幡
                                                                                                                             Electric Streamer
                          盤
 0080-1 验
                  푬
                                  Siren Disc
                                                                                           0120 - 2
0121 - 2
                                                                                                     验库球
                                  Articulation Toothed Wheel
                                                                                                                             Electric Ball
 0081 - 1
                    齿
                                                                                                                             Coulombmeter
                                                                                                          倫形
                  15
                          25.
                                  Acoustical Resonator
 0082 - 1
                                                                                            0122 - 2
                                                                                                                             Spherical Electric Conductor
 0083-1 絃
                                  Sonometer
```

#### Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

```
Universal Transformer
                                                                                                        0170-3 萬
                                     Induction Cylinder
0123 - 2
                                                                                                        0171-3 電機原理説明器
0172-3 手搖交直流發電機
                                                                                                                                              Dynamo Principle Illustrator
Hand driven A.C. and D.C. generator
         化尖金起咸
                                     Cone-shaped Electric Conductor
0124 - 2
0125 - 2
                            體革
                屬
                                     Metallic Wire Netting Cover
                      ᆁ
                                                                                                                                              Motor, 4 Volts
Model of Armature For A.C./D.C.
                                                                                                         0173 - 3
                                                                                                                  四伏特電動機
                   ŧ
0126 - 2
0127 - 2
                                     Electrophorus
              启
                      Œ
                                     Influence Machine
                                                                                                        0174-3 交直流發電機電樞模型
                                                                                                                                               Generator
0128 - 2
          故可
                                     Discharge Tongs
Variable Parallel Plate Condenser
                                                                                                         0175-3 磁場轉動發電機説明器
                                                                                                                                              Illustrator, Magnetic Field Rotary
0129 - 2
0130 - 2
          可采
              樊
                   重频
                       $
                                     Variable Condenser
                                                                                                                                              Dynamo
                                                                                                         0176-3
                                                                                                                   充示電
                                                                                                                                              Charging rectifier
0131 - 2
0132 - 2
                                     Leyden Jar
                                                                                                        0177-3
0178-2
                                                                                                                                              Oscillograph
Electric Resonator for Illustration
                      ŵ
                                     Volta Cell
                                                                                                                            波
                                                                                                                       共振演示器
                                     Lead Storage Battery
Resistance Box
0133 - 2
0134 - 3
          Fá.
                ŧ
                      É
                                                                                                                            童 子
          ŧ
                   阻
                                                                                                         0179 -
                                                                                                                   雨
                                                                                                                       抗
                                                                                                                                              2-Electrode Electronic Tube
                                                                                                         0180 - 3
                                                                                                                  三极電子管模型
                                                                                                                                               3-Electrode Electronic Tube
              ŧο
                   變 阻
                                     Sliding Rheostat
Resistor, Arm Revolving
Constant Value Resistance
0135 - 3
          滑
                                                                                                                                              Illustrating Plate for Crystal Radio
Receiving Set
                                                                                                         0181-3
                                                                                                                  礦石收音機演示板
0136 - 3
0137 - 3
         转定
               柄 宣
                      ža.
                悠
                      Ą
               進
棧
用
む
切
                                                                                                         0182-3 军管收音横演示板
                                                                                                                                               Illustrating Plate for Single-tube
                     電 橋電流計
0138-3
0139-3
          直演
                                     Straight Wire Bridge
              示
                                     Galvanometer for Illustration
                                                                                                                                               Radio Receiving Set
                                                                                                                                               Universal Electric Measuring
0140-3 慧 图 電 流 計
0141-3 顛太正切電流計
0142-3 孤 光 壁
                                                                                                                               E
                                      Suspended Coil Galvanometer
                                      Simple Tangent Galvanometer
                                                                                                                                               Instrument
                                      Arc Lamp
                                      Testing Apparatus For Current's Chemical Effect
                                                                                                                                           光 学 OPTICS
0143 -3
          电流的化学效應實驗器
                                                                                                                                               Moon and Earth Motion Model
                                      Bar Magnet
Horse-shoe Magnet
                                                                                                         0183 - 3
0184 - 3
                                                                                                                        地
                                                                                                                            運行
                                                                                                                                    僟
                                                                                                                            具
                                                                                                                                               Optical Screen
0145 - 3
0146 - 3
          踮
                Ħ;
                      磁
                                      Magnetic Needle
Magnetic Particle Model
                                                                                                         0185 - 3
                                                                                                                          射
                                                                                                                                  示
                                                                                                                                               Full Reflection Illustration Apparatus
                                                                                                                                               Concave Mirror
               分
                   子
                        模
                                                                                                         0186 - 3
                                                                                                                                     钪
0147 - 3
          ΙĠ
                                                                                                                    凹雙雙透
                                                                                                                                               Double Concave Lens
Double Convex Lens
                                      Iron Filings
0148-3 悬
                                      Din Circle
Low Air Pressure Discharge Tube
 0149-3 №
                                                                                                         0188 - 3
                                                                                                                          凸
                                                                                                                               i₫
                                                                                                                                     鋴
 0150-1 低氣壓改電管
                                                                                                         0189 - 3
                                                                                                                            鏡
                                                                                                                                     組鏡
                                                                                                                                               Lens Set
                                      Low Air Pressure Discharge Tube set
Straight Shot Cathode Ray Tube
                                                                                                                   三直顾幻
                                                                                                                            校三
           低氣壓放電管組
                                                                                                         0190 - 3
                                                                                                                                               Prism
 0151 - 1
                                                                                                                       角微烂物微示剂校三幻射雕镜接以现线横置镜型镜
                                                                                                                                               Prism, Right-Angle
                                                                                                         0191 - 3
 0152 - 1
           示直進的陰極射线管
                                                                                                                                               Micro-Projector
Projector Reflecting Device
                                       Cathode Ray Tube for Magnetic Effect
                                                                                                         0192 - 3
           示磁效應的陰極射线管
 0153 - 1
                                      Cathode Ray Tube for Mechanical Effect
           示梭械效應的陰極射鏡
                                                                                                         0193 - 3
                                                                                                        0194-3 生
0195-3 
0196-3 指
0197 ^
                                                                                                                                               Biological Microscope
                                      Cathode Ray Tube for Fluoresence
 0155 - 1
           · 存生荧光的除極射线
                                                                                                                                               Microscope Model
 0156-1 倫 0157-3 溫
                                                                                                                   热料
                                                                                                                                               Indicating Eye-lens
              琴射段管差。偏
                                      Rontgen Ray Tube
Thermo-electric Couple
                                                                                                                        刮放大数线线
                                                                                                                                               Dissecting Microscope
Reading Magnifier
                                                                                                                                     鋴
                                                                                                                                     鏡
                                                                                                         0198 - 3
                                       Testing device for Mutual Effect
                                                                                                                                               Telescope Model
Model of Prism Binoculars
                                                                                                         0199 - 3
                                                                                                                    望
                                                                                                                                     型
          器
                                                                                                                    技统雙简望运统模型
                                       of charged conductors
                                                                                                          0200 - 3
                                       Circular Electro Magnet
 0159 - 3
                                                                                                                            生質
                                                                                                          0201 - 3
                                                                                                                                 迬
                                                                                                                                               Telescope, Astronomical
                                                                                                                       文
                                                                                                                    天
牛
 0160-3 締
0161-3 電
0162-3 電
0163-3 電
0164-3 左右
                Ħ)
                                       Horse-shoe Electric Magnet
                                                                                                          0202 - 3
                                                                                                                                               Newton's Ring
                                       Electric Bell
                             終
                                                                                                                                               Color Disc
                                                                                                          0203 - 3
                                                                                                                             ê
                        模模
                                       Telegraph Model
Telephone Model
                赧
                    機機
                                                                                                          0204 - 3
                                                                                                                                               Colored Glass Plates
                括
                                                                                                          0205 - 3
                                                                                                                             老光
                                                                                                                                      绩.
                                                                                                                                               Spectroscope
                                       Left hand and Right Hand Rules
                                                                                                                                 É
                                                                                                                                               Demonstrating Photoelectric Cell
                                                                                                          0206 -
                                       Indicator
                                       Lenz's Law Apparatus
 0165 - 3
                                                                                                                                原子結構學 ATOMIC STRUCTURE
 0165-3 9 点 0166-3 身 点 利
                                       Self-induction apparatus
Primary and Secondary Coils
 0167-3 原
0168-3 或
0169-3 可
                      线
                                                                                                                                               Wilson's Cloud Chamber
                                                                                                                        平
                                                                                                                             避
                                                                                                                                 雲
                                       Induction Coil
                                                                                                          0209 - 2 M
                                                                                                                                               Spintharoscope
                拆
                        壓
                                       Detachable Transformer
                    變
```

### 学生物理實驗儀器 STUDENT'S EXPERIMENT INSTRUMENTS

0220 - 2	支架天平	Beam Balance
0221 - 1	長方體組	Rectangular Blocks
0222 - 1	24 45	Weights, with Hook
0223 - 1	金属圆柱程	
		Cylindrical bodies, metal
0224 - 1	400克测力计	400 gm. Spring Balance
0225 - 1	摩 擦 計	Friction Tester
0226 - 1	抗 . 样	Lever
0227 - 1	力 挺 盤	Disc of Moment of Force
0228 - 1	平地黄黢装置 .	Level throw Apparatus
0229 - 1	金 萬 珠	Metal Ball
0230 -	小型水瓶氨墨针	Small Mercury Barometer
0231 - 1	温度计	Thermometer
0232 - 1	全 共 器	Calorimeter
0233 - 1	玻意耳一馬哈特定律實	
02.55 - 1	<b>教</b> 签	Boyle-Mariotte's Law Apparatus
0234 - 1	<b>绿形磁铁</b>	Bar Magnet
0235 - 1	跨行超频	Horse-shoe Magnet
0236 - 1	幺 居 盒	Iron filings box
0237 - 1	华 校	Conductive Wire
0238 - 1	華刀則嗣	Single Knife Switch
0239 - 1	電 阻 别	
		Resistance Ring
0240 - 1	滑動變阻器	Sliding Rheostat
0241 - 1	有磁盘排送	Relay, Magnetic
0242 - 1	電機 据型	Dynamo Model
0243 - 1	彩 童 縣 器	Electrolytic Cell, Copper
0244 - 1	簡易 檢注計	Simple current Tester
0445 - 3	复数定法计	Sensitive Galvanometer
0245 - 3	莲流安培计	D.C. Ampere-Meter
0246 - 3	直流代科科	D.C. Voltmeter
0247 - 1	更 凸 达 载 No. 1	Double Convex Lens, No. 1
0248 - 1	<b>曼 凸 进 鋴 No. 2</b>	Double Convex Lens, No. 2
0249 - 1	♥ & & ₹ No. 3	Double Concave Lens, No. 3
0250 - 1	M E	Slit Screen
0251 - 1	毛玻璃小老蒜	
0252 - 1		Ground-glass Screen, small
		Cross Mesh Screen, Small
0253 - 1	老 漆 塗 重	Stand of Light Source Lamp
0254 - 1	小平面黄	Small Plane Mirror
0255 - 1	茂 装 肆	Glass Brick
0256 - 1	<b>沙度支票</b>	Square Base Support
0257 - 1	黻 矣	Compound Clamp
0258 - 1	ig ;; g	Flask Clamp
0259 - 1	麸 坛	Iron Ring
0260 - 1	A E	Iron Hoop
0261 - 1	刘 先 气	
0261 - 1	五萬天	Scale
		Triangular Meter
0263 - 1	量 克 茶	Angle Gauge ,
0264 - 1	<b>₹</b> ä	Measuring Cylinder
02 <b>6</b> 5 - 1	翠 祥 長	Alcohol Lamp

### 生物模型・標本・頻微鏡切片

### BIOLOGICAL MODELS, SPECIMENS MICROSCOPIC SLIDES

### I 古生物模型 PALEOLOGICAL MODELS

0290	馬 足 進 化 模 型	Evolutional steps in horse's leg
0291	草 食 怨 龍 模 型	Herbaceous dinosaur
0292	肉 食 恐 龍 模 型	Carnivorous dinosaur
0293	超级化石及须原模型	Fossil and restored figure of Archeornis

#### II 植物模型 BOTANICAL MODELS

0295	雙子葉植物藍模型 (斑木)	Dicot Stem
0296 0297 0293	根 战 裁 摸 型 禁的巡横断面摸型小 务 花 摸 型	Root Dicot leaf Wheat flower

#### III 動物模型 ZOOLOGICAL MODELS

0300 0301 0302 0303	及舞胃(牛胃) 稱型水 趙 成,斷 稱 型有功龄在生活更强型单 產 在 撰 型	Ruminant stomach of ox Hydra Life history of tapeworm (Hooked) Paramectum
------------------------------	---	--

#### IV 生理模型 HUMAN ANATOMICAL MODELS

0306	人種青春模型	Human skeleton
0307	人雅辛身内藏解剖模型	
8050	环 平 引 探 型	Dissection of eye
0309	牙解剖照置	Dissection of teeth
0310	篮 藓 對 摸 型	Dissection of brain
0311	皮质层型	Skin
0312	心臓解剖模型	Dissection of heart
0313	耳 解 刮 填 型	Dissection of ear
0314	嘴頭 解 副 摸 型	Dissection of larynx
0315	<b>还承亲既填型</b>	Urinary system
0316	消化多泛模型	Digestive system
0317	呼吸来较强型	Respiratory system

#### V 骨骼標本 SKELETONS

0321	克	李	恭	Carp (or Silver Carp) skeleton
0322	轰	于	整	Turtie skeleton
0323	碘	骨	存	Pigeon skeleton
0324	蛙骨	移(蚂蛉)	<b>予 咎</b> )	Frog (or Toad) skeleton
0325	螨	编 青	恭	Bat skeleton
0326	ž.	*	#5	Rappit skeleton
0327	盤	骨	<b>₹</b> 5-	Monkey skeleton

#### Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### VI 浸制解剖標本 PRESERVED AND DISSECTED SPECIMEN

0328	鄭魚解剖	Dissection of Carp (or Silver carp)
0329	青蛙(或蟾蜍)的解剖	Dissection of Frog (or Toad)
0330	<b>题内臓解剖</b>	Dissection of Turtle
0331	鸽的解剖	Dissection of Pigeon
0332	<b>尾的解剖</b>	Dissection of Rabbit
0333	<b>是生殖排泄系统</b>	Excretory and Reproductive System of Rabbit
0334	見呼吸循環系統	Respiratory and Circulatory organs of Rabbit
0335	脊椎動物五綱的腦解剖	Comparison of Brains in the five species of Vertebrates
0336	鲫魚神經系統	Nervous System of silver carp
0337	青蛙(或蟾蜍)的神經系 統	Nervous System of Frog (or Toad)
0338	<b>尾的神經系統</b>	Nervous System of Rabbit
0339	鸽的神经系统	Nervous System of Pigeon
0340	蛙的發育顺序	Development of Frog
0341	蚌的内部構造	Dissection of clam
0342	蚯蚓解剖(示内臓)	Dissection of Earthworm
0343	蚯蚓解剖(示神鲣系和	Nervous and reproductive organs of
	生殖系)	Earthworm
0345	乌贼解剖示内臓	Dissection of Slug

#### VII 浸制示範標本 PRESERVED DEMONSTRATION SPECIMENS

0346	海月水母	Jellyfish (Aurelia aurita)
0347	海馬	The sea-horse (Hippocampus)
0348	蛔蟲外形(示雌雄)	Ascaris lumbricoides, male and female
0349	蟒 螈	Salamander
0350	蝌 牛	Snail
0351	海星	Starfish
0352	海	Trepang
0353	注 詳 魚	Flatfish
0354	蜥蜴	Lizard
0355	蜈蚣和馬隆	Scolopendrid and milli pede
0356	狗 魚	Esox lucius
0357	4维 蟲	Tapeworm (Taenia sp.)

#### VIII 刹制標本 MOUNTED SPECIMENS

0358 0359	野野	蜗鸭	(중) (우)	Wild duck, female Wild duck, male
0360	啄	木	£,	Woodpacker
0361	蒼		殷	Hawk
0362	猫	频	殷,	Owl ·.
0363		4%		Pigeon
0364	яŁ	京	62,3	Peking duck
0365	编		嫡	Bat
0366	松		Á.	Squirrel
0367	緩		鼠	Mole

#### IX 昆蟲標本 INSECTS

0369	螳	蟲 生	活	史	Life history of Grasshopper (Locusta migratoria)
0370	莱 :	粉蝶	生活	史	Life history of the Cabbage butterfly (Pieries rapae L.)
0371	柞	笈 生	活	火	Life history of the Chinese oak silkworm (Antheraea Pernyi Guesin)
0372	蛋	蜂 生	活	史	Life history of Honey-bee (Apis mellifera L.)
0373	12	蛾 生	is	火	Life history of Silkworm (Bombyx mori L.)
0374	嬔	的生	Æ	史	Life history of Fly (Musca domestica)
0375	炒	坻 生	活	史	Life history of Corn borer (Pyrausta nubilialis Hubner)
0375	竹	ŕþ		250	Walking-stick (Diapheromera orientalis)
0376	ŧħ	莱		煤	Leaf butterfly
					. If he was a second disputation

#### X 頻微鏡玻片標本 MICROSCOPIC SLIDE SETS

BZ 25	Фa	拘	学	Zoology	25	pcs.	se
BZ 50		.,		n.	50		//
GB25	iā	#9	学	Botany	25	11	-
GB50		,,			50		
GH25	生.	理組織	学	Thysiology & Histology	25	.,	7.
GH50		.,,		11	50	11	
PH 12	生	寄 蟲	学	Parasitology	12		
PH 25		"		ra .	25	**	//
BS 25	生	拍	学	Biology	25	,,	r
BS 50		"		,,,	50	11	,
BM25	ৰ্বস	中示	教	Assorted set for			
				Junior Middle School	25	"	7.
BM50		,,		11	50	.,	,

CHIMA NATIONAL PERTRUMENTS IMPORT CORPORATIONS

#### PHOSPHORUS, RED AMORPHOUS

Specification: Purity - 98% Minimum.

Reddish-brown amorphous powder, odourless, non-poisonous. Soluble in absolute alcohol; insoluble in carbon bisulphide. Description:

Match industry, organic synthesis.

In tins of 5 kilos nett, 10 tins to a wooden case. Packing:

Fire hazard: Dangerous.

赤

纯度:最低98% 规. 格:

狀: 紅粽色非晶性粉狀,無嗅,無毒。 性

火柴製造,有機物合成。 用 在:

五公斤净重聽裝,十聽裝一木箱。 粜:

注意火災。

#### CALCIUM CARBIDE

Acetylene yield not less than 250 litres per kilo of CaC2. Size: (1)  $15\times25$  MM. (2)  $25\times50$  MM. (3)  $50\times80$  MM. Specification:

Greyish black, irregular solid lumps, reduced to powder after afflorescence. It decomposes water to form acetylene. Description:

For manufacturing acetylene, calcium cyanamid, lamp black, inter-mediates; reducing agent; welding agent; smelting ores; steel hardner; signal lights;general illuminating purposes; dehydrating agent of desic-

In 100 or 200 kilos water-tight steel drums. Packing:

Keep in dry store.

### 炭化鈣(電石)

每公斤炭化鈣可產生乙炔氯最低250公升 尺码: (1)15×25公厘 (2)25×50公厘 (3)50×80公厘。 格:

灰黑色不规则瑰狀,經風化後即成爲粉狀,遇水分解化爲乙炔氣。 並 明:

製造乙炔氣, 袋象化鈣, 油烟, 中間體, 運原劑, 熔接劑, 冶镍礦產金屬, 硬銅劑, 信錄燈, 普通照明用, 製乾食品用之消水劑。 用 途:

· 100或200公斤嚴密鐵桶包裝。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

# CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA. Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTE TSINGTAO"

SHANGHAI BRANCH:
13, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

# 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION **PEKING CHINA**



### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS, COAL TAR PRODUCTS

EMILIAND LAUDINARY CONTRACTORS CENTRAL CENTRAL CONTRACTORS

### PHOSPHORUS, RED AMORPHOUS

Specification: Purity — 98% Minimum.

Reddish-brown amorphous powder, odourless, non-poisonous. Soluble in Description:

absolute alcohol; insoluble in carbon bisulphide.

Match industry, organic synthesis. Uses:

In tins of 5 kilos nett, 10 tins to a wooden case. Packing:

Fire hazard: Dangerous.

純度:最低98% 格: 规

紅粽色非晶性粉狀,無嗅,無毒。 狀: 性

火柴製造,有機物合成。 用 途:

五公斤净重聽裝,十聽裝一木箱。 裝:

注意火災。

### CALCIUM CARBIDE

Specification: Acetylene yield not less than 250 litres per kilo of CaC<sub>2</sub>. Size: (1)  $15 \times 25$  MM. (2)  $25 \times 50$  MM. (3)  $50 \times 80$  MM.

Greyish black, irregular solid lumps, reduced to powder after afflorescence. Description:

It decomposes water to form acetylene.

For manufacturing acetylene, calcium cyanamid, lamp black, intermediates; reducing agent; welding agent; smelting ores; steel hardner; Uses:

signal lights; general illuminating purposes; dehydrating agent of desic-

cated foods.

In 100 or 200 kilos water-tight steel drums. Packing:

Keep in dry store.

### 炭化鈣(電石)

格: 規.

每公斤炭化鈣可產生乙炔氣最低250公升 尺碼: (1)15×25公厘 (2)25×50公厘 (3)50×80公厘。

灰黑色不规則塊狀,經風化後即成爲粉狀,遇水分解化爲乙炔氣。 明: 診

製造乙炔氣, 氨氰化鈣,油烟,中間體,還原劑,熔接劑,冶镍礦產金屬, 硬 用 途:

鋼劑,信號燈,普通照明用,製乾食品用之消水劑。

100或200公斤嚴密鐵桶包裝。 裝: 包

應在乾燥處存儲。

### For the above articles, please send all enquiries to our TIENTSIN OFFICE

### CHINA NATIONAL IMPORT & EXPORT CORPORATION

PEKING, CHINA. ldress: "CNIEC PEKING" Cable Address:

TIENTSIN BRANCH:

171, Chien-Sheh Road, Tientsin. Cable Address: "NOCIMOR TIENTSIN"

TSINGTAO BRANCH:

82, Chung-Shan Road, Tsingtao.

Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:

13, Chung-Shan Road East 1, Shanghai. Cable Address: "CHIMEXCORP SHANGHAI"

CANTON BRANCH:

25, Tai-Ping Road South, Canton. Cable Address: "CHIMPORTCO CANTON"

# 中國進出口公司

# CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



# IMPORTERS & EXPORTERS OF

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES.
FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS,
RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS,
COAL TAR PRODUCTS

TINKE SULPHATE

ZINC CHLORIDE

#### ZINC SULPHATE

Specification: ZnZO₄·7H₃O content — 98% Minimum.

Description: Colourless, efflorescent crystal; Soluble in water and Glycerine; insoluble in alcohol.

Uses:

in atcorol.

Manufacture of Zinc salts, drying oils, varnishes, lacquers, ceramics, enamels, lithopone, Zinc white; mordant in dyeing and printing textiles; as paint pigment; clarifying glue solutions; preservative in glues, adhesives, also for wood and hides; water disinfectant; Zinc plating; black nickel plating; in medicine.

In cloth bags of 25 or 30 kilos nett.

Packing:

#### 硫 酸

ZnZO4,7H4O合量:最低98% 無色結高,易於風化,能溶於水與甘油,不溶於解 製造蜂壓, 健放油, 油涂。 陶瓷器,接货,立德粉,鲜白,即壽用肆壽劑, 防火纖維,油漆用顏料, 青膠流清及保存劑,木料皮率保存劑,淨水消毒劑, 破穀機健用,祭藥。 布袋漿,每袋淨重廿五或卅公斤。

裝:

#### ZINC CHLORIDE

Specification: ZnC12 content - 98% Minimum.

Description:White granules; Soluble in water, alcohol, glycerine and ether.

Uses:

White granules; Soluble in water, alcohol, glycerine and ether. Manufacture of dyestuffs, organic and inorganic chemicals, intermediates, auramine, malachite green, methylene blue, rayon, tinning flux, soldering fluids, vulcanized paper and paper-board, parchmentized paper, fireproofing compositions for wood and textlies, metal burnishing and polishing compositions, cold water glues and adhesive preparations; Electric batteries; as laboratory reagent; mordant in dyeing and printing fabrics; carbonizing agent in treating wool; resist in dyeing and printing fabrics; carbonizing agent in treating wool; resist in dyeing and printing fabrics; sizing and weighing silks and other textlies; chemical catalyst; wood preservatives; general disinfectant and preservative; paint pigments; purifying petroleum and petroleum distillates; vulcanizing rubber; coating metals; etching glass.

In square iron drums of 25 kilos nett.

Packina:

#### 化

ZnCl<sub>2</sub>含量:最低98% 白色粒狀,能溶於水、酢、甘油及鲢 製造率料,有級及無機化學品,中間體、梭黄、品緣、品藍, 鲜核用熔剂,率 皮織、绒紙, 木料及纖維防火剂、全屬磨光剂、冷水膠、蓄電池, 化學試驗室 該前, 印等培养剂, 整理半見, 哪樣制, 據及其他繼續之增重別及於光劑,本 料之俱存,消毒劑、防腐劑,油洛用類料,大油之精製及遊清,樓膠硫化,坡 海血納品。

瑞蝕刻劑。 方鐵桶裝每桶淨重廿五公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE


CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
18. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS, **COAL TAR PRODUCTS** 

#### TRISODIUM PHOSPHATE (SODIUM PHOSPHATE, TRI-BASIC)

Specification: Na<sub>3</sub>PO<sub>4</sub> · 12H<sub>2</sub>O. content — 98% Minimum.

Description: Colourless crystals; Soluble in water.

Water softener; boiler compounds; water softening and soap substitute in laundry industry; Tanning industry; Sugar purification; Photographic developers; in medicine. Uses:

In cloth bags of 25 kilos nett lined with 3-ply kraft paper. Packing:

#### 磷酸三鈉

Na<sub>3</sub>PO<sub>4</sub>·12H<sub>2</sub>O. 含量最低 98%

紩: 無色結晶,能溶於水。

較水劑, 鍋爐用劑, 洗衣用軟水劑及肥皂代用品, 鞣革,蔗糖精製劑, 照像顯 進:

影劑,醫藥。

Uses:

布袋内觀三層紙裏,每袋净重廿五公斤。 裝:

#### SODIUM NITRITE

Specification: NaNO2 content — 98% up (Dry Base).

Slightly yellowish or white crystals, sticks or powder. Oxidizes on exposure to air. Soluble in water; Slightly soluble in alcohol and ether. Description:

Dyestuffs manufacture; for diazotising; organic synthesis; preparation of Nitric Oxide; Reagent in Analytical chemistry; Pharmaceuticals; Photographic reagent; Pickling meat.

In 5-ply kraft paper bags of 50 kilos nett. Fire hazard: Dangerous. Packing:

### 亞硝酸鈉

NaNO。 含量最低 98% (乾積計)

淡黄或白色结品粉或針狀, 露置空氣中即行氧化, 能溶於水, 微溶於醇及酸。

非料製造(重氮化用),有機物合成,氧化氮之製造,分析化學用減剂,醫藥製 淮:

造,照像用試劑,肉類浸清劑。

五層牛皮紙袋裝,每袋净重五十公斤。 注意防火。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & FXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

"COLEC PERING
3, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

CHROMIC ACID

PHOSPHORIC ACID

### CHROMIC ACID (CHROMIC ANHYDRIDE, CHROMIUM TRIOXIDE)

Specification:  $CrO_3$  content — 98% Minimum.

Description: Reddish brown crystal, soluble in water and ether.

For manufacturing chromates, chrome dyestuffs, electric batteries, coloured glass, printing and lithographic inks; as mordant in dyeing and printing Uses:

In steel drums of 200 kilos nett. Packing:

> 酸 鉻

CrO3 含量最低 98% 格: 规

紅粽色結晶,能溶於水及醚。 敍:

製造各類路酸化學品,媒介染料,電池,色玻璃,印刷及石印油墨,幾物媒 淹:

染剂。

裝: 鐵桶裝,每桶净重二百公斤。

### PHOSPHORIC ACID

Specification:  $H_3PO_4$  content — 70% Minimum.

Description: Colourless syrup liquid. Soluble in water.

Concurress syrup niqua. Sounde in water.

For manufacturing phosphates, hydrogen peroxide, glycerophosphates, pharmaceuticals, dyes, incandescent light filaments, pyrotechnics, fertilizers; essences, soft drinks and mineral waters; pickling and rustproofing agent; sugar defecant and clarifier; mordant in dyeing and printing textiles; brightener of silks. Uses:

In glass jar of 30 kilos nett covered with wooden case.

酸

含H<sub>8</sub>PO₄最低70% 格: 無色糖漿狀液體,能溶於水。

Packing:

秋: 製造磷酸類化學品, 通氧化氢, 甘油磷酸, 緊棄, 壽料, 電頻泡撥線, 烟火, 肥料, 香水, 硬水散化劑, 礦水, 滌清及防銹剂, 並用於製糖作遊清 用,紡織品印染之定色及轉光增強劑。

玻璃罐装,每罐净重三十公斤,外加木箱。

### For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.

Cable Address: "CNIEC PEKING"


TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTE TSINGTAO"

SHANGHAI BRANCH:

2 18, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Fing Road South, Canton.
Cable Address: "CHIMFORTO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

#### SODIUM HYDROXIDE (CAUSTIC SODA)

Specification: NaOH content - 98% Minimum.

White, deliquescent crystals; absorbs water and carbon dioxide from the Description:

Petroleum and vegetable oil refining; tanning; soap industry; textile Uses:

industry; rayon; paper industry; organic synthesis; sodium salts; manufacture of reclaimed rubber.

In iron drums of 200 kilos nett Packing:

Tightly sealed and keep dry and away from acids.

#### 氫氧化鈉(苛性鈉,燒鹹)

状:

NaOH 含量:最低98% 白色瀏解性之緣高、能自空氣中吸收二氧化碳及水分。 石油及植物油之精製、雜萃、肥皂工業、纖維工業、人选絲、製紙工業 ,有 機合成、鉤點、複膠再製品之製造。

装: **维桶装,**每桶净重二百公斤。

愈展密色装,置放乾燥處,與酸隔離。

#### SODIUM CARBONATE (SODA ASH)

Specification: Na2CO3 content - 98% Minimum.

Description:

Na<sub>2</sub>CO<sub>3</sub> content—98% minimum. Greyish-white powder; soluble in water; insoluble in alcohol. Manufacture of pure sodium carbonate and bicarbonate, drugs, dyes, glass, soap, paper, caustic soda, paints, leather, enamel-ware and cleansers; dyeing textiles; water softening; refining oils; wood preservation; metal-Uses:

lurgy; laundering, etc., In gunny bags of 80 kilos nett. Packing:

#### 碳酸钠(純鹹)

Na<sub>2</sub>CO<sub>3</sub> 含量:最低98% 灰白色粉枝,悠溶於水,不溶於蘇 製造軟硬酸納及畫磷酸納 霧品,壽料,玻璃,肥皂,绒,守惟鉤,油漆,皮 車,横瓷,恰垢劑,機物染色,水之軟化,油之精製,木料保存剂,冶金, 狀: 途:

洗衣等用。

蘇袋裝,每袋淨重八十公斤。

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA. Cable Address: "CNIEC PEKING"

Cable Address:

IIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINCTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13. Chung-Shan Road Bast 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

CARBOLIC AGID (PHENOL) GRESYLIE AGID

#### CARBOLIC ACID (PHENOL)

Specification: C<sub>6</sub>H<sub>5</sub>OH content — 98% Minimum.
Freezing Point: 99°—41°C

Description: White crystalline masses absorbing moisture from the air; distinctive odour; strong corrosive, poisonous. Soluble in alcohol, water, ether, chloroform, glycerine, carbon bisulphide, petroleum.

Uses: Disinfectant for sanitary, medical and surgical purposes; manufacture of picric acid, salicylic acid, phenacetin and various intermediates for the production of dyes; paint and varnish removers; synthetic resins and plastics; phenates: brewing (cleansing agent); synthesis of artificial tannins; synthetic perfumes; pharmaceuticals.

Packing: In galvanized iron drums of 210 kilos nett.

#### 石炭酸(酚)

CoH<sub>2</sub>OH 含實:最低98%,漆點:39°—41°C 白色蛙品樂,受光雜作用,即變為演述。或意為紅色,能自室氣中吸收水分而自行液化,味均,有精嗅,腐蝕力極強,有毒,其稀厚水溶液微有甜味。穩溶於鄉水、線、搖仿,甘油,二硫化銀及石油。 製造消毒劑,虧藥,苦味蘸,水揚繳,非剛當丁及各種卻料中問體,油漆除去劑,人造樹勝及塑膠,蘸造,拌蘇,人造鞣酸,香料,藥皂。 使樂戲擬雲,張稱學文品這處。

途:

裝:

#### CRESYLIC ACID

CH<sub>3</sub>C<sub>6</sub>H,OH Specific Gravity: 1.08-1.06 ( $20^{\circ}\text{C}$ ) Distillation Test:  $0^{\circ}\text{--}190^{\circ}\text{C}$   $5^{\circ}\text{Maximum}$ .  $190^{\circ}\text{--}205^{\circ}\text{C}$   $85^{\circ}\text{Minimum}$ . Straw to brown-red coloured liquid, phenolic odour. Soluble in water, ammonia, glycerine, caustic soda, petroleum, alcohol. Manufacture of cresols, disinfectants, sheep dips, flotation, synthetic resins; lubricating oils; in medicine. In iron drums of 200 kilos nett.

Packing:

#### 克 利 沙 酸

CH<sub>8</sub>C<sub>8</sub>H<sub>4</sub>OH 比. 重: 1.03-1.06 (20°C) 素確試験: 0°-100°C 最高5% 190°-205°C 最高5% 學養至紅能之流體,者齡獎。 經濟分水,可裝尼亞,甘油,邊城流,石油,酒精。 變速實養師,消養劑,漁果用粮寄生虫之浸液,合成松香,清潤油。 鐵桶裝,每桶淨重二百公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE


CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH: 171, Chien-Sheh Road, Tientsin. Cable Address: "NOCIMOR TIENTSIN" TSINGTAO BRANCH: 82, Chung-Shan Road, Tsingtao. Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

### **山國進出口公司**

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

#### FURFURAL, TECH.

Description:

170°C 98% Minimum.

Colourless liquid, turning to dark amber upon exposure. Characteristic penetrating odour. Soluble in alcohol, ether and benzene.

Solvent—purification of mineral oils, wood resin, anthracene; synthetic resins, textlie industry, shoe dyes, paint and varnish remover, varnish gums, lacquer formulation. Biological—fungicides, bactericides, preservatives, tree wound dressing, fly repellents. Aldehyde—resins, tanning, manufacture of furan compounds, flotation agents.

In iron drums of 220 kilos nett. Uses:

Packina:

糠 醛

C.H.(O·CHO) 合資素低 98% 比重:在攝氏表20°時為1.157-1.159 (余者: 1.160°-1.161) 無確度: 148°C 最高1.5% 170°C 最高98% 無色液體、養置至成及光中, 即變紅陰色, 有碳烈之嗅氣, 能溶於離, 醚及 茶。 溶剂一石油, 松香, 及遠之情裝; 人造松香, 纖維工業, 鞋油, 油漆工業。 生物一般織劑, 報前劑, 保存劑, 樹傷陰衡, 粉蠅絲。 鐵桶製, 毒桶淨重二百廿分斤。

#### ANILINE OIL

Specification:  $C_6H_5NH_9$  content — 99% Minimum (Dry base)

Colourless oily liquid; rapidly becomes brown on exposure to air and light; Soluble in alcohol and ether; slightly soluble in water.

Uses:

Dyes; Intermediates; Chemicals; dyeing and calico printing; vulcanization accelerator; germicide; Paint and varnish; perfumery; Pharmaceuticals.

In iron drums of 200 kilos nett.

Packing:

#### 苯

CeHaNH。含葉聚低99%(乾糠計) 無色油狀液體,初落置於空氣中及日光下逃即變為粽色,能溶於解與謎,級溶於水,有等。 發料,中間體,化學無品,即染,棲膠硫化促進劑,與鹵劑,油漆,香料,專

用 途:

醫藥。 鐵桶裝,每桶净重二百公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.

Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
32, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
18, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Fing Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

PARAFFIN WAX

STEARIG ACID

#### **PARAFFIN WAX**

Specification: White and Yellow. Melting Point: 129°-136°F.

White and Yellow translucent, waxy, tasteless, odourless solid. Soluble in benzine, benzene, warm alcohol, chloroform, turpentine, carbon bisulphide and olive oil; insoluble in acids. Description:

Uses:

and olive oil; insoluble in acids. Manufacture of paraffin candles, waxed paper, etc.; waterproofing wood, cord, etc.; impregnating matches; lubricants; preserving eggs; oil crayons; pharmacy (to stiffen ointments); surgery; stoppers for acid bottles; preservative covers for food products; electrical insulation; phonograph records; floor polishes; extraction of perfumes from flowers; cosmetics; photography; anti-frothing agent in sugar refining; coating interior of wine casks; In carton of 25 kilos nett.

Packing:

白色半透明之雕狀固體,無壞無味,能溶於石油精, 華,溫酒精,氣仿,松節油,二硫化碳及橄欖油,不溶於酸。

腊瑚腊紙等製造,防水本本栓製造,火脊梗浸渍劑,滑潤劑,應套條存劑,腊筆、醫棄製劑(油膏增稠劑),外科醫用,咸酸瓶子塞,食品條存,電流絕緣,留緣機盤,地板聯,香料浸出劑,化粧品, 照像,製糖工業用泡沫制止劑,酒

25公斤净重紙箱裝。 裝: ø

#### STEARIC ACID

 $\label{eq:continuous} Specification: $$CH_3(CH_2)_{16}$ COOH Freezing point: $52°C. Minimum $$Description:$$ Colourless, odourless, wax-like material. Soluble in ether, alcohol, carbon bisulphide, carbon tetrachloride, chloroform; slightly soluble in water.$ 

Manufacture of stearates, cosmetics, soaps, pyrotechnic compositions, candles, shoe and metal polishes; medicine.

In wooden cases of 40 kilos nett lined with kraft paper. Tises.

Packing:

CH<sub>8</sub>(CH<sub>2</sub>)<sub>16</sub>COOH 萩固點:最低52°C

無色無哭如曆狀之物質,能溶於醒,醇,二硫化碳,四氟化碳,氣仿;微溶於水。

製造硬脂酸酯, 化粧品, 肥皂, 烟火, 腊燭, 鞋油, 金屬擦光劑, 醫藥。 谁:

裝: 襯牛皮纸裏之木箱裝,每箱净重四十公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.


Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
27 13, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Fing Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

#### NAPHTHALENE, REFINED

Specification: C10H8 Melting point not lower than 79°C.

White, crystalline, volatile flakes, strong coal-tar odour; soluble in benzene, absoluble alcohol and ether; insoluble in water. Description:

Uses:

Manufacture of chemicals, dyes, intermediates, moth repellant, insecticide; constituent of composite motor fuels; disinfectant; celluloid; solvent for resins; manufacture of synthetic resins by condensation with formal-dehyde; paraffin substitute; synthetic tannins; preserving hides; wood preservative compounds; lubricating compounds; asphalt solvent.

In 5-ply kraft paper bags of 25 or 30 kilos nett.

Packing:

精

格: : :

C10Hg, 熔點不低於79°C 具舉發性之白色經晶片,有謀焦油麦,能溶於菜,雖及無水酒精,不溶於水。 化學品、舉料,中開體,舉驗欄,數生剛, 化勃勃酸料物, 炸藥,消毒劑,寒 與路等之製造, 松布瓷劑,合成松香,石雕代用品,皮毛之保存,本料保存 預,滑潤劑,溫青溶劑,合成學寧酸。 五屬牛皮紙袋裝,每袋净重廿五減卅公斤。

#### ETHYL ALCOHOL

Specification: C2H5OH content - 96% Minimum.

Uses:

C<sub>2</sub>H<sub>3</sub>OH content — 96% Minimum.
Colourless, volatile liquid; ethereal, vinous odour, pungent taste. Soluble in water, methyl alcohol and ether.
Manufacture of intermediates, esters, organic derivatives, synthetic drugs, chloroform, iodoform, ether, acetic acid, phenacetin, antipyrine, dyes, smokeless powder, food preparations, sheep dips, plant washes, motor fuel, anti-freeze solutions, carbon removers, cleansers, polishing compositions, spirit varnishes, enamels, paint removers, cosmetics, disinfecting soaps, liquid and transparent plastics; refining petroleum, dyeing and printing; silvering mirrors; in medicine.

In iron drums. Fire hazard: Dangerous.

C.H.OH 含量:最低96%。 無色透明排發性液體、有酒券、味刺激。能溶於水,甲醇及髓。 整速中間體、輸,有額產物,含成藥如,聚份、稀份、酸、醋酸,非肌西丁, 安凝比林, 雜料,無細粉,含品點變,期毛浸液,越物消雲。動力燃料,防凉 淡、眼破劑,洗熱用磨走剂之含成,油漆,排资,化粧品, 來急, 流質及達明 雙形,大油之精製,印染,鏡子銷銀,製棒。

Packing:

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.

Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
18. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

#### PEPSIN

Qualitu:

B.P. 1953, 1:2500, 1:3000

Description:

D.F. 1390. 1.2000, 1.3000 Pepsin occurs as a white or light buff-coloured amorphous powder. It has a faint meat-like odour and a slight acid or saline taste. It readily absorbs moisture on exposure to air and is soluble in water but insoluble in alcohol and ether. The activity of Pepsin is destroyed by boiling in water over 70°C or by heating in slightly alkaline solution. It should be kept in a well-closed container, and stored in a cool place.

Uses:

It is used for increasing the digestive power of gastric juice.

In bottles of one lb. nett, 28 bottles to a wooden case. Packing:

#### 胃蛋白酶

符合B.P. 1953 规格 1:2500, 1:3000 墳:

本品為沒黃色無品形粉狀, 粵具內香, 微帶礦式鹹本, 蓉置空氣中極易吸收水分, 德溶於水, 但不絕溶於酒精及鰻。本品如條水煮, 超過於氏表 70度時, 或在稍具鹹性之溶液內加熱則即失去功効,包聚應嚴密, 並存敬於凉底。 狀:

用以增加胃液之消化力。 用 進:

一磅瓶裝,每箱裝28瓶。 裝:

#### PANCREATIN

Quality:

B.P. 1953. 1:25

Pancreatin is prepared from fresh pancreas of animals employed for food. It is a colourless or buff-coloured amorphous powder with meaty odour, soluble in water, insoluble in alothol and ether. It should be kept in well-closed container and stored in a cool place. Description:

It is a mixture of enzymes, trypsin, lipase and amylase and therefore has the power to digest starch, proteins and fats.

Packing: In one lb. bottles, 28 bottles to a wooden case.

#### 酶 胰

符合B.P. 1953 规格 1:25 疳:

本品條由食用畜類之鮮縣所製成, 無色或黃色無品形粉狀, 哭有肉味, 能溶於水, 不溶於酒精與醚, 色裝應嚴密, 放置凉底 纀:

本品因係多種酵素之混合物故有消化澱粉,蛋白質及脂肪之効能。 用 淮:

一磅瓶裝, 廿八瓶裝一木箱 装:

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH 171, Chien-Sheh Road, Tientsin. Cable Address: "NOCIMOR TIENTSIN" TSINGTAO BRANCH:

82, Chung-Shan Road, Tsingtao. Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO\_CANTON"
("CHIMPORTO\_CANTON")

### **山國進出口公司**

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

LUBRICATING GREASE

#### LUBRICATING GREASE

Commodity: (1) Aluminium Base Grease. (4) Calcium and Sodium Base Grease.

(2) Calcium Base Grease.

(5) Aluminium and Sodium Base Grease.

(3) Sodium Base Grease.

Uses:

For all kinds of lubricating purposes according to the different dropping

point and consistency.

Packing:

In square tins of 16 kilos nett, 2 tins to a wooden case.

#### 滑脂

(1) 鋁基润滑脂

(4)鈣鈉合基润滑脂

(2) 新基润滑脂

(5)鉛鈉合基潤清脂

(3)鈉基潤滑脂

按照不同滴點及稠度適合各種不同润滑用。 徐:

方聽裝,每聽淨重16公斤,二聽裝一木箱。

#### LOCOMOTIVE GREASE

Specification: (1) Hard quality

(2) Soft quality

Uses:

For railways and locomotive uses.

Packing:

In wooden cases of 40 kilos nett, lined with wax, waterproof kraft paper.

#### 鐵路乾油

分硬軟二種

鐵路及機車用。 淦:

防水雕纸襯裏之木箱裝,每箱淨重四十公斤

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING."

Cable Address:

TIENTSIN BRANCH: 171, Chien-Sheh Road, Tientsin. Cable Address: "NOCIMOR TIENTSIN" TSINCTAO BRANCH: 82, Chung-Shan Road, Tsingtao. Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:

13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION **PEKING CHINA**

IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

CALCIUM CARBONATIE: LIGHT MAGNESIUM CARBONATIE, LIGHT

CALCIUM CARBONATE, LIGHT

CaCO<sub>3</sub> content—98% Minimum, Mesh 180—200.

Moisture—0.5% Maximum,
Insoluble substance in HCl—0.2% Maximum.
CaO—0.086% Maximum.
CaO—0.086% Maximum.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

Views:

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

White powder, odourless, soluble in acid and insoluble in water.

#### 輕體炭酸鈣

格:

中空 用豆 /火 印改 少り

CaC Oa か安最級 98% 180/200日
水 份: 最高 0.5%

磨破不溶か: 最高0.2%

Feo(Oa: AlcOa: 最高0.46%

CaO: 最高0.86%

白色粉末, 無実, 溶赤酸, 不溶於水。
 用於製造水泥, 陶器, 石灰, 納鹽, 二氧化炭, 氧化鉄, 中問體, 才管, 持井, 肥田粉、礦水, 粉半, 建築用石, 並用為,漆布, 油漆, 核膠製紙等工業, 其之所) 又可怜磨光用粉。
「十五公人下沙重、細白布袋菜。
 放置乾燥處, 與賴類隔離。 狀: 性用

装:

#### MAGNESIUM CARBONATE, LIGHT

pastes. In cloth bags of 20 kilos nett. Packing:

輕 體 炭 酸 镁

MgCO<sub>3</sub> 含量最低 55%。
MgO: 最低 44%。
水 份: 最高 2.0%。
(caO: 最高 0.45%
Fe\_2O<sub>3</sub>· Al<sub>2</sub>O<sub>3</sub>: 最高 0.16%。
便越不溶粉,溶於酸,不溶於水。
白色歧晶粉,溶於酸,不溶於水。
用於製造鐵廠,二氧化炭,對大漆,類料,油墨,陶器,玻璃,化 粧品 ,油 法,才音。
—一个介净重,布聚聚。

性用

TIENTSIN BRANCH:
171. Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINCTAO BRANCH:
82. Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"


#: 二十分斤净更,有象集。
For the above articles, please send all enquiries to our TIENTSIN OFFICE
CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

SIN BRANCH:
ien-Sheh Road, Tientsin.
ddress: "COCIMOR TIENTSIN"
TAO BRANCH:
mg-Shan Road, Tsingtao.
cddress: "CNIECTB TSINGTAO"

CANTON BRANCH:

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

#### EPHEDRINE HYDROCHLORIDE (NATURAL) RED HORSE BRAND

Formula: Quality:

C<sub>10</sub>H<sub>15</sub> ON, HCl M.W. 201.7 B.P. 1953.

Description:

B.P. 1953. Ephedrine Hydrochloride is extracted from natural "Ma Huang" plant (Ephedra Sinica). It is colourless, odourless with bitter taste and can be supplied in white crystals or 80 mesh fine powder. It is soluble in water and in alcohol, but not in ether. It is an effective remedy and best cure for bronchitis, asthma and whooping couch.

Uses:

it is an effective remedy ing cough. 1-lb. bottle nett. 1-lb. carton nett. 56-lb. tin lined box nett. 5 kilo tin nett. Packing:

#### 紅馬牌 鹽酸麻黃素

學 式: 質: 狀:

 $C_{10}H_{16}ON$ , HCl 分子量 201.7 符合B, P, 1953 規格 未配債由天院監章等提練而得, 無色無喫味等, 結晶或80目粉軟, 能溶於水炎 酒精, 不湿於賦。 高法療氣管要, 氣喘、T 目、實有效劑。 一磅額,一磅紙盒、56磅點裏木箱,5公斤聽。

Formula:

CALCIUM GLUCONATE

Quality: Description:

CALCION SUCCONATE  $C_{12}H_{22}O_{14}Ca\cdot H_2()$  M. W. 448.4
B.P. 1953.
Calcium Gluconate occurs as a white, odourless, tasteless crystalline or granular powder. One gramme of Calcium Gluconate dissolves in 30 c.c. water. It is insoluble in alcohol and ether.
It is used in the treatment of rickets, tuberculosis, chronic renal diseases, unremia etc.

Uses:

uremia, etc. In 25-kilos plywood kegs.

Packing:

#### 葡萄糖酸鈣

C1:eH2:O1:dCa·H2O 分子量 448.4 符合B.P. 1953 規格 本品高台色糖品粉狀,無獎無味,本品一克能溶於30cc水中,不溶於酒精及鲢。 用以沿塘均衡,结核、慢性肾病,尿毒等症 世五分斤三倉板木桶裝。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13. Chung-Shan Road East 1, Shanghai
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton
Cable Address: "CHIMPORTCO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

SODIUM BICARBONATIE TECH! SODIUM FILIARES. - SODJUM FLUORIDE ....

#### SODIUM BICARBONATE, TECH.

Specification: NaHCO3 content - 99% Minimum (by weight).

White powder or crystalline lumps; cooling, slightly alkaline taste; Soluble in water; insoluble in alcohol. Description:

Uses:

For manufacture of effervescent salts and beverage, artificial mineral waters; baking powder; gold and platimum plating; tanning industry; treating wool and silk; fire extinguisher; ceramics; preserving butter; prevention of timber mold.

In gunny bags of 50 kilos nett (Inner packing: Kraft paper and cloth bag). Packing:

#### 小蘇打(重碳酸鈉)

NaHCOa 含量最低99%(按重量計)。 核:

白色粉或结晶塊,味凉而微澀,能溶於水,不溶於醇。 秋:

沸腾鹽及伙料 , 人造礦水及焙粉之製造 , 鍍金,錢鉑,鞋華 , 羊毛及絲之處

理,減火剂,霉業,乳油保存劑,木料防微劑。

装: 蘇袋内犍牛皮紙及布袋,每餐净重五十分斤。

#### SODIUM FLUORIDE

Specification: NaF content - 98'. Minimum.

Clear lustrous crystals or white powder: Poisonous; Soluble in water; slightly soluble in alcohol. Description:

Anti-septic and anti-fermentative in alcohol distilleries, etc.; food pre-servative: rat poison; in medicine, flux, enamels: rimmed steel.

In wooden cases of 50 kilos nett. Packing:

#### 氟、化 鈉

NaF含量最低98。

Uses:

透明有光練品,或白色粉狀,有毒;能容於水,微溶於醇。

轉纂瘤中之防時削及防腐劑;食品保存剂,毒鼠劑、醫藥,助控劑,排資。

**本**箱裝,每箱淨重五十公斤。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA. Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin,
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao,
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH: SHANGHAI BRANCH:
13. Chung-Shan Road East 1. Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

#### SODIUM SULPHIDE

Specification: Na<sub>2</sub>S — content 63.5% Minimum, Solid Fused or Flakes.

Yellow or Brick-Red lumps or flakes. Soluble in water, slightly soluble in alcohol, insoluble in ether. Easily oxidizes when exposed to air. Description:

Manufacture of organic chemicals; sulphur dyes; intermediates; rayon (denitrating): leather (depilatory) dyeing; paper pulp; solvent for gold in hydrometallurgy of gold ores; sulphiding oxidized lead and copper ores preparatory to flotation; flotation processes for lead and copper ores; calico printing; sheep dips; photographic reagent; engraving and lithography; analytical reagent.

Packing:

For flakes, in iron drums of 50 kilos nett. For solid fused, in iron drums of 160 kilos nett.

Na<sub>2</sub>S 含量:最低63.5%(固體溶塊或片狀)

黄色或碡紅色塊或片狀,能溶於水,微溶於醇,不溶於醚。霧置空氣中,極易 氧化。

本化。 有機化學藥品,碱化染料,中間體,人造鄉用脫硝剂,製革用脫毛劑,樂色、 試裝,金礦用溶劑,鉛礦銅礦序運用硫化剂,印錄,流毛液,照相用試劑,蝕 刻劑及石印,分析化學用該劑。

裝:

片狀:鐵桶裝,每桶淨重五十公斤。 國體塊狀:鐵桶裝,每桶淨重一百六十公斤。

#### SODIUM SULPHATE, ANHYDROUS

Specification: Na2SO4 content - 98% Minimum.

Anhydrous white powder, soluble in water and glycerine. Description:

Manufacture of sodium salts, sodium carbonate, washing sodas, paper pulp, ultramarine, mineral and lake colours, printing inks, soaps, turkey red oil; as drying agent; in dyeing and printing textiles: mordant in dyeing cotton; bleaching fabrics; tanning leather; diluting dyes; in medicine.

Packing: In gunny bags of 50 or 100 kilos nett.

#### 無水元明粉

Na<sub>2</sub>SO<sub>4</sub> 含量:最低98% 格:

無水白色粉狀,能溶於水及甘油。 获:

製造動鹽,碳酸鈉,浇湿用碳,纸製, 霍青等蘋料,印刷油墨, 肥皂,土耳其紅油,乾燥劑,染色製革,醫藥,染料冲淡劑。 途:

蘇袋裝,每袋淨重五十或一百公斤。

For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:

13. Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25. Tai-Ping Road South, Canton.
Cable Address: "CHIMPORPO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA

#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

#### CASEIN, LACTIC

2.5% Maximum Specification: Grade A: Fat

3.2%

Moisture 12%

2.6 — 4.5% Grade B: Fat

Ash Moisture 3.2% Maximum 12% ,,

Description: White to yellowish amorphous powder (30/40 mesh) or granular with agreeable odour. Absorbs moisture but insoluble in water, alcohol, ether and other organic solvent. Soluble in alkalies, alkaline carbonates, acids.

and other organic solvent. Soluble in alkalies, alkaline carbonates, acids. Manufacture of casein cold waier paints and varnishes, waterproofed paints and distempers, paint removers, water-resistant glues and adhesives, shoe polishes, massage creams, cosmetics, ceramics, synthetic milk, baking powders, special foods, linoleum, pharmaceutical caseinates; mordant in dyeing and printing textlies; printing paste thickener; loading and softening silks and cottons; finishing and dressing leather; substitute for gelatin, albumen, shellac, gums, etc.; for various purposes; in celluloid and other plastics; rubber compounds; hard rubber; soaps; photographic films; priming artist's canvas; insulating compositions; clarifying wines; bottle sealing compositions; adhesive thickener in insecticides; filler; binder in cork compositions and other plastics.

In cloth bags of 30 kilos nett lined with double kraft paper bag. Keep in cool and dry place. Packing:

#### 乾酪素

乙级 脂肪 2.6 4.5% 甲級 脂肪最高 2.5% 灰分最高 3.2% 灰分 # 3.2% 水分 // 12% 水分 # 12%

台色至淡黄色無黑性粉狀(30/40目)或粒狀,氣味材,能吸收水分但不溶於水, 能,酶及其他有模溶液,能溶於鹹類,鹹性應酸鹽溶液及酸。 製造酶素冷水油漆,防水油漆,油漆除去剂,耐水膠,鞋油、按聲音,化粧品, 詢瓷、人造牛劲,終給、漆布、屬藻用略酸,印染媒染劑,印油之增額劑,採 賴助重及狀化劑,改革之整理,蛋白及白明邪代用品,東與那及其他塑料,樣 膠合成物,破像膠,肥血,照相放片,絕緣體,痼顯之澄清,作填充劑等等。

觀雙層牛皮紙之布袋裝,每袋净重三十公斤。 装:

须放置凉乾处。

Uses:

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA.


Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
18, Chung-Shan Road East 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTCO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS 0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS, RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. **COAL TAR PRODUCTS** 

#### SOLUTION OF CRESOL WITH SOAP (LYSOL)

Specification: B.P. 1953.

Amber to reddish-brown liquid with phenol-like odour; Soluble in water, ether and alcohol; a mixture of isomeric cresols obtained from coal tar.

Highly effective as germicide, stronger than phenol, extensively used as

Uses:disinfectant.

Packing: In tins of one gallon (10 pounds) nett.

#### 煤酚皂溶液 (來蘇爾)

格: 符合1953年版英國藥典

性 狀: 本品為黃棕色之液體 , 味似石炭酸, 能溶於水、醚及醇中, 又稱複方煤溜油

具有強大的殺菌效能,效力大於石炭酸,可供防疫殺菌之用

装: 一加侖聽裝 (净重10磅)

#### DIASTASE

Specification: Digestive power of starch 1:100.

Diastase occurs as a yellowish-white powder. It is almost entirely soluble in water, but forming a turpid solution, and insoluble in alcohol.

Diastase is a starch saccharifying enzyme obtained from vegetables and therefore increases the digestive power of the stomach against starch. protein etc. It is extremely effective in the treatment of certain stomach

troubles.

Packing:In glass bottles of 1 lb. nett, 28 bottles to a wooden case.

本品為淡黄白色,無品形之粉末,能在水中溶解成混濁之溶液但不溶於酒精。

本品為轉化澱粉成糖之酵素,對澱粉蛋白等能增加消化能力,對於治療胃病最 有效力。

裝: 一磅净重紙裝,每一木箱裝28紙。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

CHINA NATIONAL IMPORT & EXPORT CORPORATION
PEKING, CHINA.
Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin.
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao.
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH:
13, Chung-Shan Road Bast 1, Shanghai.
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Ping Road South, Canton.
Cable Address: "CHIMPORTO CANTON"

### 中國進出口公司

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING CHINA



#### IMPORTERS & EXPORTERS

0F

CHEMICALS, PHARMACEUTICALS, MEDICAL INSTRUMENTS & SUPPLIES. FERTILIZERS, DYESTUFFS, PAINTS, PIGMENTS. RUBBER & RUBBER PRODUCTS, PETROLEUM & PETROLEUM PRODUCTS. COAL TAR PRODUCTS

#### BARIUM CHLORIDE

Specification: BaCl<sub>2</sub>2H<sub>2</sub>O Content 98% Minimum.
Insoluble substance in water 1% Maximum.
Moisture 0.5% Maximum.
Insoluble in alcohol.

Description: Fine white crystalline powder, odouriess, poisonous.

For manufacturing barium sulphate, barium salts, lithopone, colour lakes, pyrotechnies, printing inks, insecticides, photographic chemicals, rat poisons, pigments, blanc fixe, varnishes; tanning and finishing leather; purifying sugar; mordant in dyeing and printing textiles; water softener.

In wooden case of 50 kilos nett lined with kraft paper and water proof paper. Keep in dry place.

#### 化 鋇

格: 规

BaCl。2H.(O 成分一最低98% 水不溶物一最高1% 水分一最高0.5%。 不含类消粉。 它色细结而粉放,無實有毒。 實验也酸明,组鹽,立楂粉,色基,煙火,油墨,聚蟲劑,照相化學品,毒族 集,熟料,油漆,等等,並用於製萃及皮萃之整理,印染紡礦品之定色,糖之 精型,軟水的之製造等。 本箱內搬牛皮绒及防濕纸、每箱净重50分斤,應備异於能線處。

#### CALCIUM CHLORIDE, TECH.

Specification: Description:

CACI\_H\_2O Content 70% Minimum.

White crystalline lumps, odourless, slightly bitter taste, soluble in water, insoluble in ether.

For manufacturing tartaric acid, ammonium chloride, precipitated chalk, intermediate and organic chemicals, mineral water, fire proof paint; drying agent for gases; food preserve; dehydrating petroleum; preserving wood; dust-layer for road; fire protection; drying fruits and vegetables before canning.

In iron drums of 100 kilos nett.

Packing:

#### 氯 化 鈣

CaClaHaO 含量最低70% 白色結晶複擬,無實,來醫苦,溶於水,不溶於輕。 製造酒石酸、氧化餘,流飄碳酸餅,中問體,有賴化學品,礦水,防火油漆, 泉體乾燥劑,食物條存劑,石油脫水劑,木材保存劑,路面整潔劑,並作防火 用及水囊,每攝淨重100公斤。 鐵桶囊,每桶淨重100公斤。

#### For the above articles, please send all enquiries to our TIENTSIN OFFICE

### CHINA NATIONAL IMPORT & EXPORT CORPORATION PEKING, CHINA Cable Address: "CNIEC PEKING"

TIENTSIN BRANCH:
171, Chien-Sheh Road, Tientsin
Cable Address: "NOCIMOR TIENTSIN"
TSINGTAO BRANCH:
82, Chung-Shan Road, Tsingtao
Cable Address: "CNIECTB TSINGTAO"

SHANGHAI BRANCH: SHANGHAI BRANCH:
13, Chung-Shan Road East 1, Shanghai
Cable Address: "CHIMEXCORP SHANGHAI"
CANTON BRANCH:
25, Tai-Fing Road South, Canton
Cable Address: "CHIMPORTO CANTON"

## 友好牌 化工染料産品

"UHO" SYNTHETIC DYESTUFFS & CHEMICALS



中國進出日公司天津分公司 CHINA NATIONAL IMPORT & EXPORT CORPORATION TIENTSIN BRANCH

### 友好牌直接染料類

**通 性:** 粉狀,易溶於水。

用 途: 直接染棉、蔴等植物繊維,某些產品並可用於動物纖維之染色。

**包 装**; 60 公斤鐵桶装。

**注意事項**: 防火、防潮,搬運時輕取輕放,勿使桶皮摔破。

染法說明: 將已稱準之染料用少許熱水調成漿狀,再用相當於染料 10—15 倍之熱水冲 之沸煮片刻,充分攪拌至完全溶解,直接染料在第一次染完後染液不能完金 清湯,特別對於染滦色時利用舊染液繼續使用較爲經濟,機續染色時所加入

清湯,特别對於紮碟色時利用舊築液繼粮使用較為經濟, 繼賴架色時所加入 之染料一般約為第一次所用量之另一彩, 元明粉及純礦用量視第一次染完耗 用量而定。染色所用水量比為染物之 1:15—1:20

築時加 0.5—2%繞碱,5—30%元明粉,(或雙倍之芒硝)染物須先去漿精煉, 洗凈後進行染色,染物於40°—50°C時浸入慢慢增加溫度 至 沸, 共 染30—60

The state of the s

分鐘取出用清水洗後絞出陰乾。

品	種:	101	直接凍黄 GX	102	直接権S	103	直接金駝 36
		104	直接棕 M	105	直接桃紅 12B	106	直接大紅
		107	直接耐酸大紅4BS	108	直接紅 F	109	直接棗紅 B
		110	直接紅醬 G	111	直接青蓮 B	112	直接青蓮 RN
		113	直接湖藍 5B	114	直接湖藍 6B	115	直接剛果藍 2B
		116	直接藍 2B	117	直接藍 RW	118	直接銅藍 BB
		119	直接煮綠 B	120	直接墨綠 B	121	直接黑 EHC
		122	直接黑 EX	123	直接重氮黑 BH	124	
		125		126		127	
		128		129		130	
		131		132		133	

#### 直接染料需染後處理品種:

1.直接網監 BB 2.直接監 RW 3.直接重氮黑 BH 以上品種耐光耐洗堅牢度較一般染料爲佳;如需更佳之堅牢度可用以下之"染後處理辦法":

(甲) 1-3% 硫酸銅 1-2% 冰醋酸

(乙)1-2% 硫酸鲱 1-2% 紅礬鉀 1-2% 水醋酸 用直接染法染完後,可將染過之染物浸入 20-30 倍含有(甲)或(乙)液中在 溫度 70-80°C時處理 20 分鐘後洗净。

-1-

### 友好牌酸性染料類

性; 粉狀,易溶於水。

於酸性浴直接染絲、毛等動物繊維,並可用於染紙及剔紙。 用 淦:

60 公斤鐵桶裝。 裝:

防火、防湖、搬運時輕取輕放, 勿使桶皮摔破。 注意事項:

先將染料充分溶解、傾入染缸內、染缸內之水量為染物的 30倍; 加入元明粉 染法說明: 10 % 及醋酸 2%, 於 50℃ 時加入染物, 慢慢升高温度至沸, 沸染 20—30 分鐘,再加入 1-4% 硫酸,繼續沸煮 20-50 分鐘,如色液不清,可降低 溫度, 靜置 20-30 分鐘, 待色吸净後取出洗净絞乾。

品	稚:	201	酸性金黄	II	202	酸性桃紅 G
,	_	203	酸性大紅	3R	204	酸性墨水紅 4B
		205	酸性紅		206	酸性紫紅
		207	酸性青蓮	R	208	酸性元青 10B
		209			210	
		211			212	
		213			214	
		215			216	
		217			218	
		219			220	
		221			222	

### 友好牌鹽基染料類

性: 結晶體或粉狀,易溶於水(不含鐵質),酒精或醋酸。

可用於動物纖維, 植物纖維, 但對於棉纖維無親合力, 須用媒染劑處理後方 用 可上染, 又可用於染紙刷紙, 色澱的製造, 及植物鞣皮革的染色。

60 公斤鐵桶裝。 包 裝:

防火、防潮、搬運時輕取輕放,勿使桶皮摔破。 注意事項:

(1) 棉線在染前處理方法: 以煮透之棉線, 根據染色的深淺於 80—90°C的 染法說明: 溫度浸入 2-6% 的單寧酸液內, 不再加溫, 翻動半小時, 放置 3-6 小時 或隔夜取出,勿洗擰匀,再用吐酒石 1-3% 溶液(即單寧酸的一半) 冷處 理之,半小時後,將線的水分絞乾留待染色。

(注意・處理時忌用鐵器)

(2) 染色方法: 將秤準之染料用少量 1/1000 的稀醋酸調成漿狀, 用沸水冲 開,將染液之半量,傾入染浴,(忌用鐵器)。浴比為 1;50, 於 30-40°C 將 染物浸入染 10 分鐘, 再將另一半染液加入逐漸升溫至 60-70°C 再染 10 分 鐘,加 2-3% 醋酸繼續染 20 分鐘,絞出洗净陰乾。

•	品	種.	301 303 305 307 309	鹽基杏黃 鹽基青蓮	<b>2</b> B	302 304 306 308 310	鹽基湖藍 鹽基品綠	
			309 311			310 312		
			313			314		

### 友好牌媒介染料類

**通 性:** 粉末,易溶於水。

用 途: 於酸性浴經銘媒處理,可染毛、絲等動物繊維織物。

包 裝: 60 公斤鐵桶裝。

**注意事項:** 防火、防潮、搬運時輕取輕放**,**勿使桶皮摔破。

染法說明: 將染料充分溶解,傾入紅內,紅內之水量為染物之 40倍,加 10-20 % 元明 粉,及 1-2%醋酸於 40-50°C將染物投入,慢慢升高温度煮沸,沸染半小時加入 1-2% 硫酸繼續沸染半小時,降低温度至 60°C加 0.5-3% 重虧酸 鉀繼續沸染半小時,取出洗净紋乾。

品	種:	401	酸性蜂媒黄	G	402	酸性蜂媒黄 日
		403	酸性蜂媒棕	G	404	酸性蜂媒藏青
		405	酸性蜂媒黑		406	
		407			408	
		409			410	
		411			412	
		413			414	
		415			416	
		417			418	
		419			420	
		421			422	
		423			424	

#### 友好牌硫化染料類

**通 性·** 粉末,不溶於水,易溶於硫化碱液內,易吸收水份。

用 途: 可以染棉及其織物。

用 透: 可以架備及共報包 装: 60 公斤鐵桶装。

**注意事項:** 防火、防潮,搬運時輕取輕放,勿使桶皮摔破。

磁化碱: 佔所用染料之 2-2.5 倍(硫化碱纯度是 50% 的)如染淺色可按 3-3.5 倍使用。

純碱: 2-4% 按染物計算使用。

元明粉或食鹽: 5-30% 按築物計算、(如元明粉是含水結晶的,用量加倍) 如在機器中染色,食鹽可以代替元明粉,用量與元明粉间。

<u>七耳共紅油:</u> 0.5—1 份核染液每千份計算可以使色澤更加鮮艷,並可得均匀 染色結果。

小黨打: 1-4% 核染物計算,可使染液還原力提高, 更可使染物鮮艷均勻。

<u>染物與染液比例</u>: 線染 1:15—20 捲染 1:5

**軋染 1;4-20** 

<u>染色温度: 60−65°C</u>

<u>染色時間</u>: 30—60 分鐘

洗 涤. 染色完單後用冷水洗二三次至水澄清再用 60—70°C温水洗一夫, 最後用清水洗一夫。

染後處理: 染物當在染完後即變入含 2-3% 紅攀鉀及 1.5-2% 冰醋酸之 水溶液中,在溫度的 60-65°C中 20 分鐘,可以促進氧化並防止氧化後 經分之數

皂 煮: 於每千份水中加純碱 2 份肥皂 10 份,沸煮10—15分鐘,然後用 合水洗 2—3 次,色澤尤爲鮮艷。

品	種:	501 504 507 510	硫化藍 GR 硫化天藍 BBG	502 505 508 511	硫化藍	3R	503 506 509 512	硫化藍	4R
				;	5 —				

### 友好牌染料中間體類

#### 甲萘胺

純 度: 98%以上

分子量: 143

性 質: 比重 1.131, 沸點 301°C, 熔點 50°C, 紅棕色結晶有特殊臭味, 溶於鹽 酸、醇、醚、微溶於水。

用 途: 中間體之製造,油紅 RL,酸性大紅 B,及其他偶氮染料等製造。

**包 裝: 100** 公斤鐵桶裝。

注意事項: 放置陰凉乾燥通風之處。

#### B一萘酚

純 度: 98% 熔點 120°C

分子量: 144

性 質: 略帶淺黃駝色薄片,比重1.2 溶於醇、醚、氯仿及苛性碱溶液中,徽溶 於熱水。

途: 偶氮染料製造及有機合成,

II 號橙,酸性大紅 A、酸性青F等

包 装: 60 公斤鐵桶裝。

**注意事項**: 放置於陰凉乾燥通風處。

#### 氨基萘磺酸鈉

純 度: 74%以上

分子量: 317

性 質: 無色結晶,易溶於水。

用 途: 偶氮染料之製造,酸性大紅,酸性粉紅,直接煮紅等之製造。

包 装: 100公斤鐵桶装。

注意事項: 放置於陰凉乾燥之處。

#### 氨基苯磺酸

純 度: 95%以上

分子量: 173

性 賃: 淺灰色粉末,溶於濃鹽酸,激溶於水,不溶於醇,及醚。

用 途: 偶氮染料之製造, II 號榜, 酸性駝 G, 直接綠等。

包 裝: 100 公斤鐵桶裝

注意事項: 放置陰凉乾燥通風處。

#### 立德粉

規 格: 28-30%

用 途: 油漆、油墨、橡膠、漆布等。

包 装: 50 公斤紙袋裝(6 層紙內有一層防潮紙)

#### 聯苯胺硫酸鹽

純 度: 25%

分子量: 282.

性 質: 灰色漿狀物,無毒。

用 途: 直接染料的中間體。

包 装: 100 公斤木桶装。

注意事項: 搬運時輕取輕放,勿使桶皮摔破。

#### MW 酸

純 度: 65%

分子量: 224.12

性 質: 淺黃色粉末,能溶於水。熔點 170°C

用 途: 偶氮染料製造: 酸性粉紅,酸性大紅,酸性棗紅,媒介青,直接銅藍, 直接藍, 直接灰。

包 装: 100公斤鐵桶装。

注意事項: 放置陰凉乾燥通風處。

-- 7 --

#### DIRECT DYESTUFFS

"Friendship" brand, made in Tientsin, China.

Properties: Powder, easily soluble in water.

Uses: Direct dyeing of cotton, linen, and other vegetable fibers; some of them can

also be used for dyeing animal fibers.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

The required quantity of dyestuff is weighed and mixed with some hot water to become pasty. Pour 10 to 15 times as much hot water as the dye over the pasty mass which dissolves completely after a short boiling and thorough stirring. The solution is then poured through a fine-meshed sieve or cloth into the bath. Direct dyestuffs are not completely exhausted from the dye-liquor at the first dyeing and it is therefore economical to use the old dyebath again especially for dyeing fuller shades. The addition of dyestuff into every subsequent bath usually amounts to 2/3-3/4 of the original quantity of the dyestuff used in preparing the first bath. Salt and soda are added to the old bath only in such quantities as are necessary to

All dyeings in the first bath are prepared in the ratio 1:15 to 1:20.

The following additions are usually required:

0.5-- 2% Soda ash

Anhydrous Glauber's salt

ber's salt crystals).

The materials are to be preliminarily boiled and desized before dyeing.

till the temperature of the dyebath is near the boiling point, and the material is dyed at this temperature for 30-60 minutes. Then, the dyed material is rinsed in several changes of cold water, and finally dried.

#### Colors Available:

101 Uho — Chrysophenine GX

" — Direct Fast Orange S 102

- Direct Brown 3G 103

104

" — Congo Red 106

107

" - Direct Fast Red F 108

" - Direct Bordeaux B " — Direct Bordeaux G 110

111

make up for their loss caused during the preceding dyeing process.

5-30% (or double the quantity of Glau-

Dyeing is started at a temperature of 40-50°C, which is gradually increased

" — Direct Brown M

" — Direct Red 12B 105

" — Direct Fast Scarlet 4BS

" — Direct Violet B

112 Uho - Direct Violet RN

" - Direct Sky Blue 5B 113

Direct Sky Blue 6B

115 -- Congo Blue 2B

- Direct Blue 2B 116

Direct Blue RW 117

- Direct Copper Blue BB

119 - Diamine Green B - Direct Dark Green B 120

Direct Black EHC 121 122 Direct Black EX

123

124

Direct Black BA Chysophermone GX Surect Bardianx B Livest Blue 2R 125

127

Gramme Green B Greet Copper Blue BR Greet Sky Blue SB 128 129

130 131

132

133

134 135

136

137

139

140 After-treatment: The following dyes possess higher rating of fastness to light and to washing than those of ordinary direct dyestuffs; yet they can be further

improved by the following process:-The material dyed by the usual method for direct dyes can be after-treated with a bath of 20 - 30 times the weight of material, containing either:

1-3% (a) Copper sulphate 1-2% Acetic acid, glacial

or: 1 - 2%(b) Copper sulphate Potassium bichromate 1-2% Acetic acid, glacial

for about 20 minutes at a temperature of 70 - 80 °C., and then rinsed in water.

Direct Copper Blue BB and Direct Blue RW and Direct Diazo Black BH are suitable for after-treatment.

Sanitized Conv Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### ACID DYESTUFFS

"Friendship" brand, made in Tientsin, China

Properties: Powder, easily soluble in water.

Uses: Direct dyeing of silk, wool, and other animal fibers from an acid bath, and

also for dyeing and brushing on paper.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

Pour the dissolved dye into the bath, containing water 30 times the weight of the material. 10% Glauber's salt and 2% of acetic acid are then added.

The material to be dyed is immersed in the dyebath at a temperature of  $50^{\circ}\text{C}$ . which is gradually increased to the boiling point, and the material is boiled for 20-30 minutes. Then add 1-4% of sulphuric acid and continue boiling for another 20-30 minutes. If the dyebath is not completely exhausted, the bath then allowed to cool down, and let the material remain in the bath 20-30 minutes longer, otherwise, the material is removed, rinsed thoroughly and finally dried.

#### Colors Available:

201 Uho --- Orange II " — Phloxine G 202 ,, - Brilliant Scarlet 3R 203 204 , - Victoria Scarlet 4B 205 - Acid Rubine extra " — Carmoisine 206 - Acid Violet R 207 Acid Blue Black 10B Nigraine Black (Water Soluth) acid Blue Black (A77 Word Fast arange 209 210 211 212 213 214 215 216 217 218 219 220 221 222

#### BASIC DYESTUFFS

"Friendship" brand, made in Tientsin, China.

Properties: Crystals or powder; easily soluble in water (without iron traces), also alcohol and acetic acid.

Uses: Dyeing of animal and vegetable fibers, but cotton fibers should be mordanted before dyeing. It can be used for paper brushing and dyeing, production of lake, and dyeing of vegetable tanned leather.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

- 1. Mordanting process for cotton yarn: Enter previously boiled cotton yarn, into the bath containing 2—6% of tannic acid at 80—90°C. according to the desired depth of shade (Liquor ratio 1:20). Turn for 30 minutes and allow the temperature to cool down. After 3—6 hours or over-night, remove the yarn without washing, wring out evenly and immediately immerse into a cold solution of 1—3% tarter emetic (half the quantity of tannic acid). After 30 minutes, rinse well. (Iron vessels should not be used).
- 2. Dyeing method: Paste the dyestuff with a little dilute acetic acid, and then dissolve in boiling water. Pour in half of the solution into the bath containing water sufficient for a liquor ratio of 1:30. Enter the yarn at 30 40°C. and dye for 10 minutes. Then add the remaining half of the solution, increase the temperature gradually to 60 70°C., dye for another 10 minutes, add 2 3% acetic acid and finally dye for 20 minutes.

Remove the yarn, rinse one or two times with cold water and leave it dry slowly in a dark place.

#### Colors Available:

301 Uho - Chrysoidine 302 -Methylene Blue BB Methyl Violet 2B Malachite Green 55 304 Malachite Green of Safronine T Chypordine Crystals Malachite Green T Mithylene Blue BB 305 306 307 308 309 310 312 313 314

- 11 -

Sanitized Copy Approved for Release 2010/08/19: CIA-RDP81-01043R000700240009-5

#### ACID CHROME DYESTUFFS

"Friendship" brand, made in Tientsin, China.

Properties: Powder, easily soluble in water.

Uses: Dyeing of wool, silk and other animal fibers from an acid bath after chrome-

mordanting.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

Pour the dissolved dye into the bath, containing water 40 times the weight of the material. 10-20% Glauber's salt and 1-2% acetic acid are then added.

The material to be dyed is immersed in the dyebath at a temperature of  $40-50^{\circ}\mathrm{C}$ , which is gradually increased to the boiling point. Boil for 1/2 hour, add 1-2% of sulphuric acid and continue boiling for another 1/2 hour. Allow the temperature to cool down to  $60^{\circ}\mathrm{C}$ , add 0.5-3% of potassium bichromate and keep boiling for 30 minutes. The material is well rinsed and finally dried.

#### Colors Available:

401	Uho - Acid-Chrome	Yellow (
402	" - Sunchromine	Yellow I
403	" - Acid-Chrome	Brown C
404	" - Acid-Chrome	Navy Bl
405	" - Acid-Chrome	Black
406		
407		
408		
409		
410		
411		
412		
413		
414		
415		
416		
417		
418		
419		
420		
421		
422		
423		
424		

- 12 -

#### SULPHUR DYESTUFFS

"Friendship" brand, made in Tientsin, China.

Properties: Powder, insoluble in water; easily soluble in sodium sulfide solution,

absorb moisture.

Uses: Dyeing of cotton and cotton fabrics.

Packing: Iron drums of 60 kilos net.

Caution: Store away from fire and moisture, and avoid rough handling.

#### DIRECTIONS FOR DYEING

Dissolving the dye: Sulphur dyes dissolve most readily and completely in a concentrated solution of sodium sulfide and soda ash. Dissolve the sodium sulfide and soda ash in 10 to 20 times their weight of boiling water, add the dye, and stir until solution is complete, boiling if necessary. Prolonged boiling should be avoided.

Sodium Sulfide: The proportion of sodium sulfide (50% purity) used is from 2 to 2.5 times the weight of dye. Light shade requires 3 to 3.5 times the weight of dye.

Soda Ash: 2 to 4% of the weight of the material is used.

Anhydrous Glauber's salt or common salt: 5 to 30% of the weight of the material is used (or double the quantity of Glauber's salt crystals). For machine dyeing, anhydrous Glauber's salt may be replaced by equal quantity of common salt.

Turkey Red Oil: Add 0.05 to 0.1% of the volume of the dyebath for improving the shade

Sodium Bicarbonate: 1 to 4% of the weight of the material added to the dyebath improves the reducing effect; consequently it produces even dyeing and brilliancy of shade.

#### Ratio of material to dvebath volume:

Yarn dyeing	1:15	to	1:20
Jig dyeing	1:5		
Pad dyeing	1:4	to	1:20

Dyeing temperature: 60 - 65°C.

Time of dyeing: 30 — 60 minutes.

Rinsing: When the desired shade has been attained, rinse the dyed material in several changes of cold water until the effluent is clear, following with a rinse in warm water at  $60-70^{\circ}\mathrm{C}$ , and a final rinse in cold water.

After-treatment: After dyeing has been completed, immerse the material in a bath containing:

Potassium bichromate 2-3%Acetic acid, glacial 1.5-2%

**—13** —

for 20 minutes at 60-65 °C., thus accelerating oxidation, and prevent possible change of shade on storing.

Soaping: The dyed material may be treated for 10-15 minutes in a boiling bath containing:

1% of water

Soda ash

0.2% of water

and then rinsed 2-3 times with cold water. The shade can thus be further improved.

#### Colors Available:

531

501 Uho - Sulphur Blue GR " — Sulphur Blue 3R 502 503 -Sulphur Blue 4R Sulphur Blue BBG Julphur Sky Blue BB Lulphur Sky Blue BB 504 505 506 507 508 509 510 511 512 513 514 516 517 518 520 521 522 523 524 525 526 527 528 529

#### DYE-INTERMEDIATES

"Friendship" brand, made in Tientsin, China.

#### Alpha-Naphthylamine $(C_{10}H_7NH_9)$

Purity: 98%

Molecular Weight: 143

Constants: Specific Gravity

Boiling Point

1.131 301°C.

Melting Point

50°C.

Color & Properties: Reddish-brown crystals, having a characteristic odor, soluble in hydrochloric acid, alcohol, and ether; slightly soluble in water.

Uses: Production of intermediates, Sitara Fast Red RL, Wool Red B, and

other Azo-dyes.

Packing: Iron drums of 100 kilos net.

Caution: Store in cool, dry and airy place.

#### $\textbf{Beta-Naphthol}\;(C_{10}H_{\gamma}OH)$

Purity: 98%

Molecular Weight: 144

Constants: Specific Gravity Melting Point

1.2 120°C.

Color & Properties: Light-yellowish-brown bulky leaflets; soluble in alcohol, ether, chloroform, and alkaline solutions; slightly soluble in hot water.

Uses: Orangic syntheses; production of Orange II, Wool Red A, Acid Black F, and other Azo-dyes.

Packing: Iron drums of 60 kilos net. Caution: Store in cool, dry and airy place.

#### Sodium Naphthionate (C10H6(NH2)SO3Na·4H2O)

Purity: 74 — 75%

Molecular Weight: 317

Color & Properties: Colorless crystals; easily soluble in water.

Uses: Production of Acid Scarlet (Ponceau), Acid Pink, Congo Red, and other

Azo-dves.

Packing: Iron drums of 100 kilos net. Caution: Store in cool and dry place.

-15-

#### Sulfanilic Acid $(C_6H_4NH_2SO_3H)$

Purity: 95%

Molecular Weight: 173

Color & Properties: Grayish-white powder, soluble in concentrated hydrochloric acid; slightly soluble in water; insoluble in alcohol and ether.

Uses: Production of Orange II, Acid Brown G, Direct Green, and other Azodyses.

Packing: Iron drums of 100 kilos net.

Caution: Store in cool, dry and airy place.

#### Lithopone

 ${\bf Specification:} \ \ 28-30\%$ 

Uses: Paint, Printing-ink, Rubber, etc.

Packing: Packed in paper bags of 50 kgs. net. (6 plies including one ply of water-proof packing).

#### Benzidine Sulfate ( $C_{19}H_{19}N_9\cdot H_9SO_4$ )

Percentage of Base: 25%

Molecular Weight: 282

Color & Properties: Gray paste; non-poisonous. Uses: Intermediate for direct Azo-dyes. Packing: Wooden drums of 100 kilos net.

Caution: Store away from fire and boiler, and avoid rough handling.

### Neville-Winther's Acid (HO $C_{10}H_8SO_3H$ )

Purity: 65%

Molecular Weight: 224.12

Color & Properties: Pale yellow powder; soluble in water.

Melting Point: 170°C.

Uses: Manufacture for Azo-dyes; Azo Rubine, Double Scarlet S, Cloth Red B, Diamond Black F, Direct Copper Blue BB, Direct Blue R, Benzo Gray S.

Packing: Iron drums of 100 kilos net.

Caution: Store in a dry, cool, air circulating place.

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

#### BRANCHES

#### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

#### TSINGTAO BRANCH:

82, Chung-shan Road, Tsingtao Cable: CNIECTB TSINGTAO

#### CANTON BRANCH:

2, West Bund, Canton Cable: CHIMPORTO CANTON

#### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W8, Berlin Cable: CNIEC BERLIN

# 図飲氧 INN OWDE NED (Fe<sub>2</sub>O<sub>3</sub>)



会力 海 CHEE LIT Brand

CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

Sanitized Copy Approved for Release 2010/08/19 : CIA-RDP81-01043R000700240009-5

0

### **紅 鉄 氧** (Fe<sub>2</sub>O<sub>3</sub>)

#### IRON OXIDE RED (Fe<sub>2</sub>O<sub>3</sub>)

Special grade, Fe<sub>2</sub>O<sub>3</sub> Contents 97%, Light colour. First grade, Fe<sub>2</sub>O<sub>3</sub> Contents 97%, Deep colour. Second grade, Fe<sub>2</sub>O<sub>3</sub> Contents 84% up, Specifications:

Packing:

Packed in 25 kilos net weight cloth bag with double

paper lining.

Paints, Rubber, Tanning, Battery, Tiles, Building, Porcelain, Enamelling, Glass, Iron-welding etc. Uses:

Characteristics: Acid-proof, Basic-proof, Heat-proof, Fire-proof, Anti-corrosion, Anti-rust, Polishing,

廣州自力化工厰

CHEE LIT CHEMICAL WORKS

For Reference

特級三氧化二鉄含量97%以上,淺色. Special grade, Fe<sub>2</sub>O<sub>3</sub> Contents 97% up, Light colour. 中級三氧化二鉄含量97%以上,深色. First grade,  $Fe_2O_3$  Contents 97% up, Deep colour. △級三氧化二鉄含量84%以上. Second grade, Fe<sub>2</sub>O<sub>3</sub> Contents 84% up. 僅供参致

#### **BRANCHES**

#### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

### TSINGTAO BRANCH:

11, Tung Yeh Road, Tsingtao Cable: CNIECTB TSINGTAO

### CANTON BRANCH:

2, West Bund, Canton
Cable: CHIMPORTCO CANTON

### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W8, Berlin Cable: CNIEC BERLIN



CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

### 意 明

品 名: 破酸鈉亦名水玻璃.

規 格:如下两種.

(a) Na<sub>2</sub>O:2.4SiO<sub>2</sub>

56°Be′

(b) Na<sub>2</sub>O:3.3SiO<sub>2</sub>

40°Be′

包 装: 舊鉄桶压.

(a) 項

每桶净重320公斤

(b) 項

每桶净重270公斤

### 主要用途:

- 1. 肥皂之填充劑,
- 2. 紙盒及三夾板之接合劑。

- 5. 棉布, 紗布之漂白劑及印染劑。
- 6。用于某種礦石之浮選。
- 7. 鷄疍保藏劑.

## 廣州睽信化互厰出品

### DESCRIPTION

Commodity: Sodium Silicate, or Water Glass.

Specifications: . Two kinds as follows:-

(a) Na<sub>2</sub>O:2.4SiO<sub>2</sub>

56°Be′

(b) Na<sub>2</sub>0:3.3SiO<sub>2</sub>

40°Be′

Packing: In second hand iron drums.

- (a) item 320 kilos net weight per drum.
- (b) item 270 kilos net weight per drum.

### Main Uses:

- 1. Filler of soap.
- 2. Adhessive for box and plywood.
- 3. A bleaching agent and element in paper manufacturing.
- 4. Material as for manufacturing acid-proof equipment.
- 5. Bleaching agent and mordant for cotton cloth and yarn.
- 6. Floatation for certain ore.
- 7. Preservative for eggs.

# LIEN SOONG CHEMICAL WORKS

### BRANCHES

### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

### TSINGTAO BRANCH:

11, Tung Yeh Road, Tsingtao Cable: CNIECTB TSINGTAO

#### **CANTON BRANCH:**

2, West Bund, Canton Cable: CHIMPORTCO CANTON

#### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W8, Berlin Cable: CNIEC BERLIN



CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

品名:無水硫酸鈉。

來源:製造氯化銨之副產品。

規格:干燥樣品計算。

含硫酸鈉 99%,以重量分析法測定硫酸根总

含量計算。

包裝: 125 公斤净重双層蘇袋底。

用途:助染剂;輕瀉剂;製造玻璃,群青等原料。

成份分析(干燥樣品計算)

硫酸鈉

99%以上,以重量分析法測定硫酸根

总含量計算。

含鉄量(Fe<sup>ttt</sup>)

.0008%以下。

酸值

6-8.

含水量

1%以下。

幼度

通過 No.170 目篩。

Commodity: Sodium Sulfate, Anhydrous.

Source: By-product from the manufacture of Ammonia Chloride.

Specification: On drying basis. Na<sub>2</sub>SO<sub>4</sub> 99%, figured as total sulfate by

gravimetric determination.

Packing: Packed in 125 kilos net weight double gunny bags.

Uses: Mordant; Laxative; Raw material for the manufacturing of glass, Ultramarine Blue, etc.

Analysis (on drying basis)

Sodium Sulfate

99% up, figured as total sulfate by gravimetric determination.

 $\mathrm{Fe}^{\dagger\dagger\dagger}$ 

max. .0008%

H P Valve

6-8.

Water contain

**Fineness** 

pass through No. 170 mesh.

原能化工廠出品

Made by YUAN NUN CHEMICAL WORKS

#### **BRANCHES**

### TIENTSIN BRANCH:

171, Chien Shieh Road, Tientsin Cable: NOCIMOR TIENTSIN

#### SHANGHAI BRANCH:

12, Chung-shan Road East 1, Shanghai Cable: CHIMEXCORP SHANGHAI

### TSINGTAO BRANCH:

11, Tung Yeh Road, Tsingtao Cable: CNIECTB TSINGTAO

### CANTON BRANCH:

2, West Bund, Canton Cable: CHIMPORTCO CANTON

### BERLIN REPRESENTATIVE:

Leipzigerstr. 112 W&, Berlin Cable: CNIEC BERLIN

# 立德粉 LITHOPONE

28-30%

CHINA NATIONAL
IMPORT & EXPORT CORPORATION
PEKING CHINA
CABLE: "CNIEC" PEKING

# 立德粉

格: 28-30%. 規

裝:净重50公斤布袋店,內襯四層紙袋。

主要用途:橡膠工業;油漆工業;皮革工業;印刷油墨.

	放份分析	<u>汗</u>
1. 吸油量		12-18%
2. 遮蓋力		100 cm <sup>2</sup> /g 以上
3.色 澤		潔 白
4. 含鋅量	(作硫化鋅計算)	28-30%
5. 氧化鋅		1.5 以下
6.水 份		0.5以下
7. PH 值		8.3 以下
8. 水溶物		0.5 以下
9.細 度		全部通過200號目篩,
		通過300號目篩則其
		殘餘在○.5%以下。

## LITHOPONE

Specification: 28-30%.

Packing: Packed in 50 kilos net weight cloth bag with four paper

Main Uses: Rubber industry; Paint industry; Leather industry; Prin-

ting ink.

### Analysis

1. Oil absorption	12-18%
2. Hiding Power	min. 100 cm $^2/g$
3. Colour	pure white
4. Total Zinc (Calculated as ZnS)	28-30%
5. Zinc Oxide	max. 1.5%
6. Moisture	max. 0.5%
7. pH Value	max. 8.3
8. Soluble Matter	max. 0.5%
9. Fineness	Passing through No. 200 mesh without residue, and through No. 300 mesh with residue
	under 0.5%.

# 中国对外貿易运输公司

"SINOTRANS"

CHINA NATIONAL FOREIGN

TRADE TRANSPORTATION

CORPORATION



# 中國對外貿易運輸公司

地 址:北京西郊二里溝进口大楼

电报掛号: SINOTRANS PEKING 或 7344 北京

电 話: 64230-9, 65330-9, 67030-9

## 主 要 業 务

- (1) 統一办理进、出口、轉口貨物关于 海、陸、空、邮运輸的报驗、接交 業务;
- (2) 接受委託办理过境貨物轉运、港口 代理業务;
- (3) 代办运輸保險、索賠事宜。

# "SINOTRANS" CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

Head Office: Import Building, Hsi Chiao,

Erh Li Kou, Peking

Telegrams: SINOTRANS PEKING or

7344 PEKING

Telephones: 64230/9, 65330/9, 67030/9

### MAIN BUSINESS HANDLED

- (1) SOLE ENTERPRISE for arranging Customs Clearance and deliveries of cargoes imported, exported and/or re-exported by sea, land, air and Post.
- (2) Acting as Agents on authorization for arranging shipments of Transit Cargoes at Chinese Ports and Forwarding of imported cargoes.
- (3) Arranging Marine and Transportation Insurance and instituting Claims on behalf of Cargo Owners.

# 中國對外貿易運輸公司 黄埔分公司

址:广州黄埔港

电报掛号: SINOTRANS WHAMPOA 或 9406 黄浦

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION **CORPORATION**

WHAMPOA; BRANCH

Address:

Whampoa Port, Canton

Telegrams: SINOTRANS WHAMPOA or

9406 WHAMPOA

# 中國對外貿易運輸公司 上海分公司

地 址:上海汉口路海关大厦一楼

电报掛号: SINOTRANS SHANGHAI 或 13380 上海

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

SHANGHAI BRANCH

Address:

Ground Floor, Customs Bldg.,

Hankow Road, Shanghai

Telegrams: SINOTRANS SHANGHA! or

13330 SHANGHAI

# 中國對外貿易運輸公司 青島分公司

地 址:青島新疆路一号

电报掛号: 6586 青島

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TSINGTAO BRANCH

Address: 1 Sinkiang Road, Tsingtao

Telegrams: 6586 TSINGTAO

# 中國對外貿易運輸公司 天津分公司

地 址:塘沽新港路自由星旁

电报掛号: SINOTRANS TANGKU

或 6868 塘沽

# CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TIENTSIN BRANCH

Address: Beside Tze Yiu Li, Hsinkang Road,

Tangku

Telegrams: SINOTRANS TANGKU or

6868 TANGKU

# 中國對外貿易運輸公司 大連分公司

龙 · 杜: 大連斯大林路 16 号 电报符号: 7120 大連

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

DAIREN BRANCH

Address: 16 Stalin Road, Dairen

Telegrams: 7120 DAIREN

# 中國對外貿易運輸公司 湛江分公司

· 五: 广东省湛江港

电报摄号: 8319 港江

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

CHANKIANG BRANCH

Address: Chankiang Port, Kwangtung

Telegrams: 8319 CHANKIANG

# 中國對外貿易運輸公司 滿州里分公司

地 址:滿州 里二道 街

电报器号: SINOTRANS MANCHOULI 或 2878 滿州里

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

MANCHOULI BRANCH

Address:

Erh Tao Chieh, Manchouli

Telegrams: SINOTRANS MANCHOULI or 2878 MANCHOULI

# 中國對外貿易運輸公司 綏芬河分公司

並 社, 设 茶 河 二 街

电报掛号: 2014 将茶河

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

SUIFENHO BRANCH

Address:

Erh Chieh, Suifenho

Telegrams: 2014 SUIFENHO

# 中國對外貿易運輸公司 安東分公司

地 址:安东三区二徑路37号

电报掛号: 3315 安东

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

ANTUNG BRANCH

Address: 37 Erh Ching Lu, Antung (3)

Telegrams: 3315 ANTUNG

# 中國對外貿易運輸公司 圖們分公司

地 起: 图 們

**屯报掛号: 4737 圖們** 

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TUMEN BRANCH

Address: Tumen

Telegrams: 4737 TUMEN

# 中國對外貿易運輸公司 集寧分公司

地 业:集宁 率 站

电报掛号: 5611 集宁

## CHINA NATIONAL EOREIGN TRADE TRANSPORTATION CORPORATION

TSINING BRANCH

Address: Station, Tsining

Telegrams: 5611 TSINING

# 中國對外貿易運輸公司 憑祥分公司

地 址: 憑 祥 車 站

电报掛号: 0001 憑祥

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

PINGHSIANG BRANCH

Address: Station, Pinghsiang

Telegrams: 0001 PINGHSIANG

# 中國對外貿易運輸公司 廣州辦事處

址:广州太平南路25号

电报掛号: 5931 广州

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION **CORPORATION**

CANTON SUB-BRANCH

Address :

25 Tai Ping Nan Ln, Canton

Telegrams: 5931 CANTON

# 中國對外貿易運輸公司 天津辦事處

址:天津辽宁路172号

电报掛号: SINOTRANS TIENTSIN 或 6867 天津

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

TIENTSIN SUB-BRANCH

172 Liaoning Road, Tientsin

Telegrams: SINOTRANS TIENTSIN

or 6367 TIENTSIN

# 中國對外貿易運輸公司 秦皇島辦事處

地 址:秦皇島开濮路

电报掛号: 6866 秦皇島

### CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

CHINWANGTAO SUB-BRANCH

Address: Kailan Road, Chinwangtao

Telegrams: 6866 CHINWANGTAO

# 中國對外貿易運輸公司 二連辦事處

地 址:二連車站

电报掛号: 5612 二連

# CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

ERH-LIAN SUB-BRANCH

Address: Station, Erh-Lian

Telegrams: 5612 ERH LIAN

# 中國對外貿易運輸公司 輯安辦事處

地 班: 輯安一区民主村

电报掛号: 2011 輯安

## CHINA NATIONAL FOREIGN TRADE TRANSPORTATION CORPORATION

CHIAN SUB-BRANCH

Address:

Min Chu Tsun, Chian (1)

Telegrams: 2011 CHIAN





CHARTERING & SHIPBROKING CORPORATION

# 中國租船公司

地 址:北京西郊二里溝进口大楼

电报掛号: SINOFRACHT PEKING 或 7344 北京

### 主要業务

統一办理国家进、出口貨物自运所需之租船、訂艙;接受国內外客戶委託代理租船、訂艙及代船东攬儎業务。

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

Head Office: Import Building, Hsi Chiao,

Erh Li Kou, Peking

Telegrams: SINOFRACHT PEKING

or 7344 PEKING

Telephones: 64230/9, 65330/9, 67030/9

### BUSINESS HANDLED:

Sole Agents on orders from Principals home and abroad for Chartering vessels and Booking shipping space also for Booking cargoes on behalf of shipowners.

# 中國租船公司天津辦事處

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

TIENTSIN OFFICE

Address:

172 Liaoning Road, Tientsin

Telegrams:

SINOTRANS TIENTSIN

or 6867 TIENTSIN

# 中國租船公司上海辦事處

地 址:上海汉口路海关大廈一楼 电报掛号: SINOTRANS SHANGHAI 或 13380 上海

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

SHANGHAI OFFICE

Address:

Ground Floor, Customs Bldg.,

Hankow Road, Shanghai

Telegrams:

SINOTRANS SHANGHAI

or 13380 SHANGHAI

# 中國租船公司黄埔辦事處

地 址:广州黄埔港

电报掛号: SINOTRANS WHANPOA 或 9406 黄埔

# SINOFRACHT CHARTERING & SHIPBROKING CORPORATION

WHAMPOA OFFICE

Address:

Whampoa Port, Canton

Telegrams:


SINOTRANS WHAMPOA

or 9406 WHAMPOA

Electric Drying Oven				 	 	Ę	热	轮	垛	箱
Automatic Electric Drying Oven				 •••	 	íı s	助技员	医电	热乾燥	ŧ fű
Cystoscope				 	 	膀		朓		统
Artificial Pneumothorax Apparatus				 	 	٨	,T.,	紙	胸	S
Electric Magnetic Apparatus				 	 	Ē	絾	观	鏃	S
Electric Plaster Saw				 	 	Ť	動	Б	膏	縕
Portable Sterilizer				 	 	手	提	消	轟	絤
Autoclave, steam heated, horizontal	ty	pe		 	 	臥	武	消	毒	纲
Electrical Hot Water Bath				 	 	Ē	力		8	44
200-56 X-Ray Unit				 	 	200	0-56	型	X 光	械
25-56 X-Ray Unit				 	 	d,	型	Х	光	機
X-Ray Film Drying Cabinet				 	 	X 3	光软	片	乾燥	榆
Intensifying Screen				 	 	增		厳		Ä
Universal Operation Table				 	 	<b>ž</b> ,	能	t :	手術	床
Clinical Thermometer, Oral				 	 	體	溫	1	į (p	12
All Glass Syringe 1cc				 	 	玻	璃	注	射	25
All Glass Syringe 2cc 5cc 10cc				 	 	玻	掮	注	射	8
All Glass Syringe 20cc 50cc 100c	cc			 	 	玻	縞	注	射	15
Pneumatic Tourniquet				 	 	空	紙	al:	102	*
Red Corpuscle Pipette				 	 	红	ń	2,	珠	Ť
White Corpuscle Pipette				 	 	白	ź	ž.	球	Ť
Body Scale (low style)			•••	 	 	低	型	٨	. 雅	硝
Body Scale (high style)				 	 	高	型	٨	. 雅	硝
Absorbent Cotton 1 lb-packing	•••			 	 	1 4	旁荣	肥	脂藥	棉
Absorbent Cotton 1 lb-packing				 	 	$\frac{1}{2}$	磅号	走脱	脂藥	棉
Cotton Gauze 1 lb-packing			•••	 	 	1 4	旁装	脱	脂粉	布
Cotton Gauze I lb-packing				 	 	1/2	磅号	支联	脂絲	市

# 中國進出口公司 CHINA NATIONAL IMPORT & EXPORT CORPORATION 北京西郊二里港 Er Li Kou, Hsi China, Peking, China, Cable Address: CNIEC PEKING

#### BRANCHES:



### PHARMACEUTICALS 醫 藥

### Fine Chemicals 西藥原料

Aluminium Hydroxide Gel., Dried, B.P.C. 1949			乾丸	1.鱼氧化铝岩	膠					
Belladonna Extract, dry powder, B.P. 1953 ··· ···			頻	茄 漫	青					
Biemuth Subgallate, B.P. 1953			次	沒食子酸	鉳					
Bismuth Subnitrate, B.P.C. 1949			决	确 酸	鉱					
Calcium Lactate, B.P. 1983			乳	酸	练					
Castor Oil, B.P. 1983			K	麻	油					
Preparations 制 劑										


rreparations in As	
"Panadin" Ampoules (for contagious disease, influenza, etc.) 百 乃 定 🦸	Ħ
	朴
"Halisun" Strong, Capsules (Vitamina A & D Conc.) (	生
"Thiazon" Ointment	ř
Blood Tonic "CHI LAI"	樂
	汁
(	汁
"Liberon" Capsules (for anemia) 力 勃 隆	丸
	塘
"Mammato" Tab. (Promoting Lactation) 妈 妈	3
Almond Cough Syrup, Compound	35
Tsin-Zen-Tan (for indigestion, nausea, sunstroke, etc.) :请 神	升
Zung Tan, pills (Dragon & Tyger Brand)	升
Ferential Ralm (for colds headache, itching, etc.) 清 凉	jų)

"Amolin" Lotion (for skin directe)					***	水
"Occulin" Eye Drops		ś	失古	林服	. #	水
"I-Sing-Song" Tab. (A Laxative)				粒		縣
Prickly Heat Powder "Chin-Chen"			集 .	成癖	子	粉
Anti- Cholera Drops			+	漸		水
Analgin, Ampoules (Anti-rheumatic, etc.)			安		近	針
Dichlorophenarsin Hydrochloride, Ampoules (for S	yphilis)	)	鹽石	6二氢	苯胂	針
Ephedrine Hydrochloride, Ampoules (for Bronco-asthr	na, etc	.)	胜	酸麻力	负素	針
Glucose Solution, Ampoules			έĵ	莿	糖	針
Analgin Tab. (Anti-rheumatic, Analgeric, etc.)				75	近	粹
Calcium Lactate Tab			扎	额	鈣	H
"Dapsone" Tab. (for Leprosy)			炙	苯	穊	ř
Ephedrine Hydrochloride, Tab. (for Asthma, Cough, et	c.) ···		鹽	旌麻:	黄 素	Н
Isonicotinic Acid Hydrazide, Tab			異	菸	肼	):
			青	微素	+ 無	1
Penicilin Ontment			青	微力	t IR	4
Penicillin Ophthalmic Omment				胺嘧?		
Sodium Sulfadiazine Ophthalmic Ointment				版"a", 按基水		
Sodium Para-Amino Salicylate Tab. (sugar-coated)			31)	按些小 (结	衣)	pri /
"Solapsone" Tab. (for Leprosy)			苯	丙	观	
"Zymasun" Tab. (Yesst Tab.)			食	4	*	
Agrimonine Tab. (for Hemorrhages)			(d)	鹤当	车 素	
Agrimonine G. Compound Tab. (for mensirual discre			. 爱	母	字	
"Para-Calcium" Tab			. 鈣	素	母	
			. 斜			
"Chaton" lab. (tor pains)			. 倭		敖	
"Eusedon" lab. (for pains)			. :	vía.	· ·	
"Viscuilbine" Pills (for hypertension)	•••		. 548			

"Visculbine" Liquid (for hypertension)						 维	úL	-		液
"Gastropin" Tab. Compound (for gastric	hyp	eraci	dity,	etc.	)···	 捉	方胃	舒	Ŧ	片
"Vinnin" Tab. (for gastric disorders)				•••		 ñ				筝
Cough Syrup, "Sineco"						 估		搴		咳
Thirocodin, "Yales" (cough syrup)						 乣	维	咳	嗽	樂
Compound Oil of Cajuput (for Burns,								柎		;d)
E. B. Fruit Saline						 缒	鹛	果	子	盤
"Cure-Sol" (for skin dizease)						 甘				Æ
"914" Ointment (for skin disease)							-	Z)	樂	雪
"Sino-Green" Ointment (for skin disse	ise)					 折	亞	14.	藥	Ť
"Sanfloid" Ointment ( for ekto inflamm	ation	)				 Ξ	揃	消	炎	借
"Beton" Ointment (for Rhinitis)										通
"Endo" Eye Drops						 安	度	椺	樂	水
231000 -1										

## MEDICAL INSTRUMENTS 醫療器械

Sphygmanometer, or	1100										ж	銀柱	10	Æ	3
Sphygmanometer, or	Sinc	mete	T												
Head light with tran	sforme	r	•••	•••				•••	•••	•••	99	检	(6	1 3	-003
Ophthalmoscope and	Otos	оре					•••			•••	£.	É.	絵	查	ž
Triple Exchangeable	Stetho	scop	e w	ith !	Rub	ber	Tuk	ing			Ξ	用 (計 位	聽止	珍 台)	2
Galvano-Faradism A	pparati	15									Ĺ	流感	應	電源	: 8
Electric Centrifuge	"303"	mod	el.						•••		,30	)3'型寸	E W	難八	S A
Dental Unit Equipm	ent										亩	科综	合	治療	1
Dental Pump Chair											苗	科	手	街	4
Electric Dental Unit											杏	#	Œ	療	
Dental Instruments									•••		苗	+		25	ż
Incubator for infant	s of p	ema	ture	bi	rth						우	產獎	兒	保证	n :



中國進出口公司 CHINA NATIONAL IMPORT & EXPORT CORPORATION

THE CHINA NATIONAL IMPORT & EXPORT CORPORATION, first established in 1951, is one of the state-owned foreign trade enterprises of the People's Republic of China. During the past few years, this CORPORATION has maintained and quickly developed extensive business contacts with manufacturers and traders the world over, and has concluded a considerable volume of business on the basis of equality and mutual benefit to the satisfaction of all parties concerned. Up to the present, there are already over forhousand firms in different countries, who have established regular business relations with this CORPORATION.

This CORPORATION has always been an active participant in International Trade Fairs. The actual business transactions entered into between this CORPORATION and other participating parties have enriched the activities of suchTrade Fairs, and as a result, have been widely welcome to various circles. It is the sincere desire of this CORPORATION to bring about a still closer relationship with manufacturers and traders in different parts of the world.

with manufacturers and traders in different parts of the World.

The present scope of business of this CORPORATION covers the import and export of such commodities as CHEMICALS, PHARMACEUTICALS, MEDICAL & SURGICAL INSTRUMENTS AND SUPPLIES, FERTILIZERS, DYESTUFFS & PIGMENTS, RUBBER RNODUCTS, PETROLEUM & PETROLEUM PRODUCTS, All business friends abroad are cordially invited to write and/or cable their valued offers and/or enquiries to this CORPORATION, whose addresses and cable addresses for the Head Office and Branch Offices are as follows:

#### HEAD OFFICE:

CHINA NATIONAL IMPORT & EXPORT CORPORATION, 6 Tou Tiao Hutung, Tai Chi Chang, Tung Chiao Ming Hsiang, Peking. dress: CNIEC PEKING

Cable Address:

Tientsin Office:

171 Chieh Shieh Road, Tientsin.

NOCIMOR TIENTSIN

Cable Address: Shanghai Office:

27 Chung Shan Road Eastern I, Shanghai.

CHIMEXCORP SHANGHAI

Tsingtao Office: Cable Address:

82 Chung Shan Road, Tsingtao. CNIECTB TSINGTAO

Canton Office:

25 Tai Ping Road South, Canton. CHIMPORTCO CANTON

Cable Address:

BERLIN REPRESENTATIVE'S OFFICE Leipzigerstrasse II2, Berlin W 8.
Cable Address: CNIEC BERLIN
Side Address

ŧ

OUR MAIN EXPORTABLE PRODUCTS CHEMICALS & PHARMACEUTICALS

#### CONTENTS

SODA ASH (SODIUM CARBONATE)

CAUSTIC SODA (SODIUM HYDROXIDE)

SODIUM SULPHIDE

CALCIUM CARBIDE

HYDROCHLORIC ACID

ACTIVATED CHARCOAL

ZINC OXIDE

RED PHOSPHORUS

AMMONIUM CHLORIDE

SULPHUR BLACK

SODIUM PHOSPHATE TRIBASIC

PHENOL

ETHYL ALCOHOL

MONOCHLOROBENZENE

NITROBENZENE

DINITROCHLOROBENZENE

NAPHTHALENE (REFINED)

ANILINE

SULFONATED COAL

RODINE

EPHEDRINE HYDROCHLORIDE

LIVER INJECTION CRUDE

PEPSIN

PANCREATIN

### SODA ASH (SODIUM CARBONATE)

 $(Na_2CO_3)$ 

Specification:

Total alkalinity as Na<sub>2</sub>CO<sub>8</sub> 98% up.

Characteristics:

Water soluble, white crystalline powder.

Uses and applications:

Raw materials for the manufacture of Caustic Soda and Sodium Silicate; metallurgical works; petroleum industry; oils and fats refinery; glass industry and paper pulp industry.

Packing:

In 80-kg. gunny bags lined with cloth bag.

Precautions:

Keep in dry store and away from dampness and

### CAUSTIC SODA (SODIUM HYDROXIDE)

(NaOH)

Specification:

NaOH content: 96% up or 98% up.

Characteristics:

White solid, with slight bluish shade allowed, easily soluble in water, hygroscopic, corrosive, absorbs carbon dioxide when exposed to air.

Uses and applications:


Petroleum and oils refining; paper pulp, glass and dye-stuffs industries; rayon yarns, toilet soaps, soaps and cosmetics manufacturing.

Packing:

In 200-kg. iron drums.

Precautions:

Keep containers tightly closed to avoid deliquescence, and store in dry place to prevent the drum from getting rusty.



### SODIUM SULPHIDE

 $(Na_2S)$ 

Specification:

 $Na_2S$  content: ~60-62% or 62.5-63.5% , solid fused.

Characteristics:

Pinkish or brick-red solid, hygroscopic, soluble

Uses and applications:

Raw material for the manufacture of sulphur dyes; auxiliary for sulphur dyes; paper pulp manu-facturing; dehairing hides; cotton fibre detergent; denitrating agent in rayon industry.

Packing:

In 100 or 160-kg. iron drums.

Precautions:

Keep in ventilated and dry place to prevent the drum from getting rusty; stow away from acids; keep container tightly closed and intact to prevent dampness.

### CALCIUM CARBIDE

(CaC<sub>2</sub>)

Specification:

Acetylene yield not less than 250 litres per kilo

of CaC<sub>2</sub>.

Characteristics:

Greyish black, irregular solid lumps, hygroscopic, reduced to powder after efflorescence, with formation of acetylene gas when wetted by

Uses and applications:

For illumination and welding purposes; organic

synthesis.

Packing: Precautions: In 100/200-kg. drums.

Handle with care to prevent explosion caused by

collision, keep in dry store.

### HYDROCHLORIC ACID

(HCI)

Specification:

HCI content: 31% min.

Characteristics:

Colorless or yellowish solution, with a strong pungent odour and corrosive property.

Uses and applications:

As reagents for synthetic rubber, dye-stuff and food industries; also used in tanning, dyeing, metal stain removing; for manufacturing pharmaceuticals, perfumes and chlorides.

Packing:

In 30-kg. acid proof jars.

Precautions:

Keep in cool place and avoid collision.



#### ACTIVATED CHARCOAL

Specification:

(1) Absorption power 35% up.
(2) 0.1 gm decolourizes not less than 15 c.c. of 0.1% Methylene Blue solution.

Characteristics:

(1) Black granules. (2) Black powder.

Uses and applications:

Pharmaceutical purpose.
 Industrial decolourization.

Packing:

In 20-kg. iron drums.

Precautions:

Keep in tightly closed containers to prevent dampness.

#### ZINC OXIDE

(ZnO)

Specification:

ZnO content: 99.5% min.

Characteristics:

White powder, insoluble in water, soluble in acid and absorbs carbon dioxide when exposed to air.

Uses and applications:

For rubber, paint, pigments, pharmaceutical and match industries.

Packing:

In 25/50-kg. paper-lined canvas bags.

Precautions:

Store in ventilated and dry place.

### RED PHOSPHORUS

(P)

Specification:

On request.

 ${\bf Characteristics:}$ 

Red or dark-red powder, explosive if heated.

Uses and applications:


Safety match manufacturing.

Packing:

In 10-kg. iron drums.

Precautions:

Store in dry, cool and ventilated place, keep away from fire.



#### AMMONIUM CHLORIDE

(NH₄CI)

Specification:

NH<sub>4</sub>CI content: 99% up

Characteristics:

White crystals, sublimes when heated, soluble in water and glycerol.

Uses and applications:

Dry batteries manufacturing; textile printing; tanning industries; electric welding; electroplating; nitrogen fertilizers.

Packing:

In 50-kg. 5 ply kraft paper bags.

Precautions:

Store in dry ventilated place, keep away from

### SULPHUR BLACK

Specification:

Strength (In comparison with the standard sample):  $100 \pm 5$ .

Shade: Reddish blue or blue.

Characteristics:

Black powder, easily oxidized and absorbs moisture when exposed to air. Dyed material gets brilliant colour and high fastness.

Uses and applications:

For dyeing cotton and linen fabrics.

Packing:

In 50-kg. iron drums.

Precautions:

Keep in tightly closed containers and away from fire and dampness. Handle with care.

### SODIUM PHOSPHATE TRIBASIC

 $(Na_8PO_4 \cdot 12H_2O)$ 

Specification:

Na<sub>3</sub>PO<sub>4</sub>·12H<sub>2</sub>O content: 98% min.

Characteristics:

Colorless crystals or white powder.

Uses and applications:

Effective boiler detergent; water softening agent; tanning and sugar refining industries.

Packing:

In 25-kg. cloth bags.

Precautions:

Keep under appropriate humidity.

PHENOL

 $(C_6H_5OH)$ 

Specification:

Congeals at 39° — 41°C

Characteristics:

Colourless to pinkish crystalline mass, soluble in water with distinctive odour and corrosive property.

Uses and applications:

Dye-intermediates; raw material for phenol-formaldehyde synthetic resin; strong antiseptic and germicide preparations.

Packing:

In 210-kg. galvanized iron drums.

Precautions:

Do not expose to air or light, avoid contact with

skin.

# ETHYL ALCOHOL (C<sub>2</sub>H<sub>6</sub>OH)

Specification:

Purity: 96% min.

Characteristics:

Colourless liquid, inflammable and easily volatile.

 $Uses\ and\ applications:$ 


Industrial and pharmaceutical purposes.

Packing:

In iron drums.

Precautions:

Keep away from fire.



#### MONOCHLOROBENZENE

 $(C_6H_5CI)$ 

Specification:

Benzene content (dry base): 0.3% max.

Sp. Gr. D<sub>15</sub> 1.112—1.114

Characteristics:

Colourless, transparent liquid with pleasant odour, inflammable, anaesthetic, insoluble in water, but

soluble in alcohol, ether and benzene.

Uses and applications:

For manufacturing phenol; picric acid; dichloro-benzene; dinitrochlorobenzene; sulphur black; sulphur brown etc.; raw material for manufacturing insecticides, such as DDT and Benzene-Hexa-chloride; as solvents.

Packing:

In 220/240 kg. iron drums.

Precautions:

Keep away from open flame and electric spark. Containers should be tightly closed, otherwise an inflammable and explosive mixture may be resulted from its volatile vapour and air. Sand may be used in case of fire.

#### NITROBENZENE

 $(C_6H_5\dot{N}O_2)$ 

Specification:

Solidifying point (dry base):  $4.5^{\circ}$ C min.

Characteristics:

Yellowish oily liquid with bitter almond odour, soluble in alcohol, ether and benzene; slightly soluble in water, easily inflammable and poisonous.

Uses and applications:

Manufacture of aniline; benzidine-base; quinoline; azobenzene; dye-stuffs and perfumes.

Packing:

In 200-kg. iron drums.

Precautions:

Keep in cool place, away from inflammable goods, avoid contact with skin, use air-mask and rubber gloves when handling.

8

#### DINITROCHLOROBENZENE

 $(C_6H_8(NO_2)_2CI)$ 

Specification:

Purity (dry base): 97% up. Solidifying point (dry base): 47°C up.

Characteristics:

Yellow or light orange crystal, with bitter almond odour; irritative to the skin and poisonous.

Uses and applications:

Manufacture of sulphur dyes; picric acid; saccharine and as dye intermediates.

Packing:

In 300-kg, iron drums.

Precautions:

Keep in cool place and away from direct sunlight. Avoid contact with skin.

## NAPHTHALENE (REFINED)

 $(C_{10}H_8)$ 

Specification:

Melting point not lower than 79°C.

Characteristics:

White or slightly yellowish, with pungent odour and easily volatile.

Uses and applications:

Insecticides; dye intermediates.

In 25-30kg. five ply kraft paper bags.

Packing: Precautions:

Keep away from fire.

### ANILINE

 $(C_6H_5NH_2)$ 

Specification:

Aniline content (dry base): 99% up.

Characteristics:

Light yellow to brownish oily liquid, with pungent odour and poisonous.

Uses and applications:


Dye intermediates; dyeing and printing; raw material for the manufacture of accelerator and antioxidant in rubber industry; perfume and pharmaceutical industries.

Packing:

In 200-kg. iron drums.

Precautions:

Keep in cool dry ventilated place and away from fire, sun light or dampness; and avoid contact with skin.



#### SULFONATED COAL

Specification:

Softening value: Ton degree/cubic meter not less than 900.

Characteristics:

Black granules, size will be doubled when wetted by water.

Uses and applications:

Water softener; especially used in boiler water or water for bleaching and dyeing purposes.

Packing:

In 50-kg. wooden cases, lined with 2 ply kraft paper.

## RODINE

Specification:

Available ingredient not less than 25%.

 ${\bf Characteristics:}$ 

Light yellowish powder, poisonous.

Uses and applications:

For cleaning iron rods, discs, before enamelling and electro-plating; also used for cleaning machine parts and boiler tubes. For preventing acid fogmaking in metal works.

Packing:

In 20-kg. iron drums.

Precautions:

Keep away from dampness and heat.

#### **PAINTS**

Specification:

Various types of quick-drying enamels, ready mixed paints and paste paints.

Characteristics:

Enamels: quick-drying, with a layer of lustrous film after painting, Ready mixed paints: paints mixed with solvents, easy to apply and with bright film after painting. Paste paints: with high content of pigment, should be diluted with boiled paint oil when applying.


Uses and applications:

Suitable for painting iron or wooden furnitures and buildings.

Packing:

Precautions:

Keep containers tightly closed to prevent from infiltration of water and other foreign matters; store in dry, ventilated place.



Conitized Conv. Approved for Pologge 2010/09/10 - CIA PDP91 01042P000700240000 5

#### EPHEDRINE HYDROCHLORIDE (RED HORSE BRAND)

Specification:

B. P. 1953

Characteristics:

White crystals or 80 mesh powder. Odourless, bitter taste.

Uses and applications:

Pharmaceutical purpose.

Packing:

In 5 kilo tins, 6 tins to a wooden case.

In I kilo tins, 30 tins to a wooden case.

In 1 lb. bottles, 30 bottles to a wooden case.

In I oz. bottles, 200 bottles to a wooden case.

#### LIVER INJECTION CRUDE

Specification:

U. S. P. 14

Description:

Hematogenic tonic, Nutrient, Sanguinopoietic substances derived from fresh cow's liver. Brownish water injection, standardized to containing 2 U.S.P. injectable units per ml.

Action and uses:

For treatment and prophylaxis of pernicious anemia, anemia due to hemorrhage or tuberculosis, parasitic anemia; dysfunction of reticulo-endothelial system; intoxications by drugs or chemicals; severe gastrointestinal manifestations; and postoperative restoration of liver functions.

Packing:

10 ml. vials, each ml. contains 2 U.S.P. units.

Storage:

Preserve the Injection preferably at a temperature not above 20°C and protected from light.



#### PEPSIN

Specification:

B. P. 1953

Description:

Proteolytic enzyme obtained from fresh mucous membrane of cow's stomach; colourless or light buff-coloured, amorphous powder of faintly meaty odour; slightly acid or saline taste; soluble in water, yielding an opalescent solution; insoluble in alcohol (95%) and ether; I gm of pepsin digesting not less than 2,500 gm of coagulated egg albumen.

Action and Uses:

Digestant, converting native proteins into peptones and proteoses. For use in gastric achylla and gastric indigestion.

Packing:

Bottles of 25 gm, 50 gm, 100 gm and 500 gm.

Storage:

Should be kept in a well-closed container and stored in a cool place.

PANCREATIN

Specification:

B. P. 1953

Description:

Powerfully digestive enzyme derived from fresh cow's pancreatic tissue, containing pancreatic enzymes amylase, trypsin and lipase; buff coloured; amorphous powder of meaty odour; soluble in water, forming a slightly turbid solution; insoluble in alcohol (95%) and ether.

Action and Uses:

In alkaline medium can digest starch, proteins and fats; exerts no enzymatic activity at the acid pH of the gastric juices, therefore it must be taken with sodium bicarbonate.

For use in serious diarrhea due to disturbed external secretion of the pancreas, achylosis, amyzia, chronic intestinal catarrh, and various types of dyspepsia.

Packing:

Bottles of 25 gm, 50 gm, 100 gm and 500 gm.

Storage:

Should be kept in a well-closed container and stored

in a cool place.

## CHINA NATIONAL IMPORT & EXPORT CORPORATION

## Head Office:

6 Tou Tiao Hutung, Tai Chi Chang, Tung Chiao Ming Hsiang, Peking. Cable Address: CNIEC PEKING

## BERLIN REPRESENTATIVE'S OFFICE

Leipzigerstrasse 112, Berlin W 8.

Cable Address: CNIEC BERLIN

o Ō



# 汪西景德鎮

耳用品類



# **價格** 自 隸

1956



# 

地 证:廣州市天成路#63

电 請: 12516・12541・ 电报:3099

## 3 新花類

## **各種新花日用品分類目録**

甲 類: 彩美人・ 加彩魚蓮・ 加彩尨风・ 金網四字・ 山胡四字・ 山胡金花・ **梅荫煮竹・** 甲紅菊四字・ 加彩寫第

乙 類:

丙 养

刷梨花・ 刷荷蓮・ 貼紅泣花・ 貼四童子・ 遊用房, 三色泣・ 絲米竹・ 董春・ 色心菊・ 梅 庄・ 紅玫瑰・ 牡丹・ 海宗花・ 彩秋葵、 英栗花・ 葵花海索・ 金銭花・ 窒春花・ 山茶花・ 蝴蝶斎・ 彩山水・ 金銭菊・ 大荔菊・ 喇叭花・ 細芙蓉・ 松竹梅・ 彩菊花・ 梅 竹・

丁 類

斯美人・ 貼移边花・ 刷海索・ 刷奏花・ 刷茶花・ 刷牽牛花・ 杜鹃花・美**落花・** 秋罗花・ 红棕树・ 绿棕树・ 紫葉玖恵・ 刷水果・ 红玫瑰・ 夾竹椒・

		0 0	新礼	包類			, 1	i i		(1)
4 tr	EIT.	~	道	<b>C</b> &	F 香	港单	价	与箱	备	<b>交</b>
編 号	面	Æ.	忟	甲類	て類	丙類	丁類	句蒙率	/Д -	
	正徳7寸		至	LO 40	8 80	800	7 <u>60</u>	14		V
	正徳二碗	5		1 <u>500</u>	1150	1000	950	13		
	正徳大概	3		930	820	700	6 <u>65</u>	. 18		
	正徳公夜	Ē		600	525	465	443	30		
	正徳湯破	ī		400	3 <u>50</u>	3 <u>10</u>	295	42		
	正徳加入	飯碗		380	320	290	270	. 60		
	正徳飯藤	Ē		3≥5	280	2 <u>50</u>	3 <u>38</u>	60		and the transfer and the second
	正徳茶忠	T.		2 <u>60</u>	220	2∞	190	72		
	爱汗公蚕	₹		5 <del>70</del>	480	435	4°5	30		
	<b>发汗湯</b> 砂	€		3 80	. 320	290	270	45		
	罗汗小湖	易碗		<u> 361</u>	<u>36</u> ±		2 <u>57</u>			
	罗汗飯	庭		331	278	252	235			
	荷葉品研	₹		22 <u>45</u>	1900	1725	16 <u>39</u>			
	荷煮頂面	É		1495			1093			
	荷葉二面	を		1000	847		7 32			
	荷葉大型	<del>克</del>		700	5 <sup>93</sup>	532	512	18		
	正徳95	<del></del>		1560	1320	12∞	1140	. 6		
	(正徳8	4		434	11 88	11080	1026	10		

-					-FOR NAME OF		·		and the second of the second	(5)
編号	品	宏.	单	CE	KF 4	本本	- 作	毎葙	备	衣
Nut 1	ны	/H .	位	甲類	乙類	丙類	丁類	を表率	/#1	
	正徳5寸		全	624	528	480	4 56	40		
	正徳すす			69	43	30	24	90		***************************************
	正徳2.5 寸		. "	143	121	110	105	100		
	正徳 / 寸		b	117	100	050	0.86	144		
	淺折边型		. *	45 <sup>50</sup>	38 <u>⁵</u>	35∞	33≥5	2.4		
	浅折滿尺		"	36 <del>40</del>	30 <u>80</u>	2800	26€	3		
	浅折9寸		"	430	1516	1100	1045	6		
	淺折8寸		*	915	6 <u>TI</u>	915	580	10		
ĺ	淺折です		"	630	46≥	420	400	14		
	淺折6寸		"	4 43	3 <u>25</u>	295	280	24		
	浅折5寸	1		330	242	220	210	32		
	浅折4寸			264	194	176	68	40		
	深折辺9寸			1430	1210	1100	1045	6		
	深折过8寸			915	671	61 <u>0</u>	<u>580</u>	10		
	深折泣てす		"	630	462	420	490	14		
	深折过6寸		"	413	3≥5	295	280	24		
	深折过5寸		,	330	24≥	220	210	32		
	和合9寸		副	416	352	320	304	48		-
· CONTRACTOR OF THE PARTY OF	ARROWS A CHARLES THE PROPERTY OF THE PARTY O	CORPORATE SAFERON				-		-		

	2 2	新花	類			9 · 9			(3)
編号	品 名	单	C	SF &	港们	/ 東	寿箱	T	
ע" נאקוי	III ALI	位	甲類	で類	丙類	丁類		400	汏
	和食8寸	<b>岳</b> 川	374	317	2.88	274	48	1	
	和合です		299	253	230	219	60		
	/和合5寸		508	175	160	152	60		
	棋 3 寸	/固	320	330	300	282		,	
	煤8寸		351	227	270	257	54		
	填了寸		- 282	239	217	2∞6	64		
	<b>填</b> 6 寸		224	189	172	163			
	– – – – – – – – – – – – – – – – – – –		166	141	128	22			
	尺六魚盤		5 <del>46</del>	462	420	399	25		
	尺四角盤	"	390	33º	329	285.	50	i	
	尺=魚盤	*	273	231	210	200	70		
	满天魚盤		191	162	147	140	90		
	6头大茶具	套	560	480	440	4.20	24		
	6 米蓮蓬大茶具	,			1		24		
-	6 关小茶具	,	280	240	220	210	100		
	375 合具		020	080	070	180	120		
	225 合具		078	066	060	057	240		

	<u> </u>	•		O National Control of the Control of			• •		(4)
舖 号	品 名	单	C &	F 看	港单	价	寿葙	4-	
Auf 2	nn 41	忟	甲類	乙類	丙類	丁類	包装率	备	灰
	4 寸九龙合具	套	085	069	063	060	180		
	5寸花藍合具		090	080	070	067	120		
	元=紅中	全	176	149	35	126	84		
	大幾个水同	恒	090	080	070	067	108		
	小矮个水后		078	066	060	057	]20		
	衛生水箭		090	0.80	070	067	120		
	5号玉蕨令	仝	104	088	080	076			
	正徳大令		130	110	100	0.25			
	正徳=令		104	088	080	075			
	3 米正徳公功	套	208	176	160	152	90		
	る头正徳湯几	"	163	138	125	119	120	77 875744444444	
	う美石榴会儿	"	234	198	180	171	90	-	
	る头石裕湯巾	2	187	158	144	137	120	The second second	
	5 美廉飯店		117	299	090	086	150		_
	3 头馬茶巾	"	105	089	081	0 <u>T7</u>	200		
	三头压大飯丸	哥!	072	061	o <u>55</u>	052	240		
	100 件 乔 壺	個	780	660	600	570		-	
1	80件重要		520	440.	400	3 80			

	7 7	新	花类	頁		Э.	)		
稀牛	i uğ Â	坤	C	ς <b>Γ</b> ΄ 1	100	竹	海葙	备	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		位	甲類	乙類	丙類	丁類	包装率	191	<b>N</b>
	70件承壺	個	442	37 <del>4</del>	340	3 <u>23</u>	45		
	60件乔壹	, ,	350	310	580	266	48		
	50件乔壹	."	215	>≥≥0	200	120	60		
	40件乔壺	"	210	.180	170	162	80		
	30件乔壺	"	180	160	150	143	96		
	ろの件各形壺	"	189	160	145	138	80		
	20符各形壺	"	156	130	120	114	100		
	10件各形壺	"	078	0 <u>66</u>	060	057	120		
	10件加大形壺	,"	020	080	<u>0T0</u>	067	120		
	22天咖啡具	套	1830	1564	14∞	1330	9		
	15头咖啡具	"	1240	1080	96∞	912	12		
	3 头咖啡具	"	700	6∞	540	510	20		
	3头正徳飯具	"	070	060	054	051	280		
	6 头正德飯具	乕	1500	1250	1100	10 <u>20</u>	13		
	3头熨汗飯具	套	070.	060	054	051			
	大能	佴	065	055	050	048	312		
	加大針起	仝	150	130	115	110	192		- manual description
	加二針點	仝	120	108	096	092	252		The same of the sa

Samuel Soly Approved to Honology 20 and 10 a

c c 单 C&F 香港单价 煙箱 位 甲類 乙類 丙類 丁類 包装率 妋 仝 113 096 087 083 400 大号針匙 二号針匙 098 083 076 071 500 075 070 580 三号針匙 700 082 大号品赛 800 個 750 700 650 12 640 600 560 520 14 二号品赛 三号品赛 480 448 416 21 384 358 353 512 四号品高 410 237 50件参出 2 2 2 40 2.80 40件参監 240 203 183 174 40 152 144 70 ろの件参忠 200 169 20件参盅 50. 127 114 108 100 10件参盅 120 101 021 086 110

## 白胎· 乃成日用品目录

自聯 青花玲珑(素糙) 加彩序珑(彩糙).

青花严疏花也. 青花严疏龙也.

那彩琦琥花也· 加彩琦璇苑也·

所 註:本耳録香壹·各壹·針匙·品呙·参ь等价格,在花心順內。

价 全口加彩炉堆 花心 龙心 57<sup>∞</sup> 5 单位全  $\mathbb{H}$ 秥 台 胎 45∞ 2700 正德品碗 3000 正徳頂碗 9 38₩ 1800 800 540 19<sup>13</sup> 12<sup>75</sup> 28<u>2</u>2 18 2250 2513 正使三碳 1500 16 75 正徳大磯 9∞ 1140 765 1005 正徳公碗 360 6<u>70</u> 240 518 600 76∞ 42 正能湯碗 230 459 540 680 正使加大飯碗 5∞ 630 5<u>55</u> 425 正徳飯碗 2∞ 60 400 150 340 440 5∞ 72 正徳茶盅 810 899 1020 罗汗公碗 345 689 540 680 250 459 599 **罗汗憑碗** 220 罗汗小湯碗 578 390 4.59 54 熨汗飯碗 2∞ 荷葉品碗 H-10 4500 5700 3000 28<u>∞</u> 9 12 18 荷葉頂碗 荷葉=碗 940 22<u>50</u> 700 410 1900 1500

## 

自勝 青花原為春種 加彩學魂(彩種)-青花 萨琉瓦 它 青城 萨· 珠色也。 而於 南 張 花 化 · 加彩 曾 張 施 化

答。这一本月數亦產。<del>不成一對起一品馬,多麼等角落。但</del>常於獨有十

Summade dopy represents its residuous porteriorists. Sum vitor on orderioristations of

7

	•		•	. (	•		t	C	•	5
編· 号	品 右	单位	有胎	于   - 青れ	內理	<b>∲</b> □#	价 11彩 <b>吟谜</b>	毎件 装量	备	大
	<b>大工品碗</b>	仝	2200	雅心	7€ Ni 6000	花心	76 180	3		
	戻口頂碗	,	. 16º0		4000		4800	5		
	庆 <b>□</b> = 7歳	9	1100		3000	Ī	.36∞	9		
	庆日大碗	•	800		2000		2480	12		
	庆日今碗		520		1200		14.80	20		
	庆工馮碗	*	3 <del>1</del> 5		1		1			
	庆口飯碗		310							
	正徳たす碑	A	900	1955	2300	25 <u>55</u>	29 <u>00</u>	6		•
	正徳八寸碟	1.1	810	1750	2070	2300	2610	10		
	正徳なす碟	"	600	1275	15 ºº	1675	19 00	14		
	正徳五寸碟		₹ 80	765	9 90	1005	1140	40		
	正徳三寸碟		1.10	_298	350	- 388	440	90		
	正徳=寸半碟		100	247	290	3≥7	3 20	100		
	正徳一寸機		080	187	2 20	247	580	144		
	淺折边天=碟		3000	68∞	8000	8200	94.00	2 1/10		
	淺折边滿尺碟		2400	5440	64∞	6440	74-00	3		
	淺析並扩碟	*	800	1913	≥2 50	25 <sup>13</sup>	2850	6		

			•				. •			-3-
編号	品 名	单		事	玲珑	A rr thr	11	寿件	各	풄
专	1.7	伩	白胎	花心	唐心	<b>◆□加</b> 花心	76.10	兼量		•
	淺折述八寸碟	<b>A</b>	280	1530	1800	2010	2280	10		
	浅析过t寸殊	. "	400	1275	1500	1675	1900	14		
	淺折边入寸研		280	1030	1200	1340	1530	24		
	淺折边五寸磷	. "	210	765	900	1005	1140	32		
	港析过四寸磅		168					40		
	深折过九寸磷	*	840	2006	2360	2646	3000	6		
	深析也个寸磷		580	1601	1890	2111	2400	10		-
	漈		400	1339	1575	1764	20∞	14		
	深析位大寸列	ŧ "	280	1071	1260	14!!	1600	24		
	深折边五寸砂	ŧ "	210	808	950	1058	1200	32		
					-					
	和仓几寸碗	合	250		6∞		744	48		***************************************
	和仓八寸碗	"	220		540		668	48		
	和合士寸碗	0	180		420		5 <u>28</u>	60		
	和合五寸碗		130		300		376	60		7
	填胸加寸碟	A	230		540		638			
	<b>填脚ハす碟</b>		200		486		566	54		
	填脚も寸碟		160		440	-	504	64		

À	· ·	单	-	隽			价	毎件		CONTRACTOR OF THE PARTY OF THE
Ħ -	品 名	位		青	花戶城	金叮	『彩発液		备	殀
-	<b>澳</b> 爾大寸碟	4	1	花心	を心	花心	龙心	- 装量		
		Į.	138		380		436			
	填附五寸碟	1 "	100		3∞		340			
	八六魚盤	"		T	2000		2240	25		
	尺四魚盤	4			1000	1	1160	50		
	尺二魚盤	"			800	1	920	70		
	满天象盤			1	640	t	7 20	90		
	<b>六头大茶具</b>	套	3.20		1			≥4		
	大头莲蓬大茶具	1 9	4.00					24		
	大头小茶具	"	120					100		
	375 合具	仓	050	138	150	168	190	130		
٠.	225 合具	"	040	15	135	151	171	240		
	四寸九九合具	1.1	045	1 15	135	151	171	180	-	
	五寸花蓝合具	1	050			1-		120		
	园大红患	仝						120		
1	周二紅盅	"	110	>60	310	342	320	94		
+	大矮个水同	佰	060		212	215	320	108		
	小矮介水同	,,	0.50	-						
-	衛生水同	,,	060.	180		~ 30		120		
-	114	_	0=-	100		2≥0	ł	130		

ŧ

(

		1×	1	-		11		17 01		-5-
編号	品 名	車	白胎	青花	种流	<b>⊕</b> ⊔2005	STATAL	每件	备	<b></b>
专		仗		青花. 花心	唐心	◆ □加5 花心	10	装量	14	
	五号玉萧令盅	仝	060							
	正徳大令虚			213	250	263	300			
	正徳二令盅			170	200	210	240			
	三头正德公巾	套	135	239	270	300	340	90	~	
	三头正德湯巾		108	179	210	234	265	120		
	三头石桶公功		150	255	300	3 35	3 80	90		
	三大石裕湯巾		130	294	240	264	3∞	120		
	三头馬飯吃	0	075	128	150	168	190	150		
	三头馬茶巾	奏	0 68	15	135	151	171	200		
	=头压大飯巾	酮	045	077	090	101	14	240		
	100件乔壶	佰	540			- I				
	80件乔壹		360							
	TO件不费	4	3∞					45		
	60件不费		240					48		
	50件不壺		160	320		400.		60		
	40件乔壺		44	≥ 88		360		80		
	30件乔壺	,	130	256	-	312		96		
-	30件各形壺	,	120	250		300		80		

			(				8				
編	п 4	单		<b>售</b>		-,	侨	毎件	1	- 6	_
編号	長 名	位	台胎	青花	<b>玲珑</b>	<b>全</b> 口加 花心	彩玲瓏			妖	
	20件各形壺	個	030	200		240	70.0	100	-		-
	10件加大各形盘	0	060	80		210	İ	120	-		
	10件条形叠	*	055	160		120		120			-
	15大咖啡具	套	7 <sup>50</sup>	1770	1900	2210	2350	12			_
	3 头咖啡具	,	450	1000		1200		20	·		-
_	22关咖啡具	-	1070	26∞	29∞	33∞	36∞	9			_
	三头正德飯具	套	043	092	105	112	132	280			_
	大头正德食反具	乕	865	1920	2230	25∞	2810	13			-
-	三关爱汗飯具	套	043	092	105	119	132			,	_
-	大号飯匙	д	040	090					. 44		
	頂針是	A	120	0 25		110		312			
	加大針起	,	085	160				120			
	加一針匙		068	160		200		192			_
	大号針匙	H	062	130		160		252			
	二号針匙	-		117		144		400			_
	一丁型起	Ľ	056	116	-	135		500		-	-

(P	m &	¥	1			1		每件	_	1
編号	品 看	ŵ	白胎	青花		金口加:	彩吟地	装量	备	改
		4-4		花心	危心	花心	た心			
	三号到赴	4	o <u>55</u>	105		130		580		
	大号品函	個	600	1100		1300		12		
	= 号届禺	,	480	880	-	1040		14	-	-
	三号品属		384	7.04		832		1 21		
	四号品码	٠	307	5 <sup>63</sup>		6 <del>66</del>		21	A CONTRACTOR OF THE PARTY OF TH	
										٠,
	50件参監	侚	180	400		500		40		
	4 > 作多蟲	,	144	360		440		40		
	33 作参監		126	3 <u>20</u> -		390		70		
	こっ/作参監	. 7	090	256		312		100		
	- 1 ○ //*/ / / / / / / / / / / / / / / / /		072	135		183		110		
	İ									

青團鶴·紫亚內魚· 青花價格日錄

#全時間 | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では | 中では 产大阪市 本 025 24○ 产大阪市 全 200 60 《會產 全 22 28 · 湯碗 + 185 42 青柳亭加大針 仝 115 192 , 初二卦 · 026 252 育花負抗寸棋 全 ∋00 6 4 八寸碟 ・ 800 10 1<sup>15</sup> 192 0<u>36</u> 252 青满地大鱼匙 , m=фр€с 087 400 076 500 · 大号剑起 1 二号单起 075 580 ,三号到起

青團鶴 麥亞內俄 青花實格目錄 单位 漫元 品名单位 荣量 京子 242 45 京子惊破。252 34 | RAK 10 内 046 | 240 | 在大家的 A 200 60 · PAR 4 200 60 120 8A 分析会域 全 2型 28 · 馬峽 · 182 42 SEI 001 汗茶盅" # 建岭大师 。加=針起。 525 080 | 15 | 192 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 | 193 15 192 026 252 081 400 清晰中和大量报 沙全=171 大多种的 0<u>15</u> 280 。 三种种 , 三线股

## 粉彩類

## 粉彩日用品分類目録

各色观月花, 各色地四次洋建,

乙 類:

春色购弹建十方人份。 何心, 山水, 三崇, 鸡炒, 欢蔚帝虽, 命色地拟枝木,春色地双卷, 春色贴龙风, 春色贴五柳, 春色地水外,

各包跑万寿。 春色饱满洋蓬, 吹粒扒龙, 红扒草斗为桃子, 自地边聊双龙, 有魔足脚庵风。

沸蜂扒草斗方概子。 烤黄扒草斗方碟子。 白地富貴白头。

所 註。 以上所屬花色是一面彩色内白裡,如要內外双彩加 100 %. 知港內絲裡加15%。

分彩類

	•	分	彩舞	l			•	and the second second second
編号	п "	单	€ &	F 香	港单	价	每箱	k 74-
狮方	品 名	位	甲類	乙類	丙類	丁類	包装率	备 改
	正德頂碗	仝	57 <del>.°°</del>	38.00	34.20	30. <del>#0</del>	5 全	•
	正德式硫	ч	45.00	30.00	27.00	24.00	13 A	300
	正德公碗	11	17.00	11,40	10,26	9,12	30 全	
	正德湯碗		11,#0	7.60	6,84	6.08	42全	
	正德加大飯碗	.,,	10,50	7.00	6.30	5,60	60 A	
	正德小飯碗		9,98	6,60	6,00	5,32	60.2	
	<b>正德茶</b> 中		7.80	5,20	4 68	.4.16	72全	
	羅漢公応	1,1	15 25	10,50	9,45	8.40	30全	
	羅漢湯萜		10.50	7.00	6,30	5.60	45全	
	羅漢飲疏		8 93	5 <u>,95</u>	5,36	476	54 仝	
	正德大碗		30,00	20,00	18.00	16.00	18全	( )
	荷葉品碗	ь	81.00	54,92	48.60	4320	3 2	
	荷葉頂碗	-14	57,90	38,00	3420	30, 40	5 仝	
	<b>有葉式碗</b>	n	45,00	30,00	27.00	24.00	13 全	
	荷葉太碗	n	. 30,00	20.00	18,00	16.00	18全	
	和合九寸蓋統	付	10,65	7.70	640	5, 68	484	
	和令八寸蓋硫		9,60	6,40	5.76	5.12	6017	and the second
	和合比寸蓋碗	. "	7,65	5,18	U.60	W 08	601	man jerin di gerinde
	30件参惠	9.	534	3,56	320	285	705	

	( )					$\epsilon$			2.
編号	品 名	单	C	₹ F		千价	- 寿 着	h-	E COMPANY OF THE PARK OF THE P
	"	位	甲類	ひ類	丙類	丁頻			· 汝
	和合共寸蓋碗	付					6017		
	和母五寸蓋疣	14	5,34	3,56	3.20	285	804		
	<b>康口品</b> 碗	全	10/25	67. <u>\$0</u>	60.75	5400	3全		
	廣、□頂碗」	- N	7/25	47.50	4250	-	5 全		
	<b>康□</b> 式碗	۱,	5625	37.50	33.75		8全		
	雳□大碗	"	37,50	2500	22,50	20,00	12全		
	<b> </b>	. 15	2175	1450	13,00	11,60	20全		
	<b>廣口湯碗</b>		14.48	9,65	8,70	7.72	24 全	•	
	大号洋宮	묫	16,65	11,6	10:00	8.88	12 只	1	
	式号洋窝	,,	13,34	8,83	800	7.11	14		
	三号洋窝	٠,	1067	7.11	6,40	5, <u>68</u>	20		
-	四号洋客	4	8.54	5,69	5,12	5,"	21		
	正德九寸碟	全	25.00	30,00	27.00	24,00	6		
	正徳ハ寸は	1,	40,50	27.00	2430	21,60	10		*****
	正徳七寸碟		30,00	20,00	18,00	16,00	14.	-	
-	正德五寸碟		18,00	12,00	10.80	9,60	740		
	正德三寸碟	,	6.98	4.65	420	3.22	90		-
	正德二寸碟	٠,	5.85	3.90	3.50	3,12	100		-
	20分类温	2	4.00	267	240	2.4	100		

-		0	11/1	<b>沙類</b>			-14	)		. 3.
編 号	H	右	单	CS	F	<b>予港</b>	<b>羊</b> 价	毎箱	,	
	ни	7H	位	甲類	て類	丙類	丁類	包装率	备	改
	正德一寸碟		仝	4.65	3.10	280	248	144		
	淺折辺尺式碟		1	10830	72. <sup>20</sup>	65.00		2.4	-	
<u> </u>	沒折边滿尺碟			8340	5560	50,00		6		
	浅折边九寸碟		h .	45,00	30€	27.00	24.00	6		
	逐折边八寸碟		" -	36,00	24,00	21,60	19,44	10		
	溪折边七寸碟			3000	2000	18,00	16,00	14		
	浅析边六寸碟 さん		h	2400		14,40	12,80	24		
	溪折边五寸碟 深折边九寸。喋		12	18.00	12.00	10,80	960	32		
	深折边八寸碟			47.55 90	31,70		2536	6		
	深折边七寸碟		٧	37. <u>95</u>	25,30	22.80		10		
	海折边六寸碳			3/.65 25.34	21!º 16.89		1688	14		
	沙魚高脚填九寸		R	9.00	6.00	5.40	1180	24		
	沙魚高脚坦ハゴ			810	5.40	486		ш2		
	汝魚高脚壌も寸			650	433	390	3.46	54 6d		
	尼六角艦		块	1995	1330	1200	10.64	25		
	尺四魚盤		.,	11,70	780	7.00	624	50		
راب ويعب	人式魚盤		٠,	9,23	6,22	560	498	70		

) (

***************************************		<u>-</u> 2				-	)	4.
痛 号	品 名	単位	C &		声港』 丙類	单价 丁類	毎箱包装率	* +
	満尺魚盤	ナナ	7.00	467	¥20	3.24	100	
	正德六頭飯具	席	45 <sup>20</sup>	30,00	27:00	24,00	13	配,正德温,正德.做正德茶中 三寸和,一寸3人,加大舒仁
	正德三頭飯具	- 11	21,00	14,00	12,60	11,30	28	部に正徳和大阪ニオンハ、加大針と
	羅漢三頭飯具		21,00	1494	12,60	11.30	20	配、罗汗湯、三大和、加大針と
	羅漢四頭飯具		25.65	17:10	15,40	13.78	20	門:男汗湯ニナルハーナルハタナに
	羅漢五頭釣具	,	31.65	21.10	1900	1698	15	配子湯三十二十十八、一十八、
	大飯匙	l g	1,83	1,22	1.12	99	3/2	- 17-1.40 X BIC
	加大針匙	4	3.45	2,30	2/0	2.00	/92	
-	加弐針匙	- 41	300	3.00	1,80	1,60	252	
	_ 参 匙		2,67	/78	160	142	580	
	41頭茶具	上套					5	2头375合真12合,汶斯坦6寸/2, 澳斯迪满尼2尺=从南茶具一套
	22頭茶具		54,00	3650	33,00	29.**	9	2头375合具6合淡 拍边 6寸6尺 沙柳边9寸一尺三头的茶具一套
			34,20	2280	20.50	1810	12	3年37年合具6合,3头朵头-玺
	3 頭扁茶具:	1.	15,84	1056	9,50	8.45	20	THE RESERVE THE PARTY OF THE PA
	3頭高茶具	6			remain and		20	
	6頭大連子祭具	,,	1200	8.00	720	640	24	
-	6頭大連蓬茶具	14	13,34	8.83	800	7."	24	
	6頭小茶具	13	6.00	400	360	320	100	

編号	品 名	单	cz			毎葙	备	<b>庆</b>	
WHH J	дц /4	位	甲類	て類	丙類	丁類	包装率	' mj	
-	375合具	合	3.00	2,84	1,80	1. <u>60</u>	/20		
	225合具	١,	2,58	1,72	/, <del>55</del>	1,38	240		
	4寸九龍合具	- 11	2,70	1,80	1,62	1,44	180		
	375花藍合具		3,00	2,00	1.80	1.60	120		
	元式江中	仝	600	400	3, <u>60</u>	3,20	84		
	4歲馬飯比	套	3,30	2.20	1,98	1,76	150		
	3頭馬飯比	**	3,00	2,00	1,80	1.60	150		
	3頭馬茶比	10.	2.70	180	1,62	1.44	200		
	2頭定大飯地	付	1.80	1,20	1,08	0,96	240	Post de la Maria de la Companya de l	
	3頭正德公比	会	5,40	3,60	3.24	2,98	90		
	3頭正德場比	15	420	2,80	252	2.24	/20		
	4頭正德公比	11	5,75	3,83	3,43	3,08	90		
	4頭正德湯比	1,	4.55	3,03	2.23	2.44	120		and the second s
	3頭石榴公比	- 44	6,00	400	3,60	3,20	90		
	3頭石榴易止	14	480	3,20	2,88	2.56	120		
	4頭石榴公比	"	6,35	423	321	3,40	90		
	4.頭后榴湯比	"	5.15	3 <del>,43</del>	3,09	2.76	120		
	衛生盖水同	只	3,00		1,80	1,60	108		

•

粉彩類

Caritimad Carry Assessment for Delance	2040/00/40 - 014	DDD04 04040D00070004	40000 F

		£.),						))		6.
編 号	#	<b></b>	单	C &		港单			~	· · · · · · · · · · · · · · · · · · ·
			位	大件	し類	丙類	1 秩	包养率		
	大矮盖水同	1.	只	3,00	2 <del>.00</del>	1,80	160	116		
	二矮盖水同		- 11	250	1,67	1, <u>50</u>	1,34	120		The second second
	3の件各形量		把	4.17	2,78	250	2.22	80		
	20件各形實	<u> </u>	٠,	333	222	2 💝	1 <u>,78</u>	120		The second secon
-	10件加大各		۱٦	3,00	200	1,80	1,60	120		,
	10常大各所	金	٧,	250		1.50	1,34			
	100件桥童		•4	19 <del>35</del>	13,30	1200	10.64			The second secon
	80件桥童	_	u	1334	8. <del>83</del>	8.00	7.11	36	- Annual Control of the Control of t	
	70件桥童		11	11.34	7.56	6.80				The Art Table in Colonian and Art Section Sect
	60件桥壶		- 55	9,33	6.22	560	4.98	48		
	50件桥畫		١,	6.66	4.44	4.00	- 3 <u>.55</u>	60		
	40件桥畫		ķ.,	5 <u>67</u>	3 <del>.78</del>	3.40				
	30件桥壷		11	5.00	3, <del>33</del>	3,00	266	80		
	石榴全中		仝					180.		Control of the contro
	五号玉蘭全中	7	١,	3.00	2.00	1,80	1,60	255		
	正德太全中	-	٠,	4.67	3,11	280	249	150		***
	正德二令中			3, <u>50</u>	233	2 <del>ر</del> و	1.86	160	*	
	40件参盅		只	6,33	422		3,38			